

2023 Annual Groundwater Monitoring and Corrective Action Report

Ottumwa Midland Landfill
Ottumwa, Iowa

Prepared for:

Alliant Energy



SCS ENGINEERS

25223073.00 | January 31, 2024

2830 Dairy Drive
Madison, WI 53718-6751
608-224-2830

OVERVIEW OF CURRENT STATUS

Ottumwa-Midland Landfill 2023 Annual Report

In accordance with §257.90(e)(6), this section at the beginning of the annual report provides an overview of the current status of groundwater monitoring and corrective action programs for the Coal Combustion Residual (CCR) unit. The groundwater monitoring system at the Ottumwa Midland Landfill (OML) monitors a single CCR unit. Supporting information is provided in the text of the annual report.

Category	Rule Requirement	Site Status
Monitoring Status – Start of Year	(i) At the start of the current annual reporting period, whether the CCR unit was operating under the detection monitoring program in §257.94 or the assessment monitoring program in §257.95;	Detection
Monitoring Status – End of Year	(ii) At the end of the current annual reporting period, whether the CCR unit was operating under the detection monitoring program in §257.94 or the assessment monitoring program in §257.95;	Detection
Statistically Significant Increases (SSIs)	(iii) If it was determined that there was an SSI over background for one or more constituents listed in appendix III to this part pursuant to §257.94(e):	
	(A) Identify those constituents listed in appendix III to this part and the names of the monitoring wells associated with such an increase; and	<u>October 2022</u> No SSIs <u>April 2023</u> No SSIs
	(B) Provide the date when the assessment monitoring program was initiated for the CCR unit.	Not applicable Assessment monitoring not required

Category	Rule Requirement	Site Status
Statistically Significant Levels (SSL) Above Groundwater Protection Standard	(iv) If it was determined that there was an SSL above the groundwater protection standard for one or more constituents listed in appendix IV to this part pursuant to §257.95(g) include all of the following:	Not applicable In detection monitoring
	(A) Identify those constituents listed in appendix IV to this part and the names of the monitoring wells associated with such an increase;	
	(B) Provide the date when the assessment of corrective measures was initiated for the CCR unit;	
	(C) Provide the date when the public meeting was held for the assessment of corrective measures for the CCR unit; and	
	(D) Provide the date when the assessment of corrective measures was completed for the CCR unit.	
Selection of Remedy	(v) Whether a remedy was selected pursuant to §257.97 during the current annual reporting period, and if so, the date of remedy selection; and	Not applicable In detection monitoring
Corrective Action	(vi) Whether remedial activities were initiated or are ongoing pursuant to §257.98 during the current annual reporting period.	Not applicable In detection monitoring

Table of Contents

Section	Page
Overview of Current Status	i
1.0 Introduction	1
2.0 Background	1
2.1 Geologic and Hydrogeologic Setting.....	1
2.1.1 Regional Information.....	1
2.1.2 Site information	2
2.2 CCR Rule Monitoring System	2
3.0 § 257.90(e) Annual Report Requirements	3
3.1 §257.90(e)(1) Site Map.....	3
3.2 §257.90(e)(2) Monitoring System Changes.....	3
3.3 §257.90(e)(3) Summary of Sampling Events.....	3
3.4 § 257.90(e)(4) Monitoring Transition Narrative.....	4
3.5 § 257.90(e)(5) Other Requirements.....	4
3.5.1 § 257.90(e) General Requirements.....	5
3.5.2 § 257.94(d) Alternative Detection Monitoring Frequency.....	5
3.5.3 § 257.94(e)(2) Alternative Source Demonstration for Detection Monitoring	5
3.5.4 § 257.95(c) Alternative Assessment Monitoring Frequency.....	6
3.5.5 § 257.95(d)(3) Assessment Monitoring Results and Standards	6
3.5.6 § 257.95(g)(3)(ii) Alternative Source Demonstration for Assessment Monitoring .	6
3.5.7 § 257.96(a) Extension of Time for Corrective Measures Assessment	6
3.6 §257.90(e)(6) Overview.....	6
4.0 References	7

Tables

Table 1.	Groundwater Monitoring Well Network
Table 2.	CCR Rule Groundwater Samples Summary
Table 3.	Groundwater Elevation – CCR Rule Monitoring Network
Table 4.	Horizontal Gradients and Flow Velocity
Table 5A.	Groundwater Analytical Results Summary - October 2022
Table 5B.	Groundwater Analytical Results Summary - April 2023
Table 6.	Groundwater Field Data Summary

Figures

Figure 1.	Site Location Map
Figure 2.	Site Plan and Monitoring Well Locations
Figure 3.	Potentiometric Surface Map, April 4-5, 2023
Figure 4.	Potentiometric Surface Map, October 11, 2023

Appendices

Appendix A	Regional Hydrogeologic Information
Appendix B	Boring Logs and Well Construction Documentation
Appendix C	Laboratory Reports
Appendix D	Historical Monitoring Results
Appendix E	Statistical Evaluation

I:\25223073.00\Deliverables\2023 OML Fed CCR Annual Report\240131_2023 Annual CCR GW Report_OML_Final.docx

1.0 INTRODUCTION

This 2023 Annual Groundwater Monitoring and Corrective Action Report was prepared to support compliance with the groundwater monitoring requirements of the Coal Combustion Residuals (CCR) Rule [40 CFR 257.50-107]. Specifically, this report was prepared to fulfill the requirements of 40 CFR 257.90(e). The applicable sections of the Rule are provided below in *italics*, followed by applicable information relative to the 2023 Annual Groundwater Monitoring and Corrective Action Report for the CCR Units.

This report covers the period of groundwater monitoring from January 1, 2023, through December 31, 2023.

The groundwater monitoring system at the Ottumwa Midland Landfill (OML) monitors a single CCR unit with two phases:

- OML Landfill & OML Landfill Expansion - Phase 1 (existing landfill)

The system is designed to detect monitored constituents in the uppermost aquifer at the waste boundary of OML as required by 40 CFR 257.91(d). The groundwater monitoring system consists of two upgradient and three downgradient monitoring wells.

2.0 BACKGROUND

To provide context for the annual report, the following background information is provided in this section of the report, prior to the annual report requirement sections:

- Geologic and hydrogeologic setting
- CCR Rule monitoring system

2.1 GEOLOGIC AND HYDROGEOLOGIC SETTING

2.1.1 Regional Information

The uppermost bedrock unit in the site area consists of Pennsylvanian shales with minor siltstone, sandstone, limestone, and coal intervals. The continuity of these minor beds is highly variable. The thickness of the Pennsylvanian shale is variable; in some areas of Wapello County, it is over 100 feet thick, while in other areas it is absent. The variation in thickness is due to erosion of the bedrock surface. Underlying the Pennsylvanian shales are Mississippian limestone and dolomite, with some shale and sandstone. The Devonian units underlying the Mississippian are composed of shale, dolomite, and limestone, and are in turn underlain by Silurian dolomite (Montgomery Watson, 1994). A summary of the regional hydrogeologic stratigraphy is presented in **Appendix A**.

The Des Moines River and associated alluvial aquifers are a major source of surface water and shallow groundwater in the area; however, the alluvial aquifer is not present at the OML site. Unconsolidated deposits at the site consist of clays overlain by loess, which are not productive sources of groundwater. The uppermost Pennsylvanian bedrock unit is considered to be a regional aquitard. The Mississippian unit is the shallowest regional bedrock aquifer. The Cambrian-Ordovician aquifer, comprised of dolomite and sandstone, is commonly the source of municipal and industrial high-capacity wells in the region (Coble, 1971).

A summary of the regional hydrogeologic stratigraphy and a map showing regional bedrock surface topography and the top of the Mississippian limestone in Southeastern Iowa are included in **Appendix A**. The bedrock surface elevation is highly variable due to erosion. Regional information indicates that groundwater flow within the Mississippian limestone is to the south-southeast. A map showing the regional potentiometric surface in the Mississippian limestone is included with the hydrogeologic background information presented in **Appendix A**.

For the purposes of groundwater monitoring, the Mississippian limestone unit is considered to be the uppermost aquifer unit at the OML site as defined under 40 CFR 257.53.

2.1.2 Site information

Unconsolidated soils at the site include clay, loam, silt loam, silty clay, sandy loam, and intermediate types. Where present, these soils are generally 5 to 7 feet thick. Pennsylvanian shales and Mississippian limestone underlie the unconsolidated soils. Soils encountered during the drilling and installation of the existing background wells, MW-102M and MW-122M, were described as 10 to 11 feet of lean clay, overlying 126 to 129 feet of shale with intermittent stringers of sandstone and coal. The shale was underlain by Mississippian limestone at 138 to 139 feet below ground surface.

During drilling of CCR wells MW-301, MW-302, and MW-303, soils were described as 4 to 11 feet of clay and silt, overlying 112 to 173 feet of shale with intermittent stringers of sandstone and coal. The shale was underlain by Mississippian limestone at 116 to 168 feet below ground surface.

The boring logs for the landfill CCR monitoring wells are provided in **Appendix B**. All CCR monitoring wells are screened within the Mississippian bedrock unit.

Shallow groundwater flow at the water table appears to be controlled partially by the landfill underdrain system and partially by the top of the Pennsylvanian shale. Shallow groundwater, near the current fill area, flows toward the landfill and the sedimentation pond. The landfill underdrain system includes a drainage layer and collection piping below the landfill liner, and is used to ensure that shallow groundwater does not affect performance of the landfill liner.

Based on water levels in the existing Mississippian piezometers at the OML site, a generally south-southeast flow direction has been identified in the Mississippian limestone aquifer, consistent with the regional flow information. The potentiometric surface elevations and groundwater flow directions for the April 2023 monitoring event are shown on **Figure 3**, and the potentiometric surface elevations and groundwater flow directions for the October 2023 monitoring event are shown on **Figure 4**. The groundwater elevation data for the CCR monitoring wells are provided in **Table 3**. Calculated horizontal gradients and flow velocities for each of the flow paths are provided in **Table 4**.

2.2 CCR RULE MONITORING SYSTEM

The groundwater monitoring system established within the CCR Rule consists of two upgradient (background) monitoring wells and three downgradient monitoring wells (**Table 1** and **Figure 2**). The upgradient monitoring wells include MW-122M and MW-102M. The downgradient monitoring wells include MW-301, MW-302, and MW-303. The CCR Rule wells are installed in the upper portions of the Mississippian Limestone aquifer. Well depths range from approximately 150.0 to 204.5 feet, measured from the top of the well casing.

3.0 § 257.90(E) ANNUAL REPORT REQUIREMENTS

Annual groundwater monitoring and corrective action report. For existing CCR landfills and existing CCR surface impoundments, no later than January 31, 2018, and annually thereafter, the owner or operator must prepare an annual groundwater monitoring and corrective action report. For new CCR landfills, new CCR surface impoundments, and all lateral expansions of CCR units, the owner or operator must prepare the initial annual groundwater monitoring and corrective action report no later than January 31 of the year following the calendar year a groundwater monitoring system has been established for such CCR unit as required by this subpart, and annually thereafter. For the preceding calendar year, the annual report must document the status of the groundwater monitoring and corrective action program for the CCR unit, summarize key actions completed, describe any problems encountered, discuss actions to resolve the problems, and project key activities for the upcoming year. For purposes of this section, the owner or operator has prepared the annual report when the report is placed in the facility's operating record as required by § 257.105(h)(1). At a minimum, the annual groundwater monitoring and corrective action report must contain the following information, to the extent available:

3.1 §257.90(E)(1) SITE MAP

A map, aerial image, or diagram showing the CCR unit and all background (or upgradient) and downgradient monitoring wells, to include the well identification numbers, that are part of the groundwater monitoring program for the CCR unit;

A map showing the location of the site is provided as **Figure 1**. The OML CCR units and all background (or upgradient) and downgradient monitoring wells with identification numbers for the groundwater monitoring program are shown on **Figure 2**.

3.2 §257.90(E)(2) MONITORING SYSTEM CHANGES

Identification of any monitoring wells that were installed or decommissioned during the preceding year, along with a narrative description of why those actions were taken;

No new monitoring wells were installed and no wells were decommissioned as part of the groundwater monitoring program for OML in 2023.

3.3 §257.90(E)(3) SUMMARY OF SAMPLING EVENTS

In addition to all the monitoring data obtained under §§ 257.90 through 257.98, a summary including the number of groundwater samples that were collected for analysis for each background and downgradient well, the dates the samples were collected, and whether the sample was required by the detection monitoring or assessment monitoring programs;

Two semiannual groundwater sampling events were completed in 2023 for OML as part of ongoing detection monitoring.

Groundwater samples collected during the semiannual events, in April and October 2023, were analyzed for the Appendix III constituents. A summary including the number of groundwater samples that were collected for analysis for each background and downgradient well, the dates the samples were collected, and whether the sample was required by the detection monitoring or assessment monitoring program is included in **Table 2**.

The validation and evaluation of the October 2022 monitoring event data was completed and transmitted to IPL on February 9, 2023. The validation and evaluation of the April 2023 monitoring event data was completed and transmitted to IPL on August 22, 2023. The validation and evaluation of the October 2023 monitoring event data was in progress at the end of 2023 and will be transmitted to IPL in 2024; therefore, the October 2023 monitoring results will be included in the 2024 annual report. The October 2023 groundwater elevation data is included in this report.

The sampling results for Appendix III parameters in October 2022 and April 2023 are summarized in **Table 5**. Field parameter results for the October 2022 and April 2023 sampling events are provided in **Table 6**. The results of the October 2022 and April 2023 analytical laboratory analyses are provided in the laboratory reports in **Appendix C**. Historical results for each monitoring well through April 2023 are summarized in **Appendix D**.

3.4 § 257.90(E)(4) MONITORING TRANSITION NARRATIVE

A narrative discussion of any transition between monitoring programs (e.g., the date and circumstances for transitioning from detection monitoring to assessment monitoring in addition to identifying the constituent(s) detected at a statistically significant increase over background levels);

There were no transitions between monitoring programs during 2023. OML remained in the detection monitoring program.

In 2023, the monitoring results for the October 2022 and April 2023 monitoring events were evaluated for SSIs in detection monitoring parameters relative to background. For all parameters except chloride, the comparison to background was based on a prediction limit approach, comparing the results to interwell upper prediction limits (UPLs) based on background monitoring results from the upgradient wells (MW-122M and MW-102M). For chloride, the comparison to background used intrawell UPLs based on background monitoring results from the compliance wells (MW-301, MW-302, and MW-303).

The interwell and intrawell UPLs were most recently updated in August 2023 using background data collected through April 2023 for interwell UPLs and through October 2022 for intrawell UPLs. The August 2023 Statistical Analysis is included as **Appendix E**. The Unified Guidance for Statistical Analysis of Groundwater Monitoring Data at Resource Conservation and Recovery Act (RCRA) Facilities (U.S. EPA, 2009; Section 5.3.1) recommends periodic updating of background for both intrawell and interwell analyses. For semiannual monitoring, an update interval of 2 to 3 years is recommended.

No SSIs were identified based on the 2023 monitoring data evaluations.

3.5 § 257.90(E)(5) OTHER REQUIREMENTS

Other information required to be included in the annual report as specified in §§ 257.90 through 257.98.

Additional potentially applicable requirements for the annual report, and the location of the requirement within the Rule, are provided in the following sections. For each cited section of the Rule, the portion referencing the annual report requirement is provided below in italics, followed by applicable information relative to the 2023 Annual Groundwater Monitoring and Corrective Action Report for OML.

3.5.1 § 257.90(e) General Requirements

For the preceding calendar year, the annual report must document the status of the groundwater monitoring and corrective action program for the CCR unit, summarize key actions completed, describe any problems encountered, discuss actions to resolve the problems, and project key activities for the upcoming year.

Status of Groundwater Monitoring and Corrective Action Program. The groundwater monitoring and corrective action program is currently in detection monitoring.

Summary of Key Actions Completed.

- Statistical evaluation and determination of SSIs for the October 2022 and April 2023 monitoring events.
- Two semiannual detection monitoring events (April and October 2023).

Description of Any Problems Encountered. No problems were encountered in 2023.

Discussion of Actions to Resolve the Problems. Not applicable.

Projection of Key Activities for the Upcoming Year (2024).

- Statistical evaluation and determination of any SSIs for the October 2023 and April 2024 monitoring events.
- If an SSI is determined, then within 90 days either:
 - Complete Alternative Source Demonstration (ASD) (if applicable), or
 - Establish an assessment monitoring program.
- Two semiannual groundwater sampling and analysis events (April and October 2024).

3.5.2 § 257.94(d) Alternative Detection Monitoring Frequency

The owner or operator must include the demonstration providing the basis for the alternative monitoring frequency and the certification by a qualified professional engineer in the annual groundwater monitoring and corrective action report required by § 257.90(e).

Not applicable. No alternative detection monitoring frequency has been proposed.

3.5.3 § 257.94(e)(2) Alternative Source Demonstration for Detection Monitoring

The owner or operator must also include the demonstration in the annual groundwater monitoring and corrective action report required by § 257.90(e), in addition to the certification by a qualified professional engineer.

Not applicable. No ASDs were completed in 2023.

3.5.4 § 257.95(c) Alternative Assessment Monitoring Frequency

The owner or operator must include the demonstration providing the basis for the alternative monitoring frequency and the certification by a qualified professional engineer in the annual groundwater monitoring and corrective action report required by § 257.90(e).

Not applicable. Assessment monitoring has not been initiated.

3.5.5 § 257.95(d)(3) Assessment Monitoring Results and Standards

Include the recorded concentrations required by paragraph (d)(1) of this section, identify the background concentrations established under § 257.94(b), and identify the groundwater protection standards established under paragraph (d)(2) of this section in the annual groundwater monitoring and corrective action report required by § 257.90(e).

Not applicable. Assessment monitoring has not been initiated.

3.5.6 § 257.95(g)(3)(ii) Alternative Source Demonstration for Assessment Monitoring

The owner or operator must also include the demonstration in the annual groundwater monitoring and corrective action report required by § 257.90(e), in addition to the certification by a qualified professional engineer.

Not applicable. Assessment monitoring has not been initiated.

3.5.7 § 257.96(a) Extension of Time for Corrective Measures Assessment

The assessment of corrective measures must be completed within 90 days, unless the owner or operator demonstrates the need for additional time to complete the assessment of corrective measure due to site-specific conditions or circumstances. The owner or operator must obtain a certification from a qualified professional engineer attesting that the demonstration is accurate. The 90-day deadline to complete the assessment of corrective measures may be extended for longer than 60 days. The owner or operator must also include the demonstration in the annual groundwater monitoring and corrective action report required by § 257.90(e), in addition to the certification by a qualified professional engineer.

Not applicable. Corrective measures assessment has not been initiated.

3.6 §257.90(E)(6) OVERVIEW

A section at the beginning of the annual report that provides an overview of the current status of groundwater monitoring and corrective action programs for the CCR unit.

The specific requirements for the overview under §257.90(e)(6) are listed and the information is provided at the beginning of this report, before the Table of Contents.

4.0 REFERENCES

Coble, R.W., and Roberts, J.V., 1971, The Water Resources of Southeast Iowa: Iowa Geological Survey Water Atlas Number 4, 101 p.

Montgomery Watson, 1994, May 24, 1994, Hydrogeological Investigation Report and Hydrologic Monitoring System Plan, Ottumwa-Midland Commercial Landfill, Montgomery Watson, 1994.

U.S. Environmental Protection Agency (U.S. EPA), 2009, Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, Unified Guidance, EPA 530-R-09-007, March 2009.

[This page left blank intentionally.]

Tables

- 1 Groundwater Monitoring Well Network
- 2 CCR Rule Groundwater Samples Summary
- 3 Groundwater Elevation – CCR Rule Monitoring Network
- 4 Horizontal Gradients and Flow Velocity
- 5A Groundwater Analytical Results Summary - October 2022
- 5B Groundwater Analytical Results Summary - April 2023
- 6 Groundwater Field Data Summary

**Table 1. Groundwater Monitoring Well Network
Ottumwa Midland Landfill / SCS Engineers Project #25223073.00**

Monitoring Well	Location in Monitoring Network	Role in Monitoring Network
MW-102M	Upgradient	Background
MW-122M	Upgradient	Background
MW-301	Downgradient	Compliance
MW-302	Downgradient	Compliance
MW-303	Downgradient	Compliance

Created by:	<u>NDK</u>	Date:	<u>9/26/2022</u>
Last revision by:	<u>EMS</u>	Date:	<u>12/8/2023</u>
Checked by:	<u>RM</u>	Date:	<u>12/15/2023</u>

**Table 2. CCR Rule Groundwater Samples Summary
Ottumwa Midland Landfill / SCS Engineers Project #25223073.00**

Sample Dates	Downgradient Wells			Background Wells	
	MW-301	MW-302	MW-303	MW-102M	MW-122M
4/4-5/2023	D	D	D	D	D
10/11/2023	D	D	D	D	D
Total Samples	2	2	2	2	2

Abbreviations:

D = Required by Detection Monitoring Program

Created by:	<u>NDK</u>	Date:	<u>1/4/2019</u>
Last revision by:	<u>NLB</u>	Date:	<u>12/29/2023</u>
Checked by:	<u>RM</u>	Date:	<u>1/15/2024</u>

**Table 3. Groundwater Elevation - CCR Rule Monitoring Network
Ottumwa Midland Landfill / SCS Engineers Project #25223073.00**

GroundWater Elevation in feet above mean sea level (amsl)					
Well Number	MW-301	MW-302	MW-303	MW-102M	MW-122M
Top of Casing Elevation (feet amsl)	817.88	761.77	762.40	798.03	792.70
Screen Length (ft)	5.0	5.0	5.0	5.0	5.0
Total Depth (ft from top of casing)	204.5	157.7	150.0	152.1	155.3
Top of Well Screen Elevation (ft)	618.38	609.07	617.40	652.65	642.94
Measurement Date					
May 4, 2016	686.46	685.80	686.04	728.73	729.27
June 22, 2016	686.40	685.79	687.72	718.74	725.67
August 9, 2016	686.19	685.48	687.77	715.65	725.16
October 25-26, 2016	683.70	684.94	685.56	716.94	724.61
January 17, 2017	685.57	685.68	685.60	717.91	724.02
April 19-20, 2017	685.72	684.73	685.51	717.80	724.04
June 20-21, 2017	685.88	684.76	685.59	714.83	723.51
July 17, 2017	NM	NM	684.92	NM	NM
August 21-22, 2017	684.96	683.89	684.70	713.23	722.02
November 7-8, 2017	684.50	683.38	684.26	713.53	720.52
April 16-18, 2018	684.85	683.87	684.68	717.38	723.25
October 15-16, 2018	684.58	683.52	684.33	717.05	723.36
April 16-17, 2019	686.38	685.35	686.13	717.97	723.43
June 6, 2019	NM	NM	686.05	NM	NM
August 7, 2019	NM	NM	NM	712.00	720.42
October 14-15, 2019	686.56	685.44	686.08	715.50	708.94
May 20-26, 2020	687.29	686.25	687.14	717.61	724.23
June 29, 2020	NM	NM	687.36	NM	NM
October 5-6, 2020	686.80	685.86	686.35	712.05	718.39
April 12 - 13, 2021	687.25	686.26	687.05	710.95	720.52
October 5, 2021	686.87	685.85	686.84	714.85	717.76
April 13-14, 2022	687.00	685.07	686.91	710.24	704.81
October 24-27, 2022	686.01	684.97	685.86	709.07	719.03
April 3-5, 2023	686.58	685.65	686.51	701.93	706.90
October 11, 2023	684.55	684.12	684.95	720.93	707.90
Bottom of Well Elevation (ft)	613.38	604.07	612.40	645.93	637.40

Notes:

NM = not measured

Created by: NDK

Last rev. by: RM

Checked by: NLB

Date: 4/2/2019

Date: 10/24/2023

Date: 10/25/2023

I:\25223073.00\Deliverables\2023 OML Fed CCR Annual Report\Tables\[Table 3 _OML_GW_elevations_CCR_wells.xls]levels

**Table 4. Horizontal Gradients and Flow Velocity
Ottumwa Midland Landfill / SCS Engineers Project #25223073.00
January - December 2023**

Flow Path A - Southeast					
Sampling Dates	h1 (ft)	h2 (ft)	Δl (ft)	Δh/Δl (ft/ft)	V (ft/d)
April 3-5, 2023	700.00	685.65	1256	0.011	0.2

Flow Path B - South					
Sampling Dates	h1 (ft)	h2 (ft)	Δl (ft)	Δh/Δl (ft/ft)	V (ft/d)
October 11, 2023	705.00	684.12	1155	0.018	0.3

Well	K Value (cm/sec)	K Value (ft/d)
MW-102M	N/A	N/A
MW-122M	N/A	N/A
MW-301	8.0E-04	2.3
MW-302	3.6E-04	1.0
MW-303	1.1E-02	30
Geometric Mean	1.5E-03	4.1

Assumed Porosity, n
0.25

Groundwater flow velocity equation: $V = [K*(\Delta h/\Delta l)] / n$

ft = feet

ft/d = feet per day

K = hydraulic conductivity

n = effective porosity

V = groundwater flow velocity

h1, h2 = point interpreted groundwater elevation at locations 1 and 2

Δl = distance between location 1 and 2

Δh/Δl = hydraulic gradient

N/A = Not applicable, geometric mean K based on downgradient wells

Notes:

1. See Figures 3 and 4 for velocity calculation flow path locations.

Created by: NDK
Last revision by: NLB
Checked by: RM

Date: 9/26/2022
Date: 12/12/2023
Date: 12/15/2023

**Table 5A. Groundwater Analytical Results Summary - October 2022
Ottumwa Midland Landfill / SCS Engineers Project #25223073.00**

Parameter Name	Interwell UPL	Background Wells		Compliance Wells					
		MW-102M	MW-122M	MW-301		MW-302		MW-303	
		10/27/2022	10/27/2022	Intrawell UPL	10/25/2022	Intrawell UPL	10/25/2022	Intrawell UPL	10/24/2022
Groundwater Elevation, ft amsl		709.07	719.03		686.01		684.97		685.86
Appendix III									
Boron, ug/L	5,560	1,400	6,400		640		790		640
Calcium, mg/L	599	14	440		140		54		91
Chloride, mg/L		16	14	62.7	27	10.1	5.4	11.5	7.2
Fluoride, mg/L	5.70	4.8	<0.22		0.85		0.93		0.88
Field pH, Std. Units	8.63	7.55	6.79		6.58		7.13		6.76
Sulfate, mg/L	17,500	390	9,300		440		64		190
Total Dissolved Solids, mg/L	18,100	1,500	11,000		1,100		600		740

4.4 Blue shaded cell indicates the compliance well result exceeds the UPL and the LOQ.

Abbreviations:

UPL = Upper Prediction Limit

LOQ = Limit of Quantitation

µg/L = micrograms per liter

SSI = Statistically Significant Increase

LOD = Limit of Detection

mg/L = milligrams per liter

Notes:

1. An individual result above the UPL does not constitute an SSI above background. See the accompanying report text for identification of statistically significant results.
2. Interwell UPLs calculated based on results from background wells MW-102M and MW-122M for the period from May 2016 through October 2020. Interwell UPLs based on 1-of-2 retesting approach. The UPLs were updated in January 2021.
3. Intrawell UPL for chloride was calculated based on results from each monitoring well for the period from April 2019 through May 2020. Intrawell UPLs based on 1-of-2 retesting approach. The UPLs were updated in January 2021.

Created by: NDK
 Last revision by: NLB
 Checked by: RM
 PM/Scient. QA/QC: TK

Date: 5/1/2018
 Date: 7/7/2023
 Date: 7/7/2023
 Date: 1/14/2024

**Table 5B. Groundwater Analytical Results Summary - April 2023
Ottumwa Midland Landfill / SCS Engineers Project #25223073.00**

Parameter Name	Interwell UPL	Compliance Wells							
		MW-102M	MW-122M	MW-301		MW-302		MW-303	
		4/5/2023	4/5/2023	Intrawell UPL	4/5/2023	Intrawell UPL	4/5/2023	Intrawell UPL	4/5/2023
Groundwater Elevation, ft amsl		701.93	706.90		686.58		685.65		686.51
Appendix III									
Boron, µg/L	6,400	1,500	4,300		650 F1		800		730
Calcium, mg/L	599	31	430		130 B		52 B		110 B
Chloride, mg/L		16	9.0	62.9	22	10.2	6.2	8.72	7.8
Fluoride, mg/L	5.70	4.2	0.52		0.71		0.91		0.78
Field pH, Std. Units	8.52	7.93	6.49		6.75		7.19		6.86
Sulfate, mg/L	17,500	370	8,900		370		66		330
Total Dissolved Solids, mg/L	18,100	1,500	11,000		970		550		950

4.4 Blue shaded cell indicates the compliance well result exceeds the UPL and the LOQ.

Abbreviations:

UPL = Upper Prediction Limit

LOQ = Limit of Quantitation

µg/L = micrograms per liter

SSI = Statistically Significant Increase

LOD = Limit of Detection

mg/L = milligrams per liter

Notes:

1. An individual result above the UPL does not constitute an SSI above background. See the accompanying report text for identification of statistically significant results.
2. Interwell UPLs calculated based on results from background wells MW-102M and MW-122M for the period from May 2016 through April 2023. Interwell UPLs based on 1-of-2 retesting approach. The UPLs were updated in August 2023.
3. Intrawell UPL for chloride was calculated based on results from each monitoring well for the period from May 2016 through October 2022. Intrawell UPLs based on 1-of-2 retesting approach. The UPLs were updated in August 2023.

Created by: RM
Last revision by: SCC
Checked by: RM
PM/Scient. QA/QC: TK

Date: 5/22/2023
Date: 8/9/2023
Date: 8/9/2023
Date: 8/9/2023

**Table 6. Groundwater Field Data Summary
Ottumwa Midland Landfill / SCS Engineers Project #25223073.00**

Sample	Date	Groundwater Elevation	Temperature	pH	Dissolved Oxygen	Specific Conductivity	Oxidation Reduction Potential	Turbidity
		(ft. amsl)	(Deg. C)	(Std. Units)	(mg/L)	(µmhos/cm)	(mV)	(NTU)
MW-102M	10/27/2022	709.07	10.5	7.55	7.53	1,912	26	19.2
	4/4/2023	701.93	12.0	7.93	7.92	NA*	13	116
MW-122M	10/27/2022	719.03	12.2	6.79	5.47	13,350	14	62.4
	4/4/2023	706.90	10.2	6.49	5.84	13,367	140	18.3
MW-301	10/25/2022	686.01	13.0	6.58	0.28	1,539	-48	14.2
	4/5/2023	686.58	12.5	6.75	0.17	1,485	-91	16.8
MW-302	10/25/2022	684.97	12.9	7.13	0.10	1,130	-99	123
	4/5/2023	685.65	12.8	7.19	1.31	1,034	-82	99.0
MW-303	10/24/2022	685.86	13.5	6.76	0.00	1,318	-52	183
	4/4/2023	686.51	11.6	6.86	0.19	1,544	-49	NA**

Abbreviations:

amsl = above mean sea level

µmhos/cm = microSiemens per centimeter

NA = not applicable

mg/L = milligrams per liter

mV = millivolts

Notes:

* = Specific conductivity recorded on field sheets during the April 2023 was recorded as 9.5 uS/cm. This indicates a field sampling discrepancy or equipment error. The MW-102M specific conductivity value was not reported for this sampling event.

** = No value recorded for final turbidity measurement at MW-303 during the April 2023 sampling event.


Created by: AJR
 Last revision by: NLB
 Checked by: RM

Date: 8/15/2019
 Date: 6/28/2023
 Date: 7/7/2023


I:\25223073.00\Deliverables\2023 OML Fed CCR Annual Report\Tables\[Table 6 - 2023 Groundwater Field Data Summary.xlsx]GW Field Data

Figures

- 1 Site Location Map
- 2 Site Plan and Monitoring Well Locations
- 3 Potentiometric Surface Map, April 4-5, 2023
- 4 Potentiometric Surface Map, October 11, 2023




OTTUMWA NORTH QUADRANGLE
 IOWA-WAPELLO CO.
 7.5 MINUTE SERIES (TOPOGRAPHIC)
 2018
 SCALE: 1" = 2,000'



CLIENT	INTERSTATE POWER AND LIGHT CO. 15300 130TH STREET OTTUMWA, IA 52501		SITE	ALLIANT ENERGY OTTUMWA MIDLAND LANDFILL OTTUMWA, IOWA		ENGINEER	SCS ENGINEERS 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830		FIGURE
	PROJECT NO.	252519073.00		DRAWN BY:	BSS		1		
	DRAWN:	11/18/2019		CHECKED BY:	MDB				
REVISED:	01/13/2020	APPROVED BY:	TK 01/30/2020						


I:\25219073.00\Drawings\CCR 2019 Annual Report\Site Location Map.dwg, 1/30/2020 3:56:54 PM



LEGEND


- APPROXIMATE PROPERTY LINE
- EXISTING WASTE LIMITS
- ○ ○ ○ ○ ○ ○ ○ PERMITTED WASTE LIMITS
- ⊕ CCR RULE PIEZOMETER
- ⊕ CCR BACKGROUND MONITORING WELL
- ⊙ MONITORING WELL
- ⊕ ADDITIONAL PIEZOMETER

- NOTES:**
1. 2015 AERIAL PHOTOGRAPH IS FROM THE IOWA GEOGRAPHIC MAP SERVER-IOWA STATE UNIVERSITY GEOGRAPHIC INFORMATION SYSTEMS SUPPORT & RESEARCH FACILITY.
 2. PROPERTY LINE SOUTH OF 130TH STREET FROM SURVEY MAP PREPARED BY GARDEN & ASSOCIATES, OSKALOOSA, IOWA, DATED DECEMBER 20, 1988.
 3. PROPERTY LINE NORTH OF 130TH STREET FROM PLAT OF SURVEY MAP PREPARED BY SCS ENGINEERS, MADISON, WISCONSIN, DATED FEBRUARY 20, 2013.
 4. EXISTING LIMITS OF WASTE ARE APPROXIMATE.
 5. MONITORING WELLS MW-301 AND MW-302 WERE INSTALLED BY CASCADE DRILLING BETWEEN NOVEMBER 16, 2015, AND DECEMBER 3, 2015.
 6. MONITORING WELL MW-303 WAS INSTALLED BY TEAM SERVICES BETWEEN APRIL 11, 2016 AND APRIL 26, 2016.
 7. THE BACKGROUND MONITORING WELLS FOR THE OTTUMWA MIDLAND LANDFILL ARE: MW-122M AND MW-102M.



PROJECT NO. 25219073.00	DRAWN BY: BSS	ENGINEER SCS ENGINEERS 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830	CLIENT INTERSTATE POWER AND LIGHT CO. 15300 130TH STREET OTTUMWA, IA 52501	SITE ALLIANT ENERGY OTTUMWA MIDLAND LANDFILL OTTUMWA, IOWA	SITE PLAN AND MONITORING WELL LOCATIONS	FIGURE
DRAWN: 11/18/2019	CHECKED BY: MDB					2
REVISED: 01/30/2020	APPROVED BY: TK 01/28/2021					


I:\25219073.00\Drawings\CCR 2019 Annual Report\Site Plan and Monitoring Well Locations.dwg, 1/26/2021 2:09:49 PM




LEGEND

- APPROXIMATE PROPERTY LINE
- APPROVED WASTE LIMITS
- EXISTING WASTE LIMITS
- PHASE LIMIT
- ⊕ EXISTING MONITORING WELL
- ⊕ EXISTING PIEZOMETER
- ⊕ CCR MONITORING WELL
- ⊕ CCR BACKGROUND MONITORING WELL
- 687.25 WATER TABLE ELEVATION MEASURED ON APRIL 3-5, 2023
- POTENTIOMETRIC SURFACE CONTOUR (DASHED WHERE INFERRED)
- FLOW PATH FOR VELOCITY CALCULATION (SEE TABLE 4)
- APPROXIMATE GROUNDWATER FLOW DIRECTION

- NOTES:**
- 2015 AERIAL PHOTOGRAPH IS FROM THE IOWA GEOGRAPHIC MAP SERVER-IOWA STATE UNIVERSITY GEOGRAPHIC INFORMATION SYSTEMS SUPPORT & RESEARCH FACILITY.
 - PROPERTY LINE SOUTH OF 130TH STREET FROM SURVEY MAP PREPARED BY GARDEN & ASSOCIATES, OSKALOOSA, IOWA, DATED DECEMBER 20, 1988.
 - PROPERTY LINE NORTH OF 130TH STREET FROM PLAT OF SURVEY MAP PREPARED BY SCS ENGINEERS, MADISON, WISCONSIN, DATED FEBRUARY 20, 2013.
 - EXISTING LIMITS OF WASTE ARE APPROXIMATE.
 - THE BACKGROUND MONITORING WELLS FOR THE OTTUMWA MIDLAND LANDFILL ARE: MW-122M AND MW-102M.




PROJECT NO. 25223073.00	DRAWN BY: KP	ENGINEER O:\Logos\Corporate\SCS_Engineers_short_bar_300_dpi.jpg 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830	CLIENT INTERSTATE POWER AND LIGHT CO. 15300 130th STREET OTTUMWA, IA 52501	SITE OTTUMWA MIDLAND LANDFILL OTTUMWA, IOWA	POTENTIOMETRIC SURFACE MAP APRIL 3-5, 2023	FIGURE
DRAWN: 08/03/2023	CHECKED BY: NLB					3
REVISED: 12/20/2023	APPROVED BY: TK 1/14/2024					



LEGEND


- APPROXIMATE PROPERTY LINE
- APPROVED WASTE LIMITS
- EXISTING WASTE LIMITS
- PHASE LIMIT
- ⊕ EXISTING MONITORING WELL
- ⊕ EXISTING PIEZOMETER
- ⊕ CCR MONITORING WELL
- ⊕ CCR BACKGROUND MONITORING WELL
- WATER TABLE ELEVATION MEASURED ON OCTOBER 11, 2023
- POTENTIOMETRIC SURFACE CONTOUR (DASHED WHERE INFERRED)
- FLOW PATH FOR VELOCITY CALCULATION (SEE TABLE 4)
- APPROXIMATE GROUNDWATER FLOW DIRECTION

- NOTES:**
1. 2015 AERIAL PHOTOGRAPH IS FROM THE IOWA GEOGRAPHIC MAP SERVER—IOWA STATE UNIVERSITY GEOGRAPHIC INFORMATION SYSTEMS SUPPORT & RESEARCH FACILITY.
 2. PROPERTY LINE SOUTH OF 130TH STREET FROM SURVEY MAP PREPARED BY GARDEN & ASSOCIATES, OSKALOOSA, IOWA, DATED DECEMBER 20, 1988.
 3. PROPERTY LINE NORTH OF 130TH STREET FROM PLAT OF SURVEY MAP PREPARED BY SCS ENGINEERS, MADISON, WISCONSIN, DATED FEBRUARY 20, 2013.
 4. EXISTING LIMITS OF WASTE ARE APPROXIMATE.
 5. THE BACKGROUND MONITORING WELLS FOR THE OTTUMWA MIDLAND LANDFILL ARE: MW-122M AND MW-102M.




PROJECT NO. 25223073.00	DRAWN BY: KP	ENGINEER SCS ENGINEERS 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830	CLIENT INTERSTATE POWER AND LIGHT CO. 15300 130th STREET OTTUMWA, IA 52501	SITE OTTUMWA MIDLAND LANDFILL OTTUMWA, IOWA	POTENTIOMETRIC SURFACE MAP OCTOBER 11, 2023	FIGURE
DRAWN: 08/03/2023	CHECKED BY: NLB					4
REVISED: 01/02/2024	APPROVED BY: TK 1/14/2024					

I:\25223073.00\Drawings\Wtbl.dwg, 1/2/2024 2:50:19 PM



Appendix A
Regional Hydrogeologic Information




Legend

BEDROCK SURFACE ELEVATION

ELEVATION ABOVE MEAN SEA LEVEL IN FEET


- BELOW 300
- 300 TO 400
- 400 TO 500
- 500 TO 600
- 600 TO 700
- 700 TO 800
- 800 TO 900



MAP DATA DERIVED FROM IOWA GEOLOGICAL AND WATER SURVEY
 IOWA BEDROCK SURFACE ELEVATION AS OBTAINED
 FROM IOWA NATURAL RESOURCES
 GEOGRAPHIC INFORMATION SYSTEMS LIBRARY

CLIENT	INTERSTATE POWER AND LIGHT CO. 15300 130TH STREET OTTUMWA, IA 52501	SITE	OTTUMWA MIDLAND LANDFILL OTTUMWA, IOWA	SE IOWA REGIONAL BEDROCK SURFACE ELEVATION
PROJECT NO.	25215053.03	DRAWN BY:	JB	SCS ENGINEERS <small>2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 FAX: (608) 224-2839</small>
DRAWN:	07/29/13	CHECKED BY:	MDB	
REVISED:	08/02/13	APPROVED BY:		
				ENGINEER
				FIGURE
				4

I:\25215053\Drawings\OML\ArcMAP files\OML-BEDROCK TOPO 8.5X11 portrait.mxd




Legend

MISSISSIPPIAN AQUIFER ELEVATION

ELEVATION ABOVE MEAN SEA LEVEL IN FEET


- MISSISSIPPIAN NOT PRESENT
- 150
- 250
- 350
- 450
- 550
- 650
- 750



MAP DATA DERIVED FROM IOWA GEOLOGICAL AND WATER SURVEY
 MISSISSIPPIAN AQUIFER SURFACE ELEVATION AS OBTAINED
 FROM IOWA NATURAL RESOURCES
 GEOGRAPHIC INFORMATION SYSTEMS LIBRARY

CLIENT	INTERSTATE POWER AND LIGHT CO. 15300 130TH STREET OTTUMWA, IA 52501	SITE	OTTUMWA MIDLAND LANDFILL OTTUMWA, IOWA	SE IOWA REGIONAL MISSISSIPPIAN AQUIFER SURFACE ELEVATION
PROJECT NO.	25215053.03	DRAWN BY:	JB	SCS ENGINEERS <small>2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 FAX: (608) 224-2839</small>
DRAWN:	07/29/13	CHECKED BY:	MDB	
REVISED:	08/02/13	APPROVED BY:		
				FIGURE 5

I:\25215053\Drawings\OML\ArcMAP files\OML-MISSISS TOPO 8.5X11 portrait.mxd




Legend

MISSISSIPPIAN AQUIFER POTENTIOMETRIC SURFACE



ELEVATION ABOVE MEAN SEA LEVEL IN FEET

- MISSISSIPPIAN NOT PRESENT
- 550
- 650
- 750



MAP DATA DERIVED FROM IOWA GEOLOGICAL AND WATER SURVEY
 MISSISSIPPIAN AQUIFER POTENTIOMETRIC SURFACE ELEVATION AS OBTAINED
 FROM IOWA NATURAL RESOURCES
 GEOGRAPHIC INFORMATION SYSTEMS LIBRARY

CLIENT	INTERSTATE POWER AND LIGHT CO. 15300 130TH STREET OTTUMWA, IA 52501	SITE	OTTUMWA MIDLAND LANDFILL OTTUMWA, IOWA	SE IOWA REGIONAL MISSISSIPPIAN AQUIFER POTENTIOMETRIC SURFACE ELEVATION
PROJECT NO.	25215053.03	DRAWN BY:	JB	SCS ENGINEERS <small>2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830 FAX: (608) 224-2839</small>
DRAWN:	07/29/13	CHECKED BY:	MDB	
REVISED:	08/02/13	APPROVED BY:		
				FIGURE
				7



LEGEND:

- BORING
- ◆ DEEP MONITORING WELL
- ⊙ MULTIPLE-CASED DEEP WELL
- SHALLOW MONITORING WELL
- PROPOSED LANDFILL BOUNDARY

661.69
 POTENTIOMETRIC SURFACE ELEVATION ON 03-02-94
 INFERRED DIRECTION OF GROUNDWATER FLOW

NOTES:

1. CONTOUR INTERVAL = 10 FT.
2. ALL ELEVATIONS ARE REFERENCED TO NGVD.

OTTUMWA-MIDLAND DEVELOPMENT CORPORATION
POTENTIOMETRIC SURFACE CONTOURS - MISSISSIPPIAN (03-02-94)

FIGURE 4-18



Appendix B









Boring Logs and Well Construction Documentation







SCS ENGINEERS
Civil & Environmental Engineering









SOIL BORING LOG INFORMATION

10-92







Facility/Project Name Ottumwa Midland Landfill		SCS # 25211509.03		License/Permit/Monitoring Number		Boring Number B-102						
Boring Drilled By (Firm name and name of crew chief) Boart Longyear Paul Dickinson				Drilling Started 08/20/2012		Drilling Completed 08/27/2012		Drilling Method HSA, Air Hammer, Core				
Facility Well No.		Unique Well No.		Common Well Name MW-102M		Static Water Level Feet		Surface Elevation 795.0 Feet		Borehole Diam. 10.5/6 Inches		
Boring Location State Plane N, E NE 1/4 of SE 1/4 of Section 34, T. 73 N., R. 14 W.						Lat. Long.		Local Grid Location (If applicable)				
County Wapello				Location Code		Civil Town/City/or Village Ottumwa						
Sample Number	Length Recovered	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
									Standard Penetration	Moisture Content	P200	
S1	8	05,07 09,12		SILTY CLAY, dark brown (10YR 3/3), stiff, massive, few roots (topsoil/loess).	CL-ML				1.25	M		begin drilling with 6-1/4" hollow stem augers and sampling with split-spoons and 140 lb hammer
S2	8	06,13 09,18		LEAN CLAY, mottled olive yellow (2.5Y 6/8) and light olive brown (2.5Y 5/3), hard, blocky (loess).	CL				>4.5	M		
S3	14	12,17 10,14	5	LEAN CLAY, very dark grayish brown (2.5Y 3/2) mottled dark red (2.5YR 3/6), with silt, very stiff, cobble at 6' (till).	CL				>4.5	M		
S4 ST	24				CL					M		
I hereby certify that the information on this form is true and correct to the best of my knowledge.												
Signature 					Firm SCS ENGINEERS Tyler Munson							

Sample			Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments			
Number	Length Recovered	Blow Counts							Standard Penetration	Moisture Content	P200				
S5	10	12,21	12	CLAY, grayish brown (10YR 5/2) with black (10YR 2/1) and dark reddish brown (2.5YR 2.5/4) mottles, hard.	CL				4.25	M		at 15' auger refusal, begin drilling with 6" air hammer and sample drill cuttings			
		38, 30/2"							>4.5	M					
S6	12	22,17 61/4"	12	WEATHERED SHALE, gray (2.5Y 5/1), trace to few black (2.5Y 2.5/1) zones, massive, with silt (Pennsylvanian). As above, except silty with pale red zones instead of black zones.	Shale				>4.5	M					
S7			15	SHALE, light brownish gray (10YR 6/2) and brownish yellow (10YR 6/6).					Shale						
S8			20	As above, except trace very dark grayish brown (10YR 3/2).	Shale										
S9			25	As above, except gray (10YR 6/1 to 10YR 5/1).											

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
S10			35	As above.	Shale							
				SHALE with coal, black (10YR 2/1) to very dark brown (10YR 2/2).								
				COAL, black (10YR 2/1).								
				SHALE, light gray (10YR 7/1) to gray (10YR 6/1).								
S11			40	Coal								
S12			45	Shale								
S13												

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
S14			55	SHALE, gray (10YR 5/1)								
S15			60	As above, except gray (10YR 6/1) to dark gray (10YR 4/1).	Shale							
S16			65	As above, except very dark gray (10YR 3/1).								
S17												

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
S18	Run 1	58/78	75	SHALE, gray (10YR 6/1).	Shale							at 74', begin NQ3 coring
				SILTY SHALE, gray (10YR 5/1), 1mm to 3mm-thick lamina, intensely fractured.	Shale							
				SANDSTONE, gray (10YR 5/1) with some light yellowish brown (10YR 6/4) lamina, strong, moderately fractured.	Sandstone							
				SILTY SHALE, gray (10YR 5/1), 1mm to 3mm-thick lamina, moderately fractured, moderate to strong.	Shale							
				SANDSTONE, gray (10YR 5/1) with some light yellowish brown (10YR 6/4) lamina, strong, moderately fractured.	Sandstone							
				SANDSTONE, gray (10YR 5/1) with some light yellowish brown (10YR 6/4) lamina, strong, moderately fractured.	Shale							
				SILTY SHALE, gray (10YR 5/1), 1mm to 3mm-thick lamina, moderately fractured, moderate to strong.	Sandstone							
				SANDSTONE, gray (10YR 5/1), strong, moderately fractured.	Sandstone							
				VOID or FRACTURES in possible shale.								
Run 2	8/24			SHALE, very dark gray (10YR 3/1), moderate strength, intensely fractured, few pyrite nodules up to 1mm by 3mm in size, some highly decomposed zones.	Shale							Run 2 (81.5' to 83.5') TCR=33% SCR=0% MCR=0% RQD=Very Poor
				WEATHERED SHALE (clay).	Shale							
Run 3	57/96				Shale							Run 3 (83.5' to 91.5') TCR=59% SCR=53% MCR=8% RQD=Very Poor

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
Run 4	31/ 120			As above.	Shale							Run 4 (91.5' to 101.5') TCR=26% SCR=21% MCR=3% RQD=Very Poor
			95	SILTY SHALE, black (10YR 2/1), weak to moderate strength, intensely fractured.	Shale							
Run 5	88/ 120		100									Run 5 (101.5'-111.5') TCR=73% SCR=73% MCR=35% RQD=Poor
			105	SILTY SHALE, dark brown (7.5YR 3/2), very weak, 1mm to 3mm-thick lamina, highly decomposed. SILTY SHALE, dark gray (7.5YR 4/1), moderate strength to strong, massive, few weak zones, no decomposition.	Shale							









Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
Run 6	119/ 120		115	As above, except calcitic, pyrite nodules 5mm by 20mm in size at 112.8' and 117.3', slightly disintegrated and decomposed, slightly fractured, with some pyrite infilling.	Shale						Run 6 (111.5'-121.5') TCR=99% SCR=99% MCR=84% RQD=Good	
			120	SHALE, greenish gray (5GY 6/1), weak to moderate strength, pyrite mineralization along laminated zones, few disintegrated zones.	Shale							
Run 7	44/ 120		125	As above, except dark gray (7.5YR 4/1), massive, aphanitic.	Shale							Run 7 (121.5'-131.5') TCR=37% SCR=35% MCR=27% RQD=Poor
				SHALE, reddish brown (2.5YR 4/3), highly decomposed.	Shale							
				SHALE, gray (7.5YR 5/1), weak to moderate strength, with white limestone	Shale							







Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
Run 8	0/120			gravel, slightly to moderately disintegrated.	Shale							
				WEATHERED SHALE, highly decomposed, possibly soft shale in clay. Possible limestone at 138'.	Shale							Run 8 (131.5'-141.5') TCR=0% SCR=0% MCR=0% RQD=Very Poor at 138', driller reports change in drilling
Run 9	29/60		145	LIMESTONE, gray (10YR 5/1), strong (Mississippian).	Lime-stone							Run 9 (141.5'-146.5') TCR=48% SCR=38% MCR=15% RQD=Very Poor
				Blind drill.								after coring, reamed hole with 6" air hammer to 153'

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
				Blind drill.								
			155	End of boring @ 153'. Set MW-102M with 5' PVC screen to 148'.								
			160									
			165									

Facility/Project Name Ottumwa Midland Landfill		SCS # 25211509.03		License/Permit/Monitoring Number		Boring Number B-122						
Boring Drilled By (Firm name and name of crew chief) Boart Longyear Paul Dickinson				Drilling Started 12/06/2012		Drilling Completed 12/09/2012		Drilling Method HSA, Air Hammer, Core				
Facility Well No.		Unique Well No.		Common Well Name MW-122M		Static Water Level Feet		Surface Elevation 790.6 Feet		Borehole Diam. 10.5/6 Inches		
Boring Location State Plane NW 1/4 of SE 1/4 of Section 34, T. 73 N., R. 14 W.				Lat. Long.		Local Grid Location (If applicable)						
County Wapello				Location Code		Civil Town/City/or Village Ottumwa						
Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
S1	9	06-10 14-20		SILT, dark yellowish brown (10YR 4/4), massive, few roots (topsoil/loess).	ML				1.5	M		
				LEAN CLAY, olive yellow (2.5Y 6/6) mottled gray (2.5Y 6/1) and reddish brown (5YR 4/4), trace fine to coarse sand (till).	CL				2.75		2.0	
S2	24	06-17 20-26		CLAY, gray (5Y 5/1), few olive yellow (2.5Y 6/6) and dark reddish brown (5YR 3/4) layers, hard, 1mm to 5mm-thick lamina (weathered shale).	CL				4.5	M		
S3 ST	20		5		CL							
S4	24	07-17 27-34		As above, except less gray and with black layers/lamina.					3.5	M		at 10', auger refusal, and begin drilling with 6" air hammer and sampling drill cuttings
				CLAY, black (2.5Y 2.5/1), 1mm to 2mm-thick lamina (weathered shale)	CL							
I hereby certify that the information on this form is true and correct to the best of my knowledge.												
Signature					Firm SCS ENGINEERS Meghan Blodgett							

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
S5				WEATHERED SHALE, black (2.5Y 2.5/1), lamina up to 5mm-thick.								
S6			15	WEATHERED SHALE, dark gray (2.5Y 4/1) to black (2.5Y 2.5/1).								
S7			20	SHALE and WEATHERED SHALE, dark gray (2.5Y 4/1).	Shale							
S8			25	SHALE and WEATHERED SHALE, dark gray (2.5Y 4/1) to black (2.5Y 2.5/1).								

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
S9				As above.								
S10			35	SHALE, dark gray (2.5Y 4/1).								
S11			40	As above.	Shale							
S12			45	As above.								



Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
S13			55	SHALE, dark gray (2.5Y 4/1) to black (2.5Y 2.5/1).								
S14				As above.								
S15			60	As above, except 6" coal seam at approximately 64.5'.	Shale							
S16			65	SHALE, light gray (2.5Y 7/1) to very dark gray (2.5y 3/1).								

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
Run 1	68/78			SHALE, very dark gray (2.5Y 3/1) to gray (2.5Y 5/1), weak to moderate strength, 1mm to 5mm-thick lamina, moderately decomposed (clay along fractures), intensely fractured, some sand at 70' to 71'.							begin NQ3 coring at 70'	
			75	As above, except few sandy intervals up to 2" in length at 77.5' to 78.5'.							Run 1 (70' to 76.5') TCR=87% SCR=82% MCR=46% RQD=Poor	
Run 2	54/60			SHALE, very dark gray (2.5Y 3/1) with little gray (2.5Y 5/1 & 6/1), 1mm to 5mm-thick lamina, moderately weathered (clay along fractures), trace pyrite nodules throughout.	Shale						Run 2 (76.5' to 81.5') TCR=90% SCR=75% MCR=8% RQD=Very Poor	
Run 3	40/60			As above.							Run 3 (81.5' to 86.5') TCR=67% SCR=55% MCR=0% RQD= Very Poor	
Run 4	36/60			As above.							Run 4 (86.5' to 91.5') TCR=60% SCR=53% MCR=40% RQD=Poor	

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
Run 4 (cont)				As above.	Shale							four 6" to 8" bit drops one foot apart indicated possible voids from 93' to 97'
				SILTSTONE, very dark gray (2.5Y 3/1), moderately strong, massive, trace fractures infilled with calcite.	Silt-stone							
			95	SHALE, very dark gray (2.5Y 3/1), very weak to weak, 1mm to 5mm-thick lamina, moderately to highly decomposed (highly decomposed in top 2' of recovered shale), trace pyrite throughout, possible voids from approximately 93' to 97', bedding planes are horizontal where present.								
Run 5	59/120											
			100		Shale							
Run 6	48/60			SHALE, light to dark gray (2.5Y 7/1 to 4/1), weak, 1mm to 3mm-thick lamina, massive from 104' to 105', trace coal on fracture planes, trace pyrite throughout.								Run 6 (101.5'-106.5') TCR=80% SCR=68% MCR=48% RQD=Poor
			105									
Run 7	6/60			SHALE, gray (2.5Y 5/1), weak to moderate strength, 1mm to 3mm-thick lamina, silty.								Run 7 (106.5'-111.5') TCR=10% SCR=10% MCR=7% RQD=Very Poor

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
Run 7 (cont)				As above.								
Run 8	30/30			SHALE, dark gray (2.5Y 4/1) with gray (2.5Y 5/1), weak to moderate strength, bedding vairable, 1mm-thick lamina to 2cm-thick beds, moderately decomposed (clay in fractures), few 1cm to 3cm-thick sandy zones, trace pyrite nodules throughout.								Run 8 (111.5'-114') TCR=100% SCR=80% MCR=60% RQD=Fair
Run 9	65/90		115	Interbedded SHALE, SILTSTONE, and SANDSTONE, gray (10YR 6/1) to very dark gray (10YR 3/1), weak strength to strong, sandstone/siltstone/shale intervals are 1" to 10"-thick, bedding ranges from 1mm-thick lamina in shale to massive in siltstones, some slump/flame structures in sand, intensely fractured, fresh to moderately decomposed (clay in fractures), trace pyrite throughout.	Shale							Run 9 (114'-121.5') TCR=72% SCR=70% MCR=9% RQD=Very Poor
Run 10	12/12		120									Run 10 (121.5'-122.5') TCR=100% SCR=92% MCR=0% RQD=Very Poor
			125	SHALY SILTSTONE and SANDSTONE, black (2.5Y 2.5/1) with bands of light gray (2.5Y 7/1), moderate strength, 1mm to 10mm-thick lamina, trace pyrite throughout, moderately to intensely fractured.	Silt-stone							
Run 11	108/108			SHALE, black (2.5Y 2.5/1), weak, 1mm to 5mm-thick lamina, some silt and sand, moderatly decomposed, moderately fractured, trace pyrite throughout.	Shale							Run 11 (122.5'-131.5') TCR=100% SCR=95% MCR=60% RQD=Fair

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
Run 11 (cont)				As above.	Shale							
			135	SHALE, dark greenish gray (5GY 4/1), weak to moderate strength, 1mm to 5mm-thick lamina, moderately to highly decomposed.	Shale							Run 12 (131.5'-141.5') TCR=92% SCR=86% MCR=63% RQD=Fair
Run 12	110/120			LIMESTONE CONGLOMERATE, reddish brown (5YR 5/3) with gray shale between clasts, weak, massive.	Lime-stone							
			140	SHALY LIMESTONE, greenish gray (5GY 5/1), weak, massive, 2" of light gray clay at interface with above conglomerate.	Lime-stone							
Run 13	114/120			SHALY LIMESTONE, reddish brown (5YR 4/3), few greenish gray zones, moderate strength, few clasts of hard competent limestone up to 1.5" in diameter, moderately decomposed.	Lime-stone							Run 13 (141.5'-151.5') TCR=95% SCR=95% MCR=73% RQD=Fair
			145									

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Max. PID/FID	Soil Properties			RQD/ Comments
Number	Length Recovered								Standard Penetration	Moisture Content	P200	
Run 13 (cont)	30/30			SHALY LIMESTONE, yellowish gray (5GY 5/1), weak, massive, fresh to slightly decomposed.	Lime-stone						Run 14 (151.5'-154') TCR=100% SCR=90% MCR=90% RQD=Good	
Run 14				As above.								
			155	End of Boring @ 154'. Set MW-122M with 5' PVC screen to 152'.								
			160									
			165									



IOWA DEPARTMENT OF NATURAL RESOURCES
MONITORING WELL/PIEZOMETER CONSTRUCTION DOCUMENTATION FORM

Disposal Site Name: IPL - Ottumwa Midland Landfill Permit No.: 90-SDP-8-92P
Well or Piezometer No: MW-301
Dates Started: 11/23/15 Date Completed: 11/24/15

A. SURVEYED LOCATIONS AND ELEVATIONS
B. SOIL BORING INFORMATION
Locations (± 0.5 ft): Specify corner of site: SE
Distance & direction along boundary: 700'N
Distance & direction from boundary to wall: 90' W
Elevations (± 0.01 ft MSL): Ground Surface: 815.51'
Top of protective casing: 818.36'
Top of well casing: 817.88'
Benchmark elevation: 818.70
Benchmark description: Control Point #2
Name & Address of Construction Company: Cascade Drilling, LP
301 Alderson St
Schofield, WI 54476
Name of Driller: Todd Schmalfeld
Drilling Method: 4.25' HSA to 24.5'/Air Rotary to 164'/coring
Drilling Fluid: NA
Bore Hole Diameter: 8.50 inch/ 6 inch
Soil Sampling Method: Split Spoon/cuttings/core
Depth of Boring: 202'

C. MONITORING WELL INSTALLATION
Casing material: sch 80 PVC
Length of casing: 196'
Outside casing diameter: 2.38"
Inside casing diameter: 1.9"
Casing joint type: threaded
Casing/screen joint type: threaded
Screen material: PVC
Screen opening size: 0.010
Screen length: 5 ft
Depth of well: 201 ft
Filter Pack: Material: Red Flint
Grain size: #40
Volume: 2 cubic ft
Seal (minimum 3 ft length above filter pack): Material: AquaGuard grout
Placement method: tremie
Volume: 400 gallons
Backfill (if different from seal): Material: 3/8" bentonite chips and Aqua Guard grout
Placement method: gravity/tremie
Volume:
Surface seal design:
Material of protective casing: Steel 6 inch
Material of grout between protective casing and well casing: sand
Protective cap: Material: Steel
Vented: [X] Yes [] No Locking: [] Yes [] No
Well Cap: Material: PVC
Vented: [] Yes [X] No

D. GROUNDWATER MEASUREMENT (± 0.01 ft below top of inner well casing)
Water level: 125.9 Stabilization Time: 20 HR
Well development method: Surged and bailed, then pumped to reduce turbidity.
Average depth of frostline: 3.5'


Attachments: Driller's log. Pipe schedules and grouting schedules. 8 1/2x11 inch map showing locations of all monitoring wells and piezometers.

Please mail completed for to: Iowa Department of Natural Resources, Land Quality Bureau, 502 E 9th St, Des Moines IA 50319-0034.

Questions? Call or Email: Nina Koger, Environmental Engineer Sr., 515-281-8986, Nina.Koger@dnr.iowa.gov

ELEVATIONS: ± 0.01 ft MSL
DEPTHS: ± 0.1 ft FROM GROUND SURFACE

SPACE TO ATTACH ENTIRE SOIL BORING LOG
(SHOW SCREENED INTERVAL AND FILTER PACK INTERVAL.)



Note: Grout placed from 190.4' bgs to 113' bgs. Void noted from 105' bgs to 113'. Grout basket placed at 95' bgs. Annular space above grout basket sealed with 3/8" bentonite chips (80'-95' bgs) and bentonite grout (3' bgs to 80' bgs).



IOWA DEPARTMENT OF NATURAL RESOURCES
MONITORING WELL/PIEZOMETER CONSTRUCTION DOCUMENTATION FORM

Disposal Site Name: IPL - Ottumwa Midland Landfill Permit No.: 90-SDP-8-92P

Well or Piezometer No: MW-302

Dates Started: 12/1/15 Date Completed: 12/3/15

A. SURVEYED LOCATIONS AND ELEVATIONS B. SOIL BORING INFORMATION

Locations (± 0.5 ft):
Specify corner of site: SE
Distance & direction along boundary: 700' N
Distance & direction from boundary to wall: 725' W
Elevations (± 0.01 ft MSL):
Ground Surface: 759.50'
Top of protective casing: 762.31'
Top of well casing: 761.77'
Benchmark elevation: 818.70
Benchmark description: Control Point #2

Name & Address of Construction Company:
Cascade Drilling, LP
301 Alderson St
Schofield, WI 54476
Name of Driller: Todd Schmalfeld
Drilling Method: 4.25'HSA to 14.5'/Air Rotary to 95'/coring
Drilling Fluid: NA
Bore Hole Diameter: 8.5 inch/6 inch
Soil Sampling Method: Spoon/cuttings/core
Depth of Boring: 156.5'

C. MONITORING WELL INSTALLATION

Casing material: sch 80 PVC
Length of casing: 150'
Outside casing diameter: 2.38"
Inside casing diameter: 1.9"
Casing joint type: threaded
Casing/screen joint type: threaded
Screen material: PVC
Screen opening size: 0.010
Screen length: 5'
Depth of well: 155'
Filter Pack:
Material: Red Flint
Grain size: #40
Volume: 2 cubic ft
Seal (minimum 3 ft length above filter pack):
Material: 3/8" bentonite chips

Placement method: gravity
Volume: 0.5 cubic ft
Backfill (if different from seal):
Material: Agua Guard Grout
Placement method: Tremie
Volume: 300 gallons
Surface seal design:
Material of protective casing: Steel 6 inch
Material of grout between protective casing and well casing: sand
Protective cap:
Material: Steel
Vented: [X] Yes [] No Locking: [] Yes [] No
Well Cap:
Material: PVC
Vented: [] Yes [X] No

D. GROUNDWATER MEASUREMENT (± 0.01 ft below top of inner well casing)

Water level: 75.97' Stabilization Time: <1 hour
Well development method: Surged and bailed then pumped to reduce turbidity
Average depth of frostline: 3.5'


Attachments: Driller's log, Pipe schedules and grouting schedules. 8 1/2x11 inch map showing locations of all monitoring wells and piezometers.

Please mail completed for to: Iowa Department of Natural Resources, Land Quality Bureau, 502 E 9th St, Des Moines IA 50319-0034.

Questions? Call or Email: Nina Koger, Environmental Engineer Sr., 515-281-8986, Nina.Koger@dnr.iowa.gov

ELEVATIONS: ± 0.01 ft MSL
DEPTHS: ± 0.1 ft FROM GROUND SURFACE

SPACE TO ATTACH ENTIRE SOIL BORING LOG
(SHOW SCREENED INTERVAL AND FILTER PACK INTERVAL.)





IOWA DEPARTMENT OF NATURAL RESOURCES

MONITORING WELL/PIEZOMETER CONSTRUCTION DOCUMENTATION FORM

Disposal Site Name: IPL - Ottumwa Midland Landfill Permit No.: 90-SDP-8-92P

Well or Piezometer No: MW-303

Dates Started: 4/25/16 Date Completed: 4/26/16

A. SURVEYED LOCATIONS AND ELEVATIONS B. SOIL BORING INFORMATION

Locations (± 0.5 ft): Specify corner of site: SE Distance & direction along boundary: 700' N Distance & direction from boundary to wall: 350' W Elevations (± 0.01 ft MSL): Ground Surface: 759.93 Top of protective casing: 762.94 Top of well casing: 762.40 Benchmark elevation: 818.70 Benchmark description: Control Point #2

Name & Address of Construction Company: Name of Driller: Drilling Method: 4.25'HSA to/Air Rotary/coring Drilling Fluid: NA Bore Hole Diameter: 8.5 inch/6 inch Soil Sampling Method: Spoon/cuttings/core Depth of Boring:

C. MONITORING WELL INSTALLATION

Casing material: sch 80 PVC Length of casing: 142' Outside casing diameter: 2.40" Inside casing diameter: 1.9" Casing joint type: threaded Casing/screen joint type: threaded Screen material: PVC sch 80 Screen opening size: 0.010 Screen length: 5' Depth of well: 147' Filter Pack: Material: Unamin Filtersil Grain size: 10/20 mesh Volume: 2.5 cubic ft Seal (minimum 3 ft length above filter pack): Material: 3/8" bentonite chips

Placement method: tremie Volume: 300 gal Backfill (if different from seal): Material: 3/8" bentonite chips Placement method: gravity Volume: 15 cubic ft Surface seal design: Material of protective casing: steel Material of grout between protective casing and well casing: bentonite chips and sand Protective cap: Material: steel Vented: [X] Yes [] No Locking: [] Yes [] No Well Cap: Material: Plastic Vented: [] Yes [] No

D. GROUNDWATER MEASUREMENT (± 0.01 ft below top of inner well casing)

Water level: 76.36 Stabilization Time: <1hr. Well development method: surged and bailed, then pumped to reduce turbidity. Average depth of frostline: 3.5


Attachments: Driller's log. Pipe schedules and grouting schedules. 8 1/2x11 inch map showing locations of all monitoring wells and piezometers.

Please mail completed for to: Iowa Department of Natural Resources, Land Quality Bureau, 502 E 9th St, Des Moines IA 50319-0034.

Questions? Call or Email: Nina Koger, Environmental Engineer Sr., 515-281-8986, Nina.Koger@dnr.iowa.gov

ELEVATIONS: ± 0.01 ft MSL
DEPTHS: ± 0.1 ft FROM GROUND SURFACE

SPACE TO ATTACH ENTIRE SOIL BORING LOG
(SHOW SCREENED INTERVAL AND FILTER PACK INTERVAL.)




Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name IPL-Ottumwa Midland Landfill		SCS#: 25215135.50		License/Permit/Monitoring Number 90-SDP-8-92P		Boring Number MW-301	
Boring Drilled By: Name of crew chief (first, last) and Firm Todd Schmalfeld Cascade Drilling				Date Drilling Started 11/16/2015		Date Drilling Completed 11/19/2015	
Drilling Method 4.25"HSA /6"air rot/core		Unique Well No. N/A		DNR Well ID No. N/A		Common Well Name MW-301	
Final Static Water Level Feet		Surface Elevation 815.5 Feet		Borehole Diameter 8.5"/6" in			
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/> State Plane 1,930,292 N, 394,330 E S/C/N				Lat ° ' "		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
NE 1/4 of SE 1/4 of Section 34, T 73 N, R 14 W				Long ° ' "		Feet <input type="checkbox"/> S Feet <input type="checkbox"/> W	

Facility ID	County Wapello	Civil Town/City/ or Village Ottumwa
-------------	--------------------------	---

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
									Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
S1	16	5 6 8 10	1	FAT CLAY, very dark grayish brown, (2.5Y 3/2).	CH							M		
S2	16	5 6 6 9	3	FAT CLAY, black (2.5Y 2.5/1).								M		
S3	22	5 5 6 7	6	Same as above, except very dark grayish brown (2.5Y 3/2).								M		
S4	5	8 7 8 12	8	Same as above, except black (2.5Y 2.5/1).	CH							M		
S5	20	3 6 7 11	11									M		
S6	21	3 5 7 9	14	Same as above, except very dark grayish brown (2.5Y 3/2).								M		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm SCS Engineers 2830 Dairy Drive Madison, WI 53711	Tel: (608) 224-2830 Fax:
--	--	-----------------------------

Boring Number MW-301

Page 2 of 9

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
S7	23	3 4 8 9	16 17	LEAN CLAY WITH SAND, gray (2.5Y 5/1), fine grained sand.	CL				M					
S8	20	4 9 9 11	18 19	FAT CLAY, primary color-black (2.5Y 2.5/1), secondary color-yellowish brown (10YR 5/6).	CH				M					
S9	24	8 27 22 24	20 21 22	SILT, ash, black (2.5Y 2.5/1).	ML				M					
S10	16	18 28 34 44	23 24	SHALE, gray (10YR 5/1) matrix, moderate strength, massive.					M					Saturation @ 23.5 ft bgs
S11			25 26 27 28 29 30						S					Air Rotary
S12			31 32 33 34	Same as above, except light yellowish brown (10YR 6/4).					S					
S13			35 36 37 38 39 40	Same as above, except gray (10YR 5/1).					S					

Boring Number MW-301

Page 3 of 9

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
S14			41	SHALE, gray (10YR 5/1) matrix, moderate strength, massive. <i>(continued)</i>										
			42											
S15			43	Same as above, except yellowish brown (10YR 6/4).										
			44											
S16			45	Same as above, except dark gray (10YR 4/1).										
			46											
S17			47	Same as above, except black (10YR 2/1).										
			48											
S18			49											
			50											
			51											
			52											
			53											
			54											
			55											
			56											
			57											
			58											
			59											
			60											
			61											
			62											
			63											
			64											
			65											
			65											

Boring Number MW-301

Page 4 of 9

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments	
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200		
S19			66	SHALE, gray (10YR 5/1) matrix, moderate strength, massive. <i>(continued)</i>											
			67												
			68												S
			69												
			70												
S20			71												
			72												
			73												S
			74												
			75												
S21			76	Same as above, except light gray (2.5Y 7/1).											
			77												
			78												S
			79												
			80												
S22			81												
			82												
			83												S
			84												
			85												
S23			86	Same as above, except very dark gray (5Y 3/1).											
			87												
			88												S
			89												
			90												

Boring Number MW-301

Page 5 of 9

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments	
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200		
S24			91	SHALE, gray (10YR 5/1) matrix, moderate strength, massive. <i>(continued)</i>											
			92												
			93												S
			94												
			95												
S25			96	Same as above, except black (10YR 2/1).											
			97												
			98												S
			99												
			100												
S26			101	VOID.											
			102												
			103												S
			104												
			105												
S27			106	SHALE, black (10YR 2/1).											
			107												
			108												S
			109												
			110												
			111												
			112												
			113												
			114												
			115												

Void @ 105
ft bgs, sulfur
smell.

Boring Number MW-301

Page 6 of 9

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
				SHALE, black (10YR 2/1). (continued)										
			116											
S28			117							S				
			118											
			119											
			120											
S29			121							S				
			122											
			123											
			124											
			125											
S30			126							S				
			127											
			128											
			129											
			130											
			131											
S31			132							S				
			133											
			134											
			135											
			136											
S32			137							S				
			138											
			139											
			140											

Boring Number MW-301

Page 7 of 9

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
S33			141	SHALE, black (10YR 2/1). (continued)										
			142											
			143											S
			144											
			145											
S34			146	Same as above, except drak grayish brown (10YR 3/2).										
			147											
			148											S
			149											
			150											
S35			151	Same as above, except drak grayish brown (10YR 3/2).										
			152											
			153											S
			154											
			155											
S36			156	WEATHERED SHALE AND LIMESTONE, dark grayish brown (10YR 3/2), gray limestone (10YR 6/1).										
			157											
			158											S
			159											
			160											
			161	NO RECOVERY.										
			162											
			163											
			164											
			165											WEATHERED SHALE, gray (2.5Y 6/1), soft shale in clay.

Boring Number MW-301

Page 8 of 9

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
R1	62/72		166	WEATHERED SHALE, gray (2.5Y 6/1), soft shale in clay. <i>(continued)</i>										Run 1 164'-170' bgs TCR=86% SCR=73% MCR=33%
			167											
R2	22/24		168	LIMESTONE, gray (10YR 5/1), strong, massive.										Run 2 170'-172'bgs TCR=92% SCR=92% MCR=66%
			169											
R3	32/36		170	SHALE, greenish gray (5G 5/1), with pyrite, weak.										Run 3 172'- 175' bgs TCR=88% SCR=88% MCR=82%
			171											
R4	18/120		172	LIMESTONE, gray (10YR 5/1), interbedded with shale laminations, strong.										Run 4 175'- 185' bgs TCR=98% SCR=98% MCR=89%
			173											
			174	SHALE, greenish gray (5G 5/1), weak.										
			175											
			176	LIMESTONE, gray (10YR 5/1), strong.										
			177											
			178	SHALE, greenish gray (5G 5/1), weak.										
			179											
			180	LIMESTONE, gray (10YR 5/1), strong.										
			181											
			182	SHALE, grayish green (5G 4/2), weak.										
			183											
			184	LIMESTONE, gray (10YR 5/1), strong.										
			185											
			186	SHALE, grayish green (5G 4/2), weak.										
			187											
			188	LIMESTONE, gray (10YR 5/1), strong.										
			189											
			190											

Boring Number MW-301

Page 9 of 9


Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
R5	16/120		185	LIMESTONE, gray (10YR 5/1), strong. <i>(continued)</i>										Run 5 185'-195' bgs TCR=97% SCR=93% MCR=84%
			191	SHALE, greenish gray (5G 5/1), clayey.										
			192											
			193											
			194	SANDSTONE, greenish gray (5G 6/1), strong, well cemented.										
			195											
			196											
			197	Very weak.										
R6	33/60		198											Run 6 195'-200' bgs TCR=55% SCR=47% MCR=13%
			199											
			200											
			201											
			202	End of Boring at 202 feet bgs. Boring reamed to 202' bgs prior to installation of MW-301.										

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name IPL-Ottumwa Midland Landfill		SCS#: 25215135.50		License/Permit/Monitoring Number 90-SDP-8-92P		Boring Number MW-302	
Boring Drilled By: Name of crew chief (first, last) and Firm Todd Schmalfeld Cascade Drilling				Date Drilling Started 12/1/2015		Date Drilling Completed 12/3/2015	
Unique Well No. N/A		DNR Well ID No. N/A		Common Well Name MW-302		Final Static Water Level Feet	
				Surface Elevation 759.5 Feet		Borehole Diameter 8.5"/6" in	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/> State Plane 1,929,605 N, 394,359 E S/C/N				Lat ° ' "		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
NW 1/4 of SE 1/4 of Section 34 , T 73 N, R 14 W				Long ° ' "			
Facility ID		County Wapello		Civil Town/City/ or Village Ottumwa			

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments		
									Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200			
S1	20	23 58	1	TOPSOIL FAT CLAY, dark gray (10YR 4/1), secondary color- Dark yellowish brown (10YR 4/4), organics, fill.	TOPSOIL											
S2	6	350	2-3	Weathered Shale	CH											
S3	18	617 4450	4-6	SHALE, dark gray (10YR 4/1), moderate strength, massive.												
S4	16	315 2628	7-9													
S5	5	650	10-11													
S6	12	250	12-14													Saturation @12.5 ft bgs.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm SCS Engineers 2830 Dairy Drive Madison, WI 53711	Tel: (608) 224-2830 Fax:
--	--	-----------------------------

Boring Number MW-302

Page 2 of 7

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
S7			16	SHALE, dark gray (10YR 4/1), moderate strength, massive. <i>(continued)</i>										
			17	same as above, except black (2.5Y 2.5/1), clayey.										
			18											
			19											
			20											
S8			21											
			22											
			23											
			24											
			25											
S9			26											
			27	same as above, except dark gray (2.5Y 4/1), clayey.										
			28											
			29											
			30											
S10			31											
			32											
			33											
			34											
			35											
S11			36											
			37											
			38											
			39											
			40											

Boring Number MW-302

Page 3 of 7

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments	
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200		
S12			41	SHALE, dark gray (10YR 4/1), moderate strength, massive. <i>(continued)</i> same as above, except black (2.5Y 2.5/1).											
			42												
S13			43												
			44												
S14			45												
			46												
S15			47												
			48												
S16			49												
			50												
S16			51												
			52												
S16			53												
			54												
S16			55												
			56												
S16			57												
			58												
S16			59												
			60												
S16			61												
			62												
S16			63												a lot of water @ 62 ft bgs.
			64												
S16			65												
			66												

Boring Number MW-302

Page 4 of 7

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
S17			66	SHALE, dark gray (10YR 4/1), moderate strength, massive. <i>(continued)</i>										
			67	Shale, black (2.5Y2.5/1), not as clayey as above.										
			68											
			69											
			70											
S18			71											
			72											
			73											
			74											
			75											
S19			76	same as above, except dark gray (2.5Y 4/1).										
			77											
			78											
			79											
			80											
S20			81											
			82											
			83											
			84											
			85											
S21			86											
			87											
			88											
			89											
			90											

Boring Number MW-302

Page 5 of 7

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
S22			91	SHALE, dark gray (10YR 4/1), moderate strength, massive. <i>(continued)</i>										
			92	same as above, except gray (2.5Y 5/1).										
			93											
			94											
			95											
R1	24/36		96	WEATHERED SHALE, greenish gray (5G 5/1), clayey.									Run 1 96'-99' bgs TCR=66% SCR=66% MCR=47%	
			97											
			98	SHALE, greenish gray (5G 5/1), weak, massive.										
			99											
			100											
			101	SHALE, very dark brown (2.5YR 2.5/3), very weak.										
			102											
			103											
R2	02/120		104	SHALE, clayey, greenish gray (5G 5/1), very weak.										Run 2 99'-109' bgs TCR=85% SCR=77% MCR=52%
			105											
			106											
			107											
			108											
			109											
			110											
			111											
			112											
R3	68/72		113											Run 3 109'-117' bgs TCR=95% SCR=90%
			114											
			115											

Boring Number MW-302

Page 6 of 7

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
R4	24/24		116	SHALE, clayey, greenish gray (5G 5/1), very weak. <i>(continued)</i> not as clayey, weak.										MCR=75%
			117											
			118											
			119											
R5	16/120		120											Run 4 117'-119' bgs TCR=100% SCR=100% MCR=92%
			121											
			122											
			123											
R6	20/120		124	LIMESTONE, gray (10YR 6/1), interbedded with shale laminations, strong.										Run 5 119'-129' bgs TCR=97% SCR=97% MCR=93%
			125											
			126											
			127											
R6	20/120		128											Run 6 129'-139' bgs TCR=100% SCR=100% MCR=95%
			129											
			130											
			131											
R6	20/120		132											
			133											
			134											
			135											
R6	20/120		136											
			137											
			138											
			139											
			140	SHALE, greenish gray (5G 5/1), weak.										

Boring Number MW-302

Page 7 of 7

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
R7	03/120		141	LIMESTONE, gray (10YR 6/1), strong.										Run 7 139'-149' bgs TCR=88% SCR=85% MCR=74%
			142	SHALE, greenish gray (5G 5/1), weak.										
R8	45/60		143											
			144											
			145	SANDSTONE, greenish gray (5G 5/1), very weak, fine grained.										
			146											
			147											
			148											
			149											
			150											
			151											
			152											
	153													
	154													
	155													
	156													
				End of Boring at 156.5 ft bgs. Boring reamed with air rotary prior to installation of MW-302.										

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name IPL-Ottumwa Midland Landfill		SCS#: 25215135.50		License/Permit/Monitoring Number 90-SDP-8-92P		Boring Number MW-303	
Boring Drilled By: Name of crew chief (first, last) and Firm Don Carlson Team Services				Date Drilling Started 4/11/2016		Date Drilling Completed 4/26/2016	
Unique Well No. N/A		DNR Well ID No. N/A		Common Well Name MW-303		Final Static Water Level Feet	
				Surface Elevation 759.9 Feet		Borehole Diameter 8.5"/6" in	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/> State Plane 1,929,977 N, 394,335 E S/C/N				Lat ° ' "		Local Grid Location	
NW 1/4 of SE 1/4 of Section 34, T 73 N, R 14 W				Long ° ' "		Feet <input type="checkbox"/> N <input type="checkbox"/> E Feet <input type="checkbox"/> S <input type="checkbox"/> W	

Facility ID	County Wapello	Civil Town/City/ or Village Ottumwa
-------------	--------------------------	---













Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments	
									Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200		
S1	11	24 6	1	TOPSOIL.	TOPSOIL										
			2	FAT CLAY, light gray (10YR 7/1).	CH										
S2	16	23 16	3	SHALE, Gray (10YR 6/1), very weak, massive, clayey.											
S3	0	50/5	5	Same as above except, dark gray (10YR 4/1).											No return-refusal.
S4			8												
S5			13												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm SCS Engineers 2830 Dairy Drive Madison, WI 53711	Tel: (608) 224-2830 Fax:
---------------	--	-----------------------------

Boring Number MW-303

Page 2 of 7

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments	
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200		
S6			16	SHALE, Gray (10YR 6/1), very weak, massive, clayey. <i>(continued)</i>											
			17	Same as above except, black (10YR 3/1).											
			18												
S7			19												
			20	Same as above except, light gray (10YR 1/1).											
			21												
S8			22												
			23												
			24												
S9			25	Same as above except, gray (10YR 6/1).											
			26												
			27												
S10			28												
			29												
			30	Same as above except, light gray (10YR 7/1).											
			31												
			32												
			33												
			34												
			35	Same as above except, gray (10YR 6/1).											
			36												
			37												
			38												
			39												
			40												

Cave-in 32'
to 45' bgs.

Boring Number MW-303

Page 3 of 7

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
S11			41	SHALE, Gray (10YR 6/1), very weak, massive, clayey. <i>(continued)</i>										
			42											
			43											
			44											
			45											
S12			46	Same as above except, dark gray (10YR 4/1), clayey.										
			47											
			48											
			49											
			50											
S13			51	Same as above except, black (10YR 2/1), less clayey.										
			52											
			53											
			54											
			55											
S14			56											
			57											
			58											
			59											
			60											
S15			61											
			62											
			63											
			64											
			65											

38'-45' no
return. need
to add water.

Borehole
producing a
lot of water.

Boring Number MW-303

Page 4 of 7

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
S16			66	SHALE, Gray (10YR 6/1), very weak, massive, clayey. <i>(continued)</i>										
			67	Same as above except, black (10YR 2/1) and gray (10YR 6/1), laminated.										
			68											
			69											
			70											
S17			71											
			72											
			73											
			74											
			75											
S18			76											
			77											
			78											
			79											
			80	Same as above except, gray (10YR 6/1), clayey.										
S19			81											
			82											
			83											
			84											
			85	Same as above except, gray (10YR 6/1), black (10YR 2/1), Reddish brown (5YR 4/3).										
S20			86										Sulfur smell.	
			87											
			88											
			89											
			90											

Boring Number MW-303

Page 5 of 7

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
S21			91	SHALE, Gray (10YR 6/1), very weak, massive, clayey. <i>(continued)</i>										
			92	Same as above except, black (10YR 2/1), reddish brown (5YR 4/3), dark greenish gray (5GY 4/1).										
			93											
			94											
			95											
S22			96											
			97											
			98											
			99											
			100											
S23			101	Same as above with laminations.										
			102											
			103										Sulfur smell.	
			104											
			105											
S24			106	SHALE, black (10YR 2/1), reddish brown (5YR 4/3), dark greenish gray (5G 4/1), clayey.										
			107											
			108											
			109											
			110											
S25			111	Same as above except, black (10YR 3/1), pale brown (10YR 6/3), reddish brown (5YR 4/3), Dark Greenish Gray (5GY 4/1), clayey.										
			112											
			113											
			114											
			115	Same as above except, limestone fragments are encountered.										

Boring Number MW-303

Page 6 of 7

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
			116	SHALE, Gray (10YR 6/1), very weak, massive, clayey. <i>(continued)</i>										
S26			117	LIMESTONE, dark greenish gray (5G 4/1), clayey, clay is pale brown (10YR 6/3) and reddish brown (5YR 4/3), shale fragments, shale is black (10YR 3/1).										Air rotary drilling complete.
			118											
			119											
R1	8/12		120	SHALE, greensih gray (5GY 6/1), strong, massive, clayey.										Run 1 120'-121'.
R2	12/12		121											Run 1 TCR=66% SCR=66% MCR=42%
			122	LIMESTONE, gray (10YR 6/1), interbedded with shale laminations, strong, shells.										Run 2 121'-122'.
R3	36/36		123											Run 2 TCR=100% SCR=100% MCR=77%.
			124	SHALE, greenish gray (5GY 6/1), shells, very weak, clayey, massive.										Run 3 122'-125'.
			125											Run 3 TCR=100% SCR=100% MCR=92%.
			126	LIMESTONE, gray (10YR 5/1), strong.										
			127											
			128	SHALE, greenish gray (5GY 6/1), weak.										
			129	LIMESTONE, gray (10YR 5/1), strong, interbedded with shale laminations.										
R4	00/120		130											Run 4 125.5'-135.5'.
			131											Run4 TCR=83% SCR=83% MCR= 76%.
			132											
			133											
			134											
			135											
			136	SHALE, dark greenish gray (5GY 4/1), clayey, weak, interbedded with limestone-gray (10YR 5/1).										
			137											
R5	59/60		138											Run 5 135.5'-140.5'.
			139											TCR= 99% SCR=94% MCR= 75%.
			140											

Boring Number **MW-303**

Page **7** of **7**

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	Vane Shear	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plasticity Index	P 200	
R6	87/120		141	SANDSTONE, greenish gray (5GY 6/1), very weak, fine grained.										Run 6 140.5'-150.5' Run 6 TCR=73% SCR=69% MCR=59%
			142											
			143											
			144											
			145											
			146											
			147											
			148											
			149	SHALE, dark greenish gray (5GY 4/1), clayey, weak, interbedded with limestone-gray (10YR 5/1).										
			150											
				End of boring at 150.5 ft bgs. Boring reamed with 6" rotary before installation of MW-303.										



IOWA DEPARTMENT OF NATURAL RESOURCES
MONITORING WELL/PIEZOMETER CONSTRUCTION DOCUMENTATION FORM

Disposal Site Name: Ottumwa Midland Landfill Permit No.: 38223
 Well or Piezometer No: MW-102M
 Dates Started: August 20, 2012 Date Completed: August 27, 2012

A. SURVEYED LOCATIONS AND ELEVATIONS	B. SOIL BORING INFORMATION
Locations (± 0.5 ft): _____	Name & Address of Construction Company: _____
Specify corner of site: <u>NE</u>	<u>Boart Longyear</u>
Distance & direction along boundary: <u>29 S</u>	<u>901D Grossman Drive</u>
Distance & direction from boundary to wall: <u>7 W</u>	<u>Schofield, WI 54476</u>
Elevations (± 0.01 ft MSL): _____	Name of Driller: <u>Paul Dickinson</u>
Ground Surface: <u>795.50</u>	Drilling Method: <u>HSA, Air Hammer, NQ3 Core</u>
Top of protective casing: <u>798.23</u>	Drilling Fluid: <u>Air, Water</u>
Top of well casing: _____ <u>798.03</u>	Bore Hole Diameter: <u>10.5/6.0 in</u>
Benchmark elevation: <u>820.39</u>	Soil Sampling Method: <u>Split spoon, screen chips, core</u>
Benchmark description: <u>Brass cap in concrete, 408 ft N of MW-20</u>	Depth of Boring: <u>153 ft</u>

C. MONITORING WELL INSTALLATION	
Casing material: <u>Flush threaded PVC schedule 80</u>	Placement method: <u>Gravity</u>
Length of casing: _____ <u>152.1</u>	Volume: <u>0.7 ft³</u>
Outside casing diameter: _____ <u>2.4 in</u>	Backfill (if different from seal): _____
Inside casing diameter: _____ <u>1.9 in</u>	Material: <u>Bentonite Slurry</u>
Casing joint type: _____ <u>Flush Threaded</u>	Placement method: <u>Tremie pumped</u>
Casing/screen joint type: <u>Flush Threaded</u>	Volume: <u>40.1 ft³</u>
Screen material: _____ <u>Sch 80 PVC</u>	Surface seal design: _____
Screen opening size: <u>0.01 in</u>	Material of protective casing: <u>Steel</u>
Screen length: _____ <u>5 ft</u>	Material of grout between protective casing and well casing: <u>bentonite & concrete</u>
Depth of well: _____ <u>147.9 ft</u>	Protective cap: _____
Filter Pack: _____	Material: <u>Aluminum</u>
Material: _____ <u>Red Flint Filter Sand</u>	Vented: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Locking: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Grain size: _____ <u>#40</u>	Well Cap: _____
Volume: _____ <u>1.5 ft³</u>	Material: <u>plastic with rubber gasket</u>
Seal (minimum 3 ft length above filter pack): _____	Vented: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Material: <u>3/8 inch bentonite chips</u>	

D. GROUNDWATER MEASUREMENT (± 0.01 ft below top of inner well casing)	
Water level: <u>100.81</u>	Stabilization Time: <u>1 week</u>
Well development method: <u>Surged & bailed with bailer and pump</u>	
Average depth of frostline: <u>3 feet</u>	


Attachments: Driller's log. Pipe schedules and grouting schedules. 8 1/2x11 inch map showing locations of all monitoring wells and piezometers.

Please mail completed for to: Iowa Department of Natural Resources, Land Quality Bureau, 502 E 9th St, Des Moines IA 50319-0034.

Questions? Call or Email: Nina Koger, Environmental Engineer Sr., 515-281-8986, Nina.Koger@dnr.iowa.gov

ELEVATIONS: ± 0.01 ft MSL
DEPTHS: ± 0.1 ft FROM GROUND SURFACE

SPACE TO ATTACH ENTIRE SOIL BORING LOG
(SHOW SCREENED INTERVAL AND FILTER PACK INTERVAL.)





IOWA DEPARTMENT OF NATURAL RESOURCES
MONITORING WELL/PIEZOMETER CONSTRUCTION DOCUMENTATION FORM

Disposal Site Name: Ottumwa Midland Landfill Permit No.: 38230

Well or Piezometer No: MW-122M

Dates Started: December 6, 2012 Date Completed: December 9, 2012

A. SURVEYED LOCATIONS AND ELEVATIONS
B. SOIL BORING INFORMATION
Locations (± 0.5 ft):
Specify corner of site: NW
Distance & direction along boundary: 553 S
Distance & direction from boundary to wall: 462 E
Elevations (± 0.01 ft MSL):
Ground Surface: 790.74
Top of protective casing: 792.94
Top of well casing: 792.70
Benchmark elevation: 820.39
Benchmark description: Brass cap in concrete, 408 ft N of MW-20
Name & Address of Construction Company:
Boart Longyear
901D Grossman Drive
Schofield, WI 54476
Name of Driller: Paul Dickinson
Drilling Method: Rotary, HSA
Drilling Fluid: Air
Bore Hole Diameter: 10.5" to 10', 6" below 10'
Soil Sampling Method: Split spoon, screen air rotary chips
Depth of Boring: 154 ft

C. MONITORING WELL INSTALLATION
Casing material: Flush threaded PVC schedule 80
Length of casing: 155.3
Outside casing diameter: 2.4 in
Inside casing diameter: 1.89 in
Casing joint type: Flush Threaded
Casing/screen joint type: Flush Threaded
Screen material: PVC
Screen opening size: 0.01 in
Screen length: 5 ft
Depth of well: 152.8 ft
Filter Pack:
Material: Red Flint Filter Sand
Grain size: #40
Volume: 1.5 ft^3
Seal (minimum 3 ft length above filter pack):
Material: 3/8 inch bentonite chips
Placement method: Gravity
Volume: 0.67 ft^3
Backfill (if different from seal):
Material: Bentonite Slurry / 3/8" Chips
Placement method: Tremie Pumped / Gravity
Volume: 400 gal. Slurry / 6 ft^3 Chips
Surface seal design:
Material of protective casing: Steel
Material of grout between protective casing and well casing: bentonite & concrete
Protective cap:
Material: aluminum
Vented: [X] Yes [] No Locking: [X] Yes [] No
Well Cap:
Material: plastic with rubber gasket
Vented: [X] Yes [] No

D. GROUNDWATER MEASUREMENT (± 0.01 ft below top of inner well casing)
Water level: 68.81 Stabilization Time: 1 week
Well development method: Surged & bailed with bailer and pump
Average depth of frostline: 3 feet


Attachments: Driller's log, Pipe schedules and grouting schedules. 8 1/2x11 inch map showing locations of all monitoring wells and piezometers.


Please mail completed for to: Iowa Department of Natural Resources, Land Quality Bureau, 502 E 9th St, Des Moines IA 50319-0034.

Questions? Call or Email: Nina Koger, Environmental Engineer Sr., 515-281-8986, Nina.Koger@dnr.iowa.gov

ELEVATIONS: ± 0.01 ft MSL
DEPTHS: ± 0.1 ft FROM GROUND SURFACE

SPACE TO ATTACH ENTIRE SOIL BORING LOG
(SHOW SCREENED INTERVAL AND FILTER PACK INTERVAL)





Appendix C

Laboratory Reports

ANALYTICAL REPORT

Eurofins Cedar Falls
3019 Venture Way
Cedar Falls, IA 50613
Tel: (319)277-2401

Laboratory Job ID: 310-243394-1

Client Project/Site: Ottumwa Midland LF 25222073

For:

SCS Engineers
2830 Dairy Drive
Madison, Wisconsin 53718

Attn: Meghan Blodgett



Authorized for release by:

11/11/2022 1:19:49 PM

Sandie Fredrick, Project Manager II
(920)261-1660

Sandra.Fredrick@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the {0} Project Manager.



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Sample Summary	4
Detection Summary	5
Client Sample Results	7
Definitions	13
QC Sample Results	14
QC Association	16
Chronicle	18
Certification Summary	20
Method Summary	21
Chain of Custody	22
Receipt Checklists	25
Field Data Sheets	26

Case Narrative

Client: SCS Engineers
Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Job ID: 310-243394-1

Laboratory: Eurofins Cedar Falls

Narrative

Job Narrative 310-243394-1

Comments

No additional comments.

Receipt

The samples were received on 10/28/2022 5:00 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 1.7° C.

HPLC/IC

Method 9056A: The following sample was diluted due to the nature of the sample matrix: MW-122M (310-243394-5). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Sample Summary

Client: SCS Engineers
Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
310-243394-1	MW-301	Water	10/25/22 09:05	10/28/22 17:00
310-243394-2	MW-302	Water	10/25/22 08:40	10/28/22 17:00
310-243394-3	MW-303	Water	10/24/22 15:10	10/28/22 17:00
310-243394-4	MW-102M	Water	10/27/22 07:40	10/28/22 17:00
310-243394-5	MW-122M	Water	10/27/22 07:10	10/28/22 17:00
310-243394-6	Field Blank	Water	10/27/22 07:35	10/28/22 17:00

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Detection Summary

Client: SCS Engineers
Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Client Sample ID: MW-301

Lab Sample ID: 310-243394-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	27		5.0	2.3	mg/L	5		9056A	Total/NA
Fluoride	0.85		0.50	0.22	mg/L	5		9056A	Total/NA
Sulfate	440		5.0	2.0	mg/L	5		9056A	Total/NA
Boron	640		100	58	ug/L	1		6020B	Total/NA
Calcium	140		0.50	0.19	mg/L	1		6020B	Total/NA
Total Dissolved Solids	1100		50	26	mg/L	1		SM 2540C	Total/NA
pH	7.1		0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Ground Water Elevation	686.01				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	-48.2				millivolts	1		Field Sampling	Total/NA
Oxygen, Dissolved, Client Supplied	0.28				mg/L	1		Field Sampling	Total/NA
pH, Field	6.58				SU	1		Field Sampling	Total/NA
Specific Conductance, Field	1539				umhos/cm	1		Field Sampling	Total/NA
Temperature, Field	13.0				Degrees C	1		Field Sampling	Total/NA
Turbidity, Field	14.23				NTU	1		Field Sampling	Total/NA

Client Sample ID: MW-302

Lab Sample ID: 310-243394-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.4		5.0	2.3	mg/L	5		9056A	Total/NA
Fluoride	0.93		0.50	0.22	mg/L	5		9056A	Total/NA
Sulfate	64		5.0	2.0	mg/L	5		9056A	Total/NA
Boron	790		100	58	ug/L	1		6020B	Total/NA
Calcium	54		0.50	0.19	mg/L	1		6020B	Total/NA
Total Dissolved Solids	600		50	26	mg/L	1		SM 2540C	Total/NA
pH	7.6		0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Ground Water Elevation	684.97				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	-98.7				millivolts	1		Field Sampling	Total/NA
Oxygen, Dissolved, Client Supplied	0.10				mg/L	1		Field Sampling	Total/NA
pH, Field	7.13				SU	1		Field Sampling	Total/NA
Specific Conductance, Field	1130				umhos/cm	1		Field Sampling	Total/NA
Temperature, Field	12.9				Degrees C	1		Field Sampling	Total/NA
Turbidity, Field	122.97				NTU	1		Field Sampling	Total/NA

Client Sample ID: MW-303

Lab Sample ID: 310-243394-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	7.2		5.0	2.3	mg/L	5		9056A	Total/NA
Fluoride	0.88		0.50	0.22	mg/L	5		9056A	Total/NA
Sulfate	190		5.0	2.0	mg/L	5		9056A	Total/NA
Boron	640		100	58	ug/L	1		6020B	Total/NA
Calcium	91		0.50	0.19	mg/L	1		6020B	Total/NA
Total Dissolved Solids	740		50	26	mg/L	1		SM 2540C	Total/NA
pH	7.2		0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Ground Water Elevation	685.86				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	-51.9				millivolts	1		Field Sampling	Total/NA
Oxygen, Dissolved, Client Supplied	0.00				mg/L	1		Field Sampling	Total/NA
pH, Field	6.76				SU	1		Field Sampling	Total/NA
Specific Conductance, Field	1318				umhos/cm	1		Field Sampling	Total/NA
Temperature, Field	13.5				Degrees C	1		Field Sampling	Total/NA
Turbidity, Field	183.4				NTU	1		Field Sampling	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cedar Falls

Detection Summary

Client: SCS Engineers
Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Client Sample ID: MW-102M

Lab Sample ID: 310-243394-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	16		5.0	2.3	mg/L	5		9056A	Total/NA
Fluoride	4.8		0.50	0.22	mg/L	5		9056A	Total/NA
Sulfate	390		20	8.0	mg/L	20		9056A	Total/NA
Boron	1400		100	58	ug/L	1		6020B	Total/NA
Calcium	14		0.50	0.19	mg/L	1		6020B	Total/NA
Total Dissolved Solids	1500		50	26	mg/L	1		SM 2540C	Total/NA
pH	7.8		0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Ground Water Elevation	709.07				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	25.7				millivolts	1		Field Sampling	Total/NA
Oxygen, Dissolved, Client Supplied	7.53				mg/L	1		Field Sampling	Total/NA
pH, Field	7.55				SU	1		Field Sampling	Total/NA
Specific Conductance, Field	1912				umhos/cm	1		Field Sampling	Total/NA
Temperature, Field	10.5				Degrees C	1		Field Sampling	Total/NA
Turbidity, Field	19.23				NTU	1		Field Sampling	Total/NA

Client Sample ID: MW-122M

Lab Sample ID: 310-243394-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	14		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	9300		100	40	mg/L	100		9056A	Total/NA
Boron	6400		700	410	ug/L	7		6020B	Total/NA
Calcium	440		0.50	0.19	mg/L	1		6020B	Total/NA
Total Dissolved Solids	11000		2500	1300	mg/L	1		SM 2540C	Total/NA
pH	6.9		0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Ground Water Elevation	719.03				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	14.0				millivolts	1		Field Sampling	Total/NA
Oxygen, Dissolved, Client Supplied	5.47				mg/L	1		Field Sampling	Total/NA
pH, Field	6.79				SU	1		Field Sampling	Total/NA
Specific Conductance, Field	13350				umhos/cm	1		Field Sampling	Total/NA
Temperature, Field	12.2				Degrees C	1		Field Sampling	Total/NA
Turbidity, Field	62.39				NTU	1		Field Sampling	Total/NA

Client Sample ID: Field Blank

Lab Sample ID: 310-243394-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Sulfate	0.41	J	1.0	0.40	mg/L	1		9056A	Total/NA
Boron	65	J	100	58	ug/L	1		6020B	Total/NA
pH	6.4		0.1	0.1	SU	1		SM 4500 H+ B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cedar Falls

Client Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Client Sample ID: MW-301
 Date Collected: 10/25/22 09:05
 Date Received: 10/28/22 17:00

Lab Sample ID: 310-243394-1
 Matrix: Water

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	27		5.0	2.3	mg/L			11/09/22 15:06	5
Fluoride	0.85		0.50	0.22	mg/L			11/09/22 15:06	5
Sulfate	440		5.0	2.0	mg/L			11/09/22 15:06	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	640		100	58	ug/L		11/01/22 09:30	11/10/22 15:40	1
Calcium	140		0.50	0.19	mg/L		11/01/22 09:30	11/07/22 21:15	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	1100		50	26	mg/L			10/28/22 11:41	1
pH (SM 4500 H+ B)	7.1		0.1	0.1	SU			10/27/22 20:52	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ground Water Elevation	686.01				ft			10/25/22 09:05	1
Oxidation Reduction Potential	-48.2				millivolts			10/25/22 09:05	1
Oxygen, Dissolved, Client Supplied	0.28				mg/L			10/25/22 09:05	1
pH, Field	6.58				SU			10/25/22 09:05	1
Specific Conductance, Field	1539				umhos/cm			10/25/22 09:05	1
Temperature, Field	13.0				Degrees C			10/25/22 09:05	1
Turbidity, Field	14.23				NTU			10/25/22 09:05	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Client Sample ID: MW-302

Lab Sample ID: 310-243394-2

Date Collected: 10/25/22 08:40

Matrix: Water

Date Received: 10/28/22 17:00

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.4		5.0	2.3	mg/L			11/09/22 15:18	5
Fluoride	0.93		0.50	0.22	mg/L			11/09/22 15:18	5
Sulfate	64		5.0	2.0	mg/L			11/09/22 15:18	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	790		100	58	ug/L		11/01/22 09:30	11/10/22 15:43	1
Calcium	54		0.50	0.19	mg/L		11/01/22 09:30	11/07/22 21:18	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	600		50	26	mg/L			10/28/22 11:41	1
pH (SM 4500 H+ B)	7.6		0.1	0.1	SU			10/27/22 20:53	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ground Water Elevation	684.97				ft			10/25/22 08:40	1
Oxidation Reduction Potential	-98.7				millivolts			10/25/22 08:40	1
Oxygen, Dissolved, Client Supplied	0.10				mg/L			10/25/22 08:40	1
pH, Field	7.13				SU			10/25/22 08:40	1
Specific Conductance, Field	1130				umhos/cm			10/25/22 08:40	1
Temperature, Field	12.9				Degrees C			10/25/22 08:40	1
Turbidity, Field	122.97				NTU			10/25/22 08:40	1



Client Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Client Sample ID: MW-303
 Date Collected: 10/24/22 15:10
 Date Received: 10/28/22 17:00

Lab Sample ID: 310-243394-3
 Matrix: Water

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.2		5.0	2.3	mg/L			11/09/22 15:30	5
Fluoride	0.88		0.50	0.22	mg/L			11/09/22 15:30	5
Sulfate	190		5.0	2.0	mg/L			11/09/22 15:30	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	640		100	58	ug/L		11/01/22 09:30	11/10/22 15:47	1
Calcium	91		0.50	0.19	mg/L		11/01/22 09:30	11/07/22 21:22	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	740		50	26	mg/L			10/28/22 11:41	1
pH (SM 4500 H+ B)	7.2		0.1	0.1	SU			10/27/22 21:00	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ground Water Elevation	685.86				ft			10/24/22 15:10	1
Oxidation Reduction Potential	-51.9				millivolts			10/24/22 15:10	1
Oxygen, Dissolved, Client Supplied	0.00				mg/L			10/24/22 15:10	1
pH, Field	6.76				SU			10/24/22 15:10	1
Specific Conductance, Field	1318				umhos/cm			10/24/22 15:10	1
Temperature, Field	13.5				Degrees C			10/24/22 15:10	1
Turbidity, Field	183.4				NTU			10/24/22 15:10	1



Client Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Client Sample ID: MW-102M

Lab Sample ID: 310-243394-4

Date Collected: 10/27/22 07:40

Matrix: Water

Date Received: 10/28/22 17:00

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16		5.0	2.3	mg/L			11/09/22 16:07	5
Fluoride	4.8		0.50	0.22	mg/L			11/09/22 16:07	5
Sulfate	390		20	8.0	mg/L			11/09/22 20:59	20

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1400		100	58	ug/L		11/01/22 09:30	11/10/22 15:51	1
Calcium	14		0.50	0.19	mg/L		11/01/22 09:30	11/07/22 21:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	1500		50	26	mg/L			10/30/22 06:35	1
pH (SM 4500 H+ B)	7.8		0.1	0.1	SU			10/27/22 21:03	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ground Water Elevation	709.07				ft			10/27/22 07:40	1
Oxidation Reduction Potential	25.7				millivolts			10/27/22 07:40	1
Oxygen, Dissolved, Client Supplied	7.53				mg/L			10/27/22 07:40	1
pH, Field	7.55				SU			10/27/22 07:40	1
Specific Conductance, Field	1912				umhos/cm			10/27/22 07:40	1
Temperature, Field	10.5				Degrees C			10/27/22 07:40	1
Turbidity, Field	19.23				NTU			10/27/22 07:40	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Client Sample ID: MW-122M

Lab Sample ID: 310-243394-5

Date Collected: 10/27/22 07:10

Matrix: Water

Date Received: 10/28/22 17:00

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14		5.0	2.3	mg/L			11/09/22 16:19	5
Fluoride	<0.22		0.50	0.22	mg/L			11/09/22 16:19	5
Sulfate	9300		100	40	mg/L			11/09/22 21:11	100

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	6400		700	410	ug/L		11/01/22 09:30	11/10/22 15:54	7
Calcium	440		0.50	0.19	mg/L		11/01/22 09:30	11/07/22 21:47	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	11000		2500	1300	mg/L			10/31/22 17:28	1
pH (SM 4500 H+ B)	6.9		0.1	0.1	SU			10/27/22 21:04	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ground Water Elevation	719.03				ft			10/27/22 07:10	1
Oxidation Reduction Potential	14.0				millivolts			10/27/22 07:10	1
Oxygen, Dissolved, Client Supplied	5.47				mg/L			10/27/22 07:10	1
pH, Field	6.79				SU			10/27/22 07:10	1
Specific Conductance, Field	13350				umhos/cm			10/27/22 07:10	1
Temperature, Field	12.2				Degrees C			10/27/22 07:10	1
Turbidity, Field	62.39				NTU			10/27/22 07:10	1

Client Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Client Sample ID: Field Blank

Lab Sample ID: 310-243394-6

Date Collected: 10/27/22 07:35

Matrix: Water

Date Received: 10/28/22 17:00

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.45		1.0	0.45	mg/L			11/09/22 16:31	1
Fluoride	<0.044		0.10	0.044	mg/L			11/09/22 16:31	1
Sulfate	0.41	J	1.0	0.40	mg/L			11/09/22 16:31	1

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	65	J	100	58	ug/L		11/01/22 09:30	11/07/22 21:51	1
Calcium	<0.19		0.50	0.19	mg/L		11/01/22 09:30	11/07/22 21:51	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	<26		50	26	mg/L			10/30/22 06:35	1
pH (SM 4500 H+ B)	6.4		0.1	0.1	SU			10/27/22 21:06	1



Definitions/Glossary

Client: SCS Engineers
Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Method: 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 310-371809/3
 Matrix: Water
 Analysis Batch: 371809

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.45		1.0	0.45	mg/L			11/09/22 14:42	1
Fluoride	<0.044		0.10	0.044	mg/L			11/09/22 14:42	1
Sulfate	<0.40		1.0	0.40	mg/L			11/09/22 14:42	1

Lab Sample ID: LCS 310-371809/4
 Matrix: Water
 Analysis Batch: 371809

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.0	10.0		mg/L		100	90 - 110
Fluoride	2.00	2.12		mg/L		106	90 - 110
Sulfate	10.0	10.4		mg/L		104	90 - 110

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 310-370386/1-A
 Matrix: Water
 Analysis Batch: 371290

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 370386

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<58		100	58	ug/L		11/01/22 09:30	11/07/22 19:41	1
Calcium	<0.19		0.50	0.19	mg/L		11/01/22 09:30	11/07/22 19:41	1

Lab Sample ID: LCS 310-370386/2-A
 Matrix: Water
 Analysis Batch: 371290

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 370386

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	200	194		ug/L		97	80 - 120
Calcium	2.00	2.00		mg/L		100	80 - 120

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 310-370169/1
 Matrix: Water
 Analysis Batch: 370169

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<26		50	26	mg/L			10/28/22 11:41	1

Lab Sample ID: LCS 310-370169/2
 Matrix: Water
 Analysis Batch: 370169

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	1000	936		mg/L		94	90 - 110

Eurofins Cedar Falls

QC Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: MB 310-370267/1
 Matrix: Water
 Analysis Batch: 370267

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<26		50	26	mg/L			10/30/22 06:35	1

Lab Sample ID: LCS 310-370267/2
 Matrix: Water
 Analysis Batch: 370267

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	1000	994		mg/L		99	90 - 110

Lab Sample ID: MB 310-370393/1
 Matrix: Water
 Analysis Batch: 370393

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<26		50	26	mg/L			10/31/22 17:28	1

Lab Sample ID: LCS 310-370393/2
 Matrix: Water
 Analysis Batch: 370393

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	1000	974		mg/L		97	90 - 110

Method: SM 4500 H+ B - pH

Lab Sample ID: LCS 310-370088/1
 Matrix: Water
 Analysis Batch: 370088

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
pH	7.00	7.1		SU		101	98 - 102

Lab Sample ID: LCS 310-370088/26
 Matrix: Water
 Analysis Batch: 370088

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
pH	7.00	7.1		SU		101	98 - 102

Lab Sample ID: 310-243394-3 DU
 Matrix: Water
 Analysis Batch: 370088

Client Sample ID: MW-303
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
pH	7.2		7.2		SU		0.3	20

Eurofins Cedar Falls

QC Association Summary

Client: SCS Engineers
Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

HPLC/IC

Analysis Batch: 371809

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-243394-1	MW-301	Total/NA	Water	9056A	
310-243394-2	MW-302	Total/NA	Water	9056A	
310-243394-3	MW-303	Total/NA	Water	9056A	
310-243394-4	MW-102M	Total/NA	Water	9056A	
310-243394-4	MW-102M	Total/NA	Water	9056A	
310-243394-5	MW-122M	Total/NA	Water	9056A	
310-243394-5	MW-122M	Total/NA	Water	9056A	
310-243394-6	Field Blank	Total/NA	Water	9056A	
MB 310-371809/3	Method Blank	Total/NA	Water	9056A	
LCS 310-371809/4	Lab Control Sample	Total/NA	Water	9056A	

Metals

Prep Batch: 370386

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-243394-1	MW-301	Total/NA	Water	3005A	
310-243394-2	MW-302	Total/NA	Water	3005A	
310-243394-3	MW-303	Total/NA	Water	3005A	
310-243394-4	MW-102M	Total/NA	Water	3005A	
310-243394-5	MW-122M	Total/NA	Water	3005A	
310-243394-6	Field Blank	Total/NA	Water	3005A	
MB 310-370386/1-A	Method Blank	Total/NA	Water	3005A	
LCS 310-370386/2-A	Lab Control Sample	Total/NA	Water	3005A	

Analysis Batch: 371290

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-243394-1	MW-301	Total/NA	Water	6020B	370386
310-243394-2	MW-302	Total/NA	Water	6020B	370386
310-243394-3	MW-303	Total/NA	Water	6020B	370386
310-243394-4	MW-102M	Total/NA	Water	6020B	370386
310-243394-5	MW-122M	Total/NA	Water	6020B	370386
310-243394-6	Field Blank	Total/NA	Water	6020B	370386
MB 310-370386/1-A	Method Blank	Total/NA	Water	6020B	370386
LCS 310-370386/2-A	Lab Control Sample	Total/NA	Water	6020B	370386

Analysis Batch: 371723

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-243394-1	MW-301	Total/NA	Water	6020B	370386
310-243394-2	MW-302	Total/NA	Water	6020B	370386
310-243394-3	MW-303	Total/NA	Water	6020B	370386
310-243394-4	MW-102M	Total/NA	Water	6020B	370386
310-243394-5	MW-122M	Total/NA	Water	6020B	370386

General Chemistry

Analysis Batch: 370088

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-243394-1	MW-301	Total/NA	Water	SM 4500 H+ B	
310-243394-2	MW-302	Total/NA	Water	SM 4500 H+ B	
310-243394-3	MW-303	Total/NA	Water	SM 4500 H+ B	
310-243394-4	MW-102M	Total/NA	Water	SM 4500 H+ B	
310-243394-5	MW-122M	Total/NA	Water	SM 4500 H+ B	

Eurofins Cedar Falls

QC Association Summary

Client: SCS Engineers
Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

General Chemistry (Continued)

Analysis Batch: 370088 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-243394-6	Field Blank	Total/NA	Water	SM 4500 H+ B	
LCS 310-370088/1	Lab Control Sample	Total/NA	Water	SM 4500 H+ B	
LCS 310-370088/26	Lab Control Sample	Total/NA	Water	SM 4500 H+ B	
310-243394-3 DU	MW-303	Total/NA	Water	SM 4500 H+ B	

Analysis Batch: 370169

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-243394-1	MW-301	Total/NA	Water	SM 2540C	
310-243394-2	MW-302	Total/NA	Water	SM 2540C	
310-243394-3	MW-303	Total/NA	Water	SM 2540C	
MB 310-370169/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 310-370169/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 370267

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-243394-4	MW-102M	Total/NA	Water	SM 2540C	
310-243394-6	Field Blank	Total/NA	Water	SM 2540C	
MB 310-370267/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 310-370267/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 370393

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-243394-5	MW-122M	Total/NA	Water	SM 2540C	
MB 310-370393/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 310-370393/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Field Service / Mobile Lab

Analysis Batch: 370344

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-243394-1	MW-301	Total/NA	Water	Field Sampling	
310-243394-2	MW-302	Total/NA	Water	Field Sampling	
310-243394-3	MW-303	Total/NA	Water	Field Sampling	
310-243394-4	MW-102M	Total/NA	Water	Field Sampling	
310-243394-5	MW-122M	Total/NA	Water	Field Sampling	

Lab Chronicle

Client: SCS Engineers
Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Client Sample ID: MW-301

Date Collected: 10/25/22 09:05

Date Received: 10/28/22 17:00

Lab Sample ID: 310-243394-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	371809	DHM5	EET CF	11/09/22 15:06
Total/NA	Prep	3005A			370386	DHM5	EET CF	11/01/22 09:30
Total/NA	Analysis	6020B		1	371290	A6US	EET CF	11/07/22 21:15
Total/NA	Prep	3005A			370386	DHM5	EET CF	11/01/22 09:30
Total/NA	Analysis	6020B		1	371723	A6US	EET CF	11/10/22 15:40
Total/NA	Analysis	SM 2540C		1	370169	HE7K	EET CF	10/28/22 11:41
Total/NA	Analysis	SM 4500 H+ B		1	370088	DN3P	EET CF	10/27/22 20:52
Total/NA	Analysis	Field Sampling		1	370344	BJ0R	EET CF	10/25/22 09:05

Client Sample ID: MW-302

Date Collected: 10/25/22 08:40

Date Received: 10/28/22 17:00

Lab Sample ID: 310-243394-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	371809	DHM5	EET CF	11/09/22 15:18
Total/NA	Prep	3005A			370386	DHM5	EET CF	11/01/22 09:30
Total/NA	Analysis	6020B		1	371290	A6US	EET CF	11/07/22 21:18
Total/NA	Prep	3005A			370386	DHM5	EET CF	11/01/22 09:30
Total/NA	Analysis	6020B		1	371723	A6US	EET CF	11/10/22 15:43
Total/NA	Analysis	SM 2540C		1	370169	HE7K	EET CF	10/28/22 11:41
Total/NA	Analysis	SM 4500 H+ B		1	370088	DN3P	EET CF	10/27/22 20:53
Total/NA	Analysis	Field Sampling		1	370344	BJ0R	EET CF	10/25/22 08:40

Client Sample ID: MW-303

Date Collected: 10/24/22 15:10

Date Received: 10/28/22 17:00

Lab Sample ID: 310-243394-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	371809	DHM5	EET CF	11/09/22 15:30
Total/NA	Prep	3005A			370386	DHM5	EET CF	11/01/22 09:30
Total/NA	Analysis	6020B		1	371290	A6US	EET CF	11/07/22 21:22
Total/NA	Prep	3005A			370386	DHM5	EET CF	11/01/22 09:30
Total/NA	Analysis	6020B		1	371723	A6US	EET CF	11/10/22 15:47
Total/NA	Analysis	SM 2540C		1	370169	HE7K	EET CF	10/28/22 11:41
Total/NA	Analysis	SM 4500 H+ B		1	370088	DN3P	EET CF	10/27/22 21:00
Total/NA	Analysis	Field Sampling		1	370344	BJ0R	EET CF	10/24/22 15:10

Client Sample ID: MW-102M

Date Collected: 10/27/22 07:40

Date Received: 10/28/22 17:00

Lab Sample ID: 310-243394-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	371809	DHM5	EET CF	11/09/22 16:07
Total/NA	Analysis	9056A		20	371809	DHM5	EET CF	11/09/22 20:59

Eurofins Cedar Falls

Lab Chronicle

Client: SCS Engineers
 Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Client Sample ID: MW-102M

Lab Sample ID: 310-243394-4

Date Collected: 10/27/22 07:40

Matrix: Water

Date Received: 10/28/22 17:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3005A			370386	DHM5	EET CF	11/01/22 09:30
Total/NA	Analysis	6020B		1	371290	A6US	EET CF	11/07/22 21:43
Total/NA	Prep	3005A			370386	DHM5	EET CF	11/01/22 09:30
Total/NA	Analysis	6020B		1	371723	A6US	EET CF	11/10/22 15:51
Total/NA	Analysis	SM 2540C		1	370267	WZC8	EET CF	10/30/22 06:35
Total/NA	Analysis	SM 4500 H+ B		1	370088	DN3P	EET CF	10/27/22 21:03
Total/NA	Analysis	Field Sampling		1	370344	BJ0R	EET CF	10/27/22 07:40

Client Sample ID: MW-122M

Lab Sample ID: 310-243394-5

Date Collected: 10/27/22 07:10

Matrix: Water

Date Received: 10/28/22 17:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	371809	DHM5	EET CF	11/09/22 16:19
Total/NA	Analysis	9056A		100	371809	DHM5	EET CF	11/09/22 21:11
Total/NA	Prep	3005A			370386	DHM5	EET CF	11/01/22 09:30
Total/NA	Analysis	6020B		1	371290	A6US	EET CF	11/07/22 21:47
Total/NA	Prep	3005A			370386	DHM5	EET CF	11/01/22 09:30
Total/NA	Analysis	6020B		7	371723	A6US	EET CF	11/10/22 15:54
Total/NA	Analysis	SM 2540C		1	370393	ENB7	EET CF	10/31/22 17:28
Total/NA	Analysis	SM 4500 H+ B		1	370088	DN3P	EET CF	10/27/22 21:04
Total/NA	Analysis	Field Sampling		1	370344	BJ0R	EET CF	10/27/22 07:10

Client Sample ID: Field Blank

Lab Sample ID: 310-243394-6

Date Collected: 10/27/22 07:35

Matrix: Water

Date Received: 10/28/22 17:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		1	371809	DHM5	EET CF	11/09/22 16:31
Total/NA	Prep	3005A			370386	DHM5	EET CF	11/01/22 09:30
Total/NA	Analysis	6020B		1	371290	A6US	EET CF	11/07/22 21:51
Total/NA	Analysis	SM 2540C		1	370267	WZC8	EET CF	10/30/22 06:35
Total/NA	Analysis	SM 4500 H+ B		1	370088	DN3P	EET CF	10/27/22 21:06

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

Accreditation/Certification Summary

Client: SCS Engineers
Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Laboratory: Eurofins Cedar Falls

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Iowa	State	007	12-01-23

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: SCS Engineers
Project/Site: Ottumwa Midland LF 25222073

Job ID: 310-243394-1

Method	Method Description	Protocol	Laboratory
9056A	Anions, Ion Chromatography	SW846	EET CF
6020B	Metals (ICP/MS)	SW846	EET CF
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET CF
SM 4500 H+ B	pH	SM	EET CF
Field Sampling	Field Sampling	EPA	EET CF
3005A	Preparation, Total Metals	SW846	EET CF

Protocol References:

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401





Cooler/Sample Receipt and Temperature Log Form

Client Information			
Client: <u>SCS</u>			
City/State: <u>Madison</u>	STATE: <u>WI</u>	Project:	
Receipt Information			
Date/Time Received:	DATE: <u>10/27/22</u>	TIME: <u>17:00</u>	Received By: <u>EH</u>
Delivery Type: <input type="checkbox"/> UPS <input type="checkbox"/> FedEx <input type="checkbox"/> FedEx Ground <input type="checkbox"/> US Mail <input type="checkbox"/> Spee-Dee <input checked="" type="checkbox"/> Lab Courier <input type="checkbox"/> Lab Field Services <input type="checkbox"/> Client Drop-off <input type="checkbox"/> Other: _____			
Condition of Cooler/Containers			
Sample(s) received in Cooler?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If yes: Cooler ID: _____	
Multiple Coolers?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If yes: Cooler # ____ of ____	
Cooler Custody Seals Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If yes: Cooler custody seals intact? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Sample Custody Seals Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If yes: Sample custody seals intact? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Trip Blank Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If yes: Which VOA samples are in cooler? ↓	
Temperature Record			
Coolant:	<input checked="" type="checkbox"/> Wet ice <input type="checkbox"/> Blue ice <input type="checkbox"/> Dry ice <input type="checkbox"/> Other: _____ <input type="checkbox"/> NONE		
Thermometer ID: <u>R</u>	Correction Factor (°C): <u>0</u>		
• Temp Blank Temperature – If no temp blank, or temp blank temperature above criteria, proceed to Sample Container Temperature			
Uncorrected Temp (°C): <u>1.7</u>	Corrected Temp (°C): <u>1.7</u>		
• Sample Container Temperature			
Container(s) used:	<u>CONTAINER 1</u>	<u>CONTAINER 2</u>	
Uncorrected Temp (°C):			
Corrected Temp (°C):			
Exceptions Noted			
1) If temperature exceeds criteria, was sample(s) received same day of sampling? <input type="checkbox"/> Yes <input type="checkbox"/> No a) If yes: Is there evidence that the chilling process began? <input type="checkbox"/> Yes <input type="checkbox"/> No			
2) If temperature is <0°C, are there obvious signs that the integrity of sample containers is compromised? (e.g., bulging septa, broken/cracked bottles, frozen solid?) <input type="checkbox"/> Yes <input type="checkbox"/> No			
NOTE If yes, contact PM before proceeding. If no, proceed with login			
Additional Comments			



Chain of Custody Record

Client Information Client Contact: Mr Tom Karwoski Company: SCS Engineers Address: 2830 Dairy Dr City: Madison State, Zip: WI 53718 Phone: 537-18 Email: tkarwoski@scsengineers.com Project Name: Ottumwa Midland LF 25222073 Site:		Lab PM: Fredrick, Sandie E-Mail: Sandra.Fredrick@et.euofins.com Carrier Tracking No(s): 310-75000-14130 1 State of Origin:					
Due Date Requested: 10/27 TAT Requested (days): 10/27 Compliance Project: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No PO #: 25222073 WO #: 31011020 Project #: 31011020 SSOW#:		Analysis Requested Total Number of Containers: <input checked="" type="checkbox"/>					
Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:		Preservation Codes: M - Hexane N - None O - AsHNO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Y - Trizma Z - other (specify)					
Sample Identification Sample Date: 10/25 Sample Time: 0905 Sample Type (C=Comp, G=grab): G Preservation Code: Water Matrix (Newwater, Solid, On-water, Oil, BT-TISSUE, ASAT):		Field Filtered Sample (Yes or No): <input checked="" type="checkbox"/> Perform MS/MSD (Yes or No): <input checked="" type="checkbox"/> 2540C, Calcd, SM4500, H+ 6020A - B/Ca N D Special Instructions/Note:					
MW-301	10/25	0905	Water	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
MW-302	10/25	0810	Water	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
MW-303	10/24	1510	Water	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
MW-102M	10/27	0740	Water	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
MW-122M	10/27	0710	Water	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
Field Blank	10/27	0735	Water	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested I II III IV Other (specify)							
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Special Instructions/QC Requirements:							
Empty Kit Relinquished by:				Date:			
Relinquished by: Sean Mergowski				Date/Time: 10/27 1200 Company: SCS			
Relinquished by:				Date/Time:			
Relinquished by:				Date/Time:			
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No				Cooler Temperature(s) °C and Other Remarks: 10-27-22 1700			



Table 2. Sampling Points and Parameters - CCR Rule Sampling Program - Detection Monitoring
Groundwater Monitoring - Ottumwa Midland Landfill / SCS Engineers Project #25216073

	Parameter	MW-301	MW-302	MW-303	MW-102M	MW-122M	Field Blank	TOTAL
Appendix III Parameters	Boron	x	x	x	x	x	x	6
	Calcium	x	x	x	x	x	x	6
	Chloride	x	x	x	x	x	x	6
	Fluoride	x	x	x	x	x	x	6
	pH	x	x	x	x	x	x	6
	Sulfate	x	x	x	x	x	x	6
	TDS	x	x	x	x	x	x	6
Appendix IV Parameters	Antimony							0
	Arsenic							0
	Barium							0
	Beryllium							0
	Cadmium							0
	Chromium							0
	Cobalt							0
	Fluoride							0
	Lead							0
	Lithium							0
	Mercury							0
	Molybdenum							0
	Selenium							0
	Thallium							0
Radium							0	
Field Parameters	Groundwater Elevation	x	x	x	x	x		5
	Well Depth	x	x	x	x	x		5
	pH (field)	x	x	x	x	x		5
	Specific Conductance	x	x	x	x	x		5
	Dissolved Oxygen	x	x	x	x	x		5
	ORP	x	x	x	x	x		5
	Temperature	x	x	x	x	x		5
	Turbidity	x	x	x	x	x		5
	Color	x	x	x	x	x		5
	Odor	x	x	x	x	x		5

Notes All samples are unfiltered (total)

I:\25216073 00\Data and Calculations\Field Notes\Field Work Requests\[Table_2_OML_CCR_Rule_Sampling_Det

Login Sample Receipt Checklist

Client: SCS Engineers

Job Number: 310-243394-1

Login Number: 243394

List Number: 1

Creator: Homolar, Dana J

List Source: Eurofins Cedar Falls

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Groundwater Monitoring Results - Field Parameters
Ottumwa Midland Landfill / SCS Engineers Project #25222073.00
October 2022

Sample	Date	Groundwater Elevation (ft. amsl)	Temperature (Deg. C)	pH (Std. Units)	DO (mg/L)	Specific Conductivity (µmhos/cm)	ORP (mV)	Turbidity (NTU)
MW-301	10/25/2022	686.01	13.0	6.58	0.28	1,539	-48.2	14.23
MW-302	10/25/2022	684.97	12.9	7.13	0.10	1,130	-98.7	122.97
MW-303	10/24/2022	685.86	13.5	6.76	0.00	1,318	-51.9	183.4
MW-102M	10/27/2022	709.07	10.5	7.55	7.53	1,912	25.7	19.23
MW-122M	10/27/2022	719.03	12.2	6.79	5.47	13,350	14.0	62.39

Abbreviations:

amsl = above mean sea level

mg/L = milligrams per liter

µmhos/cm = microSiemens per centimeter

NM = not measured.

Laboratory Notes/Qualifiers:

none

Created by: NDK
 Last revision by: RM
 Checked by: DK

Date: 10/11/2021
 Date: 10/28/2022
 Date: 10/28/2022

C:\Users\hld0\AppData\Local\Microsoft\Windows\INetCache\Content.Outlook\USG3GGGC\[2210_OML_GW_Field Data.xlsx]GW Field Data



ANALYTICAL REPORT

PREPARED FOR

Attn: Meghan Blodgett
SCS Engineers
2830 Dairy Drive
Madison, Wisconsin 53718
Generated 5/24/2023 6:31:27 PM Revision 1

JOB DESCRIPTION

Ottumwa Midland Landfill 25223073

JOB NUMBER

310-253114-1

Eurofins Cedar Falls

Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing North Central, LLC and its client. All questions regarding this report should be directed to the Eurofins Environment Testing North Central, LLC Project Manager who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
5/24/2023 6:31:27 PM
Revision 1

Authorized for release by
Sandie Fredrick, Project Manager II
Sandra.Fredrick@et.eurofinsus.com
(920)261-1660



Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Sample Summary	5
Detection Summary	6
Client Sample Results	8
Definitions	14
QC Sample Results	15
QC Association	18
Chronicle	20
Certification Summary	22
Method Summary	23
Chain of Custody	24
Receipt Checklists	27
Field Data Sheets	28

Case Narrative

Client: SCS Engineers
Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Job ID: 310-253114-1

Laboratory: Eurofins Cedar Falls

Narrative

Job Narrative 310-253114-1

Comments

No additional comments.

Revision

The report being provided is a revision of the original report sent on 4/21/2023. The report (revision 1) is being revised due to: Client requested Calcium reported as mg/L.

Receipt

The samples were received on 4/7/2023 4:00 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 1.4° C.

Receipt Exceptions

Insufficient sample volume was provided for the following samples for the analysis: MW-301 (310-253114-1), MW-302 (310-253114-2), MW-303 (310-253114-3), MW-102M (310-253114-4), MW-122M (310-253114-5) and Field Blank (310-253114-6).

Sample MW-122M received very limited volume in one unpreserved 1 L container.

HPLC/IC

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Metals

Method 3005A: The reference method requires samples to be preserved to a pH of <2. The following sample was received with insufficient preservation at a pH of >2: MW-122M (310-253114-5). The sample(s) was preserved to the appropriate pH in the laboratory.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Sample Summary

Client: SCS Engineers
Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
310-253114-1	MW-301	Water	04/05/23 10:35	04/07/23 16:00
310-253114-2	MW-302	Water	04/05/23 09:15	04/07/23 16:00
310-253114-3	MW-303	Water	04/04/23 09:45	04/07/23 16:00
310-253114-4	MW-102M	Water	04/04/23 11:30	04/07/23 16:00
310-253114-5	MW-122M	Water	04/04/23 09:15	04/07/23 16:00
310-253114-6	Field Blank	Water	04/05/23 09:50	04/07/23 16:00

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Detection Summary

Client: SCS Engineers
Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Client Sample ID: MW-301

Lab Sample ID: 310-253114-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	22		5.0	2.3	mg/L	5		9056A	Total/NA
Fluoride	0.71		0.50	0.22	mg/L	5		9056A	Total/NA
Sulfate	370		5.0	2.0	mg/L	5		9056A	Total/NA
Boron	650	F1	100	76	ug/L	1		6020B	Total/NA
Calcium	130	B	0.50	0.19	mg/L	1		6020B	Total/NA
Total Dissolved Solids	970		50	34	mg/L	1		SM 2540C	Total/NA
pH	6.8	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Ground Water Elevation	686.58				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	-91.2				millivolts	1		Field Sampling	Total/NA
Oxygen, Dissolved, Client Supplied	0.17				mg/L	1		Field Sampling	Total/NA
pH, Field	6.75				SU	1		Field Sampling	Total/NA
Specific Conductance, Field	1485				umhos/cm	1		Field Sampling	Total/NA
Temperature, Field	12.5				Degrees C	1		Field Sampling	Total/NA
Turbidity, Field	16.8				NTU	1		Field Sampling	Total/NA

Client Sample ID: MW-302

Lab Sample ID: 310-253114-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	6.2		5.0	2.3	mg/L	5		9056A	Total/NA
Fluoride	0.91		0.50	0.22	mg/L	5		9056A	Total/NA
Sulfate	66		5.0	2.0	mg/L	5		9056A	Total/NA
Boron	800		100	76	ug/L	1		6020B	Total/NA
Calcium	52	B	0.50	0.19	mg/L	1		6020B	Total/NA
Total Dissolved Solids	550		50	34	mg/L	1		SM 2540C	Total/NA
pH	7.4	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Ground Water Elevation	685.65				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	-81.5				millivolts	1		Field Sampling	Total/NA
Oxygen, Dissolved, Client Supplied	1.31				mg/L	1		Field Sampling	Total/NA
pH, Field	7.19				SU	1		Field Sampling	Total/NA
Specific Conductance, Field	1034				umhos/cm	1		Field Sampling	Total/NA
Temperature, Field	12.8				Degrees C	1		Field Sampling	Total/NA
Turbidity, Field	99.0				NTU	1		Field Sampling	Total/NA

Client Sample ID: MW-303

Lab Sample ID: 310-253114-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	7.8		5.0	2.3	mg/L	5		9056A	Total/NA
Fluoride	0.78		0.50	0.22	mg/L	5		9056A	Total/NA
Sulfate	330		5.0	2.0	mg/L	5		9056A	Total/NA
Boron	730		100	76	ug/L	1		6020B	Total/NA
Calcium	110	B	0.50	0.19	mg/L	1		6020B	Total/NA
Total Dissolved Solids	950		50	34	mg/L	1		SM 2540C	Total/NA
pH	7.0	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Ground Water Elevation	686.51				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	-49.3				millivolts	1		Field Sampling	Total/NA
Oxygen, Dissolved, Client Supplied	0.19				mg/L	1		Field Sampling	Total/NA
pH, Field	6.86				SU	1		Field Sampling	Total/NA
Specific Conductance, Field	1544				umhos/cm	1		Field Sampling	Total/NA
Temperature, Field	11.6				Degrees C	1		Field Sampling	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cedar Falls

Detection Summary

Client: SCS Engineers
Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Client Sample ID: MW-102M

Lab Sample ID: 310-253114-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	16		5.0	2.3	mg/L	5		9056A	Total/NA
Fluoride	4.2		0.50	0.22	mg/L	5		9056A	Total/NA
Sulfate	370		5.0	2.0	mg/L	5		9056A	Total/NA
Boron	1500		100	76	ug/L	1		6020B	Total/NA
Calcium	31	B	0.50	0.19	mg/L	1		6020B	Total/NA
Total Dissolved Solids	1500		50	34	mg/L	1		SM 2540C	Total/NA
pH	7.9	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Ground Water Elevation	701.93				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	13.2				millivolts	1		Field Sampling	Total/NA
Oxygen, Dissolved, Client Supplied	7.92				mg/L	1		Field Sampling	Total/NA
pH, Field	7.93				SU	1		Field Sampling	Total/NA
Temperature, Field	12.0				Degrees C	1		Field Sampling	Total/NA
Turbidity, Field	116.0				NTU	1		Field Sampling	Total/NA

Client Sample ID: MW-122M

Lab Sample ID: 310-253114-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	9.0		5.0	2.3	mg/L	5		9056A	Total/NA
Fluoride	0.52		0.50	0.22	mg/L	5		9056A	Total/NA
Sulfate	8900		100	40	mg/L	100		9056A	Total/NA
Boron	4300		100	76	ug/L	1		6020B	Total/NA
Calcium	430		0.50	0.19	mg/L	1		6020B	Total/NA
Total Dissolved Solids	11000		2500	1700	mg/L	1		SM 2540C	Total/NA
pH	7.6	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Ground Water Elevation	706.90				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	140.3				millivolts	1		Field Sampling	Total/NA
Oxygen, Dissolved, Client Supplied	5.84				mg/L	1		Field Sampling	Total/NA
pH, Field	6.49				SU	1		Field Sampling	Total/NA
Specific Conductance, Field	13367				umhos/cm	1		Field Sampling	Total/NA
Temperature, Field	10.2				Degrees C	1		Field Sampling	Total/NA
Turbidity, Field	18.3				NTU	1		Field Sampling	Total/NA

Client Sample ID: Field Blank

Lab Sample ID: 310-253114-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
pH	7.1	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cedar Falls

Client Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Client Sample ID: MW-301

Lab Sample ID: 310-253114-1

Date Collected: 04/05/23 10:35

Matrix: Water

Date Received: 04/07/23 16:00

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	22		5.0	2.3	mg/L			04/15/23 00:10	5
Fluoride	0.71		0.50	0.22	mg/L			04/15/23 00:10	5
Sulfate	370		5.0	2.0	mg/L			04/15/23 00:10	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	650	F1	100	76	ug/L		04/13/23 07:55	04/20/23 01:10	1
Calcium	130	B	0.50	0.19	mg/L		04/13/23 07:55	04/20/23 01:10	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	970		50	34	mg/L			04/10/23 11:52	1
pH (SM 4500 H+ B)	6.8	HF	0.1	0.1	SU			04/07/23 19:04	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ground Water Elevation	686.58				ft			04/05/23 10:35	1
Oxidation Reduction Potential	-91.2				millivolts			04/05/23 10:35	1
Oxygen, Dissolved, Client Supplied	0.17				mg/L			04/05/23 10:35	1
pH, Field	6.75				SU			04/05/23 10:35	1
Specific Conductance, Field	1485				umhos/cm			04/05/23 10:35	1
Temperature, Field	12.5				Degrees C			04/05/23 10:35	1
Turbidity, Field	16.8				NTU			04/05/23 10:35	1



Client Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Client Sample ID: MW-302
 Date Collected: 04/05/23 09:15
 Date Received: 04/07/23 16:00

Lab Sample ID: 310-253114-2
 Matrix: Water

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.2		5.0	2.3	mg/L			04/15/23 00:25	5
Fluoride	0.91		0.50	0.22	mg/L			04/15/23 00:25	5
Sulfate	66		5.0	2.0	mg/L			04/15/23 00:25	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	800		100	76	ug/L		04/13/23 07:55	04/20/23 01:18	1
Calcium	52	B	0.50	0.19	mg/L		04/13/23 07:55	04/20/23 01:18	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	550		50	34	mg/L			04/10/23 11:52	1
pH (SM 4500 H+ B)	7.4	HF	0.1	0.1	SU			04/07/23 19:05	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ground Water Elevation	685.65				ft			04/05/23 09:15	1
Oxidation Reduction Potential	-81.5				millivolts			04/05/23 09:15	1
Oxygen, Dissolved, Client Supplied	1.31				mg/L			04/05/23 09:15	1
pH, Field	7.19				SU			04/05/23 09:15	1
Specific Conductance, Field	1034				umhos/cm			04/05/23 09:15	1
Temperature, Field	12.8				Degrees C			04/05/23 09:15	1
Turbidity, Field	99.0				NTU			04/05/23 09:15	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Client Sample ID: MW-303
 Date Collected: 04/04/23 09:45
 Date Received: 04/07/23 16:00

Lab Sample ID: 310-253114-3
 Matrix: Water

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.8		5.0	2.3	mg/L			04/14/23 13:23	5
Fluoride	0.78		0.50	0.22	mg/L			04/14/23 13:23	5
Sulfate	330		5.0	2.0	mg/L			04/14/23 13:23	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	730		100	76	ug/L		04/13/23 07:55	04/20/23 01:21	1
Calcium	110	B	0.50	0.19	mg/L		04/13/23 07:55	04/20/23 01:21	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	950		50	34	mg/L			04/10/23 11:52	1
pH (SM 4500 H+ B)	7.0	HF	0.1	0.1	SU			04/07/23 19:07	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ground Water Elevation	686.51				ft			04/04/23 09:45	1
Oxidation Reduction Potential	-49.3				millivolts			04/04/23 09:45	1
Oxygen, Dissolved, Client Supplied	0.19				mg/L			04/04/23 09:45	1
pH, Field	6.86				SU			04/04/23 09:45	1
Specific Conductance, Field	1544				umhos/cm			04/04/23 09:45	1
Temperature, Field	11.6				Degrees C			04/04/23 09:45	1
Turbidity, Field	ND				NTU			04/04/23 09:45	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Client Sample ID: MW-102M

Lab Sample ID: 310-253114-4

Date Collected: 04/04/23 11:30

Matrix: Water

Date Received: 04/07/23 16:00

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16		5.0	2.3	mg/L			04/14/23 13:39	5
Fluoride	4.2		0.50	0.22	mg/L			04/14/23 13:39	5
Sulfate	370		5.0	2.0	mg/L			04/14/23 13:39	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	1500		100	76	ug/L		04/13/23 07:55	04/20/23 01:24	1
Calcium	31	B	0.50	0.19	mg/L		04/13/23 07:55	04/20/23 01:24	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	1500		50	34	mg/L			04/10/23 11:52	1
pH (SM 4500 H+ B)	7.9	HF	0.1	0.1	SU			04/07/23 18:59	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ground Water Elevation	701.93				ft			04/04/23 11:30	1
Oxidation Reduction Potential	13.2				millivolts			04/04/23 11:30	1
Oxygen, Dissolved, Client Supplied	7.92				mg/L			04/04/23 11:30	1
pH, Field	7.93				SU			04/04/23 11:30	1
Specific Conductance, Field	ND				umhos/cm			04/04/23 11:30	1
Temperature, Field	12.0				Degrees C			04/04/23 11:30	1
Turbidity, Field	116.0				NTU			04/04/23 11:30	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Client Sample ID: MW-122M

Lab Sample ID: 310-253114-5

Date Collected: 04/04/23 09:15

Matrix: Water

Date Received: 04/07/23 16:00

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.0		5.0	2.3	mg/L			04/14/23 13:54	5
Fluoride	0.52		0.50	0.22	mg/L			04/14/23 13:54	5
Sulfate	8900		100	40	mg/L			04/17/23 11:06	100

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	4300		100	76	ug/L		04/17/23 09:40	04/20/23 16:54	1
Calcium	430		0.50	0.19	mg/L		04/17/23 09:40	04/20/23 16:54	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	11000		2500	1700	mg/L			04/10/23 11:52	1
pH (SM 4500 H+ B)	7.6	HF	0.1	0.1	SU			04/07/23 19:08	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ground Water Elevation	706.90				ft			04/04/23 09:15	1
Oxidation Reduction Potential	140.3				millivolts			04/04/23 09:15	1
Oxygen, Dissolved, Client Supplied	5.84				mg/L			04/04/23 09:15	1
pH, Field	6.49				SU			04/04/23 09:15	1
Specific Conductance, Field	13367				umhos/cm			04/04/23 09:15	1
Temperature, Field	10.2				Degrees C			04/04/23 09:15	1
Turbidity, Field	18.3				NTU			04/04/23 09:15	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Client Sample ID: Field Blank

Lab Sample ID: 310-253114-6

Date Collected: 04/05/23 09:50

Matrix: Water

Date Received: 04/07/23 16:00

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.45		1.0	0.45	mg/L			04/15/23 00:41	1
Fluoride	<0.044		0.10	0.044	mg/L			04/15/23 00:41	1
Sulfate	<0.40		1.0	0.40	mg/L			04/15/23 00:41	1

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<76		100	76	ug/L		04/13/23 07:55	04/20/23 01:27	1
Calcium	<0.19		0.50	0.19	mg/L		04/13/23 07:55	04/20/23 01:27	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	<34		50	34	mg/L			04/10/23 11:52	1
pH (SM 4500 H+ B)	7.1	HF	0.1	0.1	SU			04/07/23 19:02	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Definitions/Glossary

Client: SCS Engineers
Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Qualifiers

Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
B	Compound was found in the blank and sample.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Eurofins Cedar Falls

QC Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Method: 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 310-384531/3
Matrix: Water
Analysis Batch: 384531

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.45		1.0	0.45	mg/L			04/14/23 10:16	1
Fluoride	<0.044		0.10	0.044	mg/L			04/14/23 10:16	1
Sulfate	<0.40		1.0	0.40	mg/L			04/14/23 10:16	1

Lab Sample ID: LCS 310-384531/4
Matrix: Water
Analysis Batch: 384531

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.0	9.92		mg/L		99	90 - 110
Fluoride	2.00	2.07		mg/L		103	90 - 110
Sulfate	10.0	10.2		mg/L		102	90 - 110

Lab Sample ID: MB 310-384675/3
Matrix: Water
Analysis Batch: 384675

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.45		1.0	0.45	mg/L			04/14/23 21:03	1
Fluoride	<0.044		0.10	0.044	mg/L			04/14/23 21:03	1
Sulfate	<0.40		1.0	0.40	mg/L			04/14/23 21:03	1

Lab Sample ID: LCS 310-384675/35
Matrix: Water
Analysis Batch: 384675

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Sulfate	10.0	9.80		mg/L		98	90 - 110

Lab Sample ID: LCS 310-384675/4
Matrix: Water
Analysis Batch: 384675

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	10.0	9.96		mg/L		100	90 - 110
Fluoride	2.00	2.07		mg/L		104	90 - 110

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 310-384127/1-A
Matrix: Water
Analysis Batch: 384931

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 384127

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<76		100	76	ug/L		04/13/23 07:55	04/20/23 00:50	1
Calcium	0.363	J	0.50	0.19	mg/L		04/13/23 07:55	04/20/23 00:50	1

Eurofins Cedar Falls

QC Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 310-384127/2-A
Matrix: Water
Analysis Batch: 384931

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 384127

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Boron	200	200		ug/L		100	80 - 120
Calcium	2.00	2.12		mg/L		106	80 - 120

Lab Sample ID: 310-253114-1 MS
Matrix: Water
Analysis Batch: 384931

Client Sample ID: MW-301
Prep Type: Total/NA
Prep Batch: 384127

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Boron	650	F1	200	929	F1	ug/L		142	75 - 125
Calcium	130	B	2.00	137	4	mg/L		528	75 - 125

Lab Sample ID: 310-253114-1 MSD
Matrix: Water
Analysis Batch: 384931

Client Sample ID: MW-301
Prep Type: Total/NA
Prep Batch: 384127

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Boron	650	F1	200	907	F1	ug/L		131	75 - 125	2	20
Calcium	130	B	2.00	135	4	mg/L		419	75 - 125	2	20

Lab Sample ID: MB 310-384383/1-A
Matrix: Water
Analysis Batch: 385075

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 384383

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<76		100	76	ug/L		04/17/23 09:40	04/20/23 16:49	1
Calcium	<0.19		0.50	0.19	mg/L		04/17/23 09:40	04/20/23 16:49	1

Lab Sample ID: LCS 310-384383/2-A
Matrix: Water
Analysis Batch: 385075

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 384383

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Boron	200	203		ug/L		102	80 - 120
Calcium	2.00	2.23		mg/L		111	80 - 120

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 310-383763/1
Matrix: Water
Analysis Batch: 383763

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<34		50	34	mg/L			04/10/23 11:52	1

Lab Sample ID: LCS 310-383763/2
Matrix: Water
Analysis Batch: 383763

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Total Dissolved Solids	1000	972		mg/L		97	90 - 110

Eurofins Cedar Falls

QC Sample Results

Client: SCS Engineers
 Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Method: SM 4500 H+ B - pH

Lab Sample ID: LCS 310-383661/1
Matrix: Water
Analysis Batch: 383661

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
pH	7.00	7.0		SU		101	98 - 102

Lab Sample ID: 310-253114-4 DU
Matrix: Water
Analysis Batch: 383661

Client Sample ID: MW-102M
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
pH	7.9	HF	7.9		SU		0	20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

QC Association Summary

Client: SCS Engineers
Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

HPLC/IC

Analysis Batch: 384531

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-253114-3	MW-303	Total/NA	Water	9056A	
310-253114-4	MW-102M	Total/NA	Water	9056A	
310-253114-5	MW-122M	Total/NA	Water	9056A	
310-253114-5	MW-122M	Total/NA	Water	9056A	
MB 310-384531/3	Method Blank	Total/NA	Water	9056A	
LCS 310-384531/4	Lab Control Sample	Total/NA	Water	9056A	

Analysis Batch: 384675

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-253114-1	MW-301	Total/NA	Water	9056A	
310-253114-2	MW-302	Total/NA	Water	9056A	
310-253114-6	Field Blank	Total/NA	Water	9056A	
MB 310-384675/3	Method Blank	Total/NA	Water	9056A	
LCS 310-384675/35	Lab Control Sample	Total/NA	Water	9056A	
LCS 310-384675/4	Lab Control Sample	Total/NA	Water	9056A	

Metals

Prep Batch: 384127

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-253114-1	MW-301	Total/NA	Water	3005A	
310-253114-2	MW-302	Total/NA	Water	3005A	
310-253114-3	MW-303	Total/NA	Water	3005A	
310-253114-4	MW-102M	Total/NA	Water	3005A	
310-253114-6	Field Blank	Total/NA	Water	3005A	
MB 310-384127/1-A	Method Blank	Total/NA	Water	3005A	
LCS 310-384127/2-A	Lab Control Sample	Total/NA	Water	3005A	
310-253114-1 MS	MW-301	Total/NA	Water	3005A	
310-253114-1 MSD	MW-301	Total/NA	Water	3005A	

Prep Batch: 384383

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-253114-5	MW-122M	Total/NA	Water	3005A	
MB 310-384383/1-A	Method Blank	Total/NA	Water	3005A	
LCS 310-384383/2-A	Lab Control Sample	Total/NA	Water	3005A	

Analysis Batch: 384931

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-253114-1	MW-301	Total/NA	Water	6020B	384127
310-253114-2	MW-302	Total/NA	Water	6020B	384127
310-253114-3	MW-303	Total/NA	Water	6020B	384127
310-253114-4	MW-102M	Total/NA	Water	6020B	384127
310-253114-6	Field Blank	Total/NA	Water	6020B	384127
MB 310-384127/1-A	Method Blank	Total/NA	Water	6020B	384127
LCS 310-384127/2-A	Lab Control Sample	Total/NA	Water	6020B	384127
310-253114-1 MS	MW-301	Total/NA	Water	6020B	384127
310-253114-1 MSD	MW-301	Total/NA	Water	6020B	384127

Analysis Batch: 385075

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-253114-5	MW-122M	Total/NA	Water	6020B	384383

Eurofins Cedar Falls

QC Association Summary

Client: SCS Engineers
Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Metals (Continued)

Analysis Batch: 385075 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 310-384383/1-A	Method Blank	Total/NA	Water	6020B	384383
LCS 310-384383/2-A	Lab Control Sample	Total/NA	Water	6020B	384383

General Chemistry

Analysis Batch: 383661

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-253114-1	MW-301	Total/NA	Water	SM 4500 H+ B	
310-253114-2	MW-302	Total/NA	Water	SM 4500 H+ B	
310-253114-3	MW-303	Total/NA	Water	SM 4500 H+ B	
310-253114-4	MW-102M	Total/NA	Water	SM 4500 H+ B	
310-253114-5	MW-122M	Total/NA	Water	SM 4500 H+ B	
310-253114-6	Field Blank	Total/NA	Water	SM 4500 H+ B	
LCS 310-383661/1	Lab Control Sample	Total/NA	Water	SM 4500 H+ B	
310-253114-4 DU	MW-102M	Total/NA	Water	SM 4500 H+ B	

Analysis Batch: 383763

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-253114-1	MW-301	Total/NA	Water	SM 2540C	
310-253114-2	MW-302	Total/NA	Water	SM 2540C	
310-253114-3	MW-303	Total/NA	Water	SM 2540C	
310-253114-4	MW-102M	Total/NA	Water	SM 2540C	
310-253114-5	MW-122M	Total/NA	Water	SM 2540C	
310-253114-6	Field Blank	Total/NA	Water	SM 2540C	
MB 310-383763/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 310-383763/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Field Service / Mobile Lab

Analysis Batch: 384848

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-253114-1	MW-301	Total/NA	Water	Field Sampling	
310-253114-2	MW-302	Total/NA	Water	Field Sampling	
310-253114-3	MW-303	Total/NA	Water	Field Sampling	
310-253114-4	MW-102M	Total/NA	Water	Field Sampling	
310-253114-5	MW-122M	Total/NA	Water	Field Sampling	

Lab Chronicle

Client: SCS Engineers
Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Client Sample ID: MW-301
Date Collected: 04/05/23 10:35
Date Received: 04/07/23 16:00

Lab Sample ID: 310-253114-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	384675	QTZ5	EET CF	04/15/23 00:10
Total/NA	Prep	3005A			384127	DHM5	EET CF	04/13/23 07:55
Total/NA	Analysis	6020B		1	384931	ZRI4	EET CF	04/20/23 01:10
Total/NA	Analysis	SM 2540C		1	383763	ENB7	EET CF	04/10/23 11:52
Total/NA	Analysis	SM 4500 H+ B		1	383661	DN3P	EET CF	04/07/23 19:04
Total/NA	Analysis	Field Sampling		1	384848	BJ0R	EET CF	04/05/23 10:35

Client Sample ID: MW-302
Date Collected: 04/05/23 09:15
Date Received: 04/07/23 16:00

Lab Sample ID: 310-253114-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	384675	QTZ5	EET CF	04/15/23 00:25
Total/NA	Prep	3005A			384127	DHM5	EET CF	04/13/23 07:55
Total/NA	Analysis	6020B		1	384931	ZRI4	EET CF	04/20/23 01:18
Total/NA	Analysis	SM 2540C		1	383763	ENB7	EET CF	04/10/23 11:52
Total/NA	Analysis	SM 4500 H+ B		1	383661	DN3P	EET CF	04/07/23 19:05
Total/NA	Analysis	Field Sampling		1	384848	BJ0R	EET CF	04/05/23 09:15

Client Sample ID: MW-303
Date Collected: 04/04/23 09:45
Date Received: 04/07/23 16:00

Lab Sample ID: 310-253114-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	384531	QTZ5	EET CF	04/14/23 13:23
Total/NA	Prep	3005A			384127	DHM5	EET CF	04/13/23 07:55
Total/NA	Analysis	6020B		1	384931	ZRI4	EET CF	04/20/23 01:21
Total/NA	Analysis	SM 2540C		1	383763	ENB7	EET CF	04/10/23 11:52
Total/NA	Analysis	SM 4500 H+ B		1	383661	DN3P	EET CF	04/07/23 19:07
Total/NA	Analysis	Field Sampling		1	384848	BJ0R	EET CF	04/04/23 09:45

Client Sample ID: MW-102M
Date Collected: 04/04/23 11:30
Date Received: 04/07/23 16:00

Lab Sample ID: 310-253114-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	384531	QTZ5	EET CF	04/14/23 13:39
Total/NA	Prep	3005A			384127	DHM5	EET CF	04/13/23 07:55
Total/NA	Analysis	6020B		1	384931	ZRI4	EET CF	04/20/23 01:24
Total/NA	Analysis	SM 2540C		1	383763	ENB7	EET CF	04/10/23 11:52
Total/NA	Analysis	SM 4500 H+ B		1	383661	DN3P	EET CF	04/07/23 18:59
Total/NA	Analysis	Field Sampling		1	384848	BJ0R	EET CF	04/04/23 11:30

Eurofins Cedar Falls

Lab Chronicle

Client: SCS Engineers
 Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Client Sample ID: MW-122M

Lab Sample ID: 310-253114-5

Date Collected: 04/04/23 09:15

Matrix: Water

Date Received: 04/07/23 16:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	384531	QTZ5	EET CF	04/14/23 13:54
Total/NA	Analysis	9056A		100	384531	QTZ5	EET CF	04/17/23 11:06
Total/NA	Prep	3005A			384383	DHM5	EET CF	04/17/23 09:40
Total/NA	Analysis	6020B		1	385075	ZRI4	EET CF	04/20/23 16:54
Total/NA	Analysis	SM 2540C		1	383763	ENB7	EET CF	04/10/23 11:52
Total/NA	Analysis	SM 4500 H+ B		1	383661	DN3P	EET CF	04/07/23 19:08
Total/NA	Analysis	Field Sampling		1	384848	BJ0R	EET CF	04/04/23 09:15

Client Sample ID: Field Blank

Lab Sample ID: 310-253114-6

Date Collected: 04/05/23 09:50

Matrix: Water

Date Received: 04/07/23 16:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		1	384675	QTZ5	EET CF	04/15/23 00:41
Total/NA	Prep	3005A			384127	DHM5	EET CF	04/13/23 07:55
Total/NA	Analysis	6020B		1	384931	ZRI4	EET CF	04/20/23 01:27
Total/NA	Analysis	SM 2540C		1	383763	ENB7	EET CF	04/10/23 11:52
Total/NA	Analysis	SM 4500 H+ B		1	383661	DN3P	EET CF	04/07/23 19:02

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

Accreditation/Certification Summary

Client: SCS Engineers
Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Laboratory: Eurofins Cedar Falls

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Iowa	State	007	12-01-23

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: SCS Engineers
Project/Site: Ottumwa Midland Landfill 25223073

Job ID: 310-253114-1

Method	Method Description	Protocol	Laboratory
9056A	Anions, Ion Chromatography	SW846	EET CF
6020B	Metals (ICP/MS)	SW846	EET CF
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET CF
SM 4500 H+ B	pH	SM	EET CF
Field Sampling	Field Sampling	EPA	EET CF
3005A	Preparation, Total Metals	SW846	EET CF

Protocol References:

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.


Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401





Environment Testing
America




310-253114 Chain of Custody

Cooler/Sample Receipt and Temperature Log Form

Client Information			
Client: <u>SCS</u>			
City/State:	CITY	STATE	Project:
Receipt Information			
Date/Time Received:	DATE	TIME	Received By:
	<u>4/7/23</u>	<u>1600</u>	<u>Am</u>
Delivery Type: <input type="checkbox"/> UPS <input type="checkbox"/> FedEx <input type="checkbox"/> FedEx Ground <input type="checkbox"/> US Mail <input type="checkbox"/> Spee-Dee			
<input checked="" type="checkbox"/> Lab Courier <input type="checkbox"/> Lab Field Services <input type="checkbox"/> Client Drop-off <input type="checkbox"/> Other: _____			
Condition of Cooler/Containers			
Sample(s) received in Cooler?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If yes: Cooler ID: _____	
Multiple Coolers?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If yes: Cooler # _____ of _____	
Cooler Custody Seals Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If yes: Cooler custody seals intact? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Sample Custody Seals Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If yes: Sample custody seals intact? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Trip Blank Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If yes: Which VOA samples are in cooler? ↓	
Temperature Record			
Coolant: <input checked="" type="checkbox"/> Wet ice <input type="checkbox"/> Blue ice <input type="checkbox"/> Dry ice <input type="checkbox"/> Other: _____ <input type="checkbox"/> NONE			
Thermometer ID:	<u>W</u>	Correction Factor (°C):	<u>0</u>
• Temp Blank Temperature – If no temp blank, or temp blank temperature above criteria, proceed to Sample Container Temperature			
Uncorrected Temp (°C):	<u>1.4</u>	Corrected Temp (°C):	<u>1.4</u>
• Sample Container Temperature			
Container(s) used:	<u>CONTAINER 1</u>	<u>CONTAINER 2</u>	
Uncorrected Temp (°C):			
Corrected Temp (°C):			
Exceptions Noted			
1) If temperature exceeds criteria, was sample(s) received same day of sampling? <input type="checkbox"/> Yes <input type="checkbox"/> No			
a) If yes: Is there evidence that the chilling process began? <input type="checkbox"/> Yes <input type="checkbox"/> No			
2) If temperature is <0°C, are there obvious signs that the integrity of sample containers is compromised? (e.g., bulging septa, broken/cracked bottles, frozen solid?) <input type="checkbox"/> Yes <input type="checkbox"/> No			
NOTE: If yes, contact PM before proceeding If no, proceed with login			
Additional Comments			
<u>Limited volume ^ 150mLS MW-122M</u>			



Chain of Custody Record



Client Information		Lab PM		Carrier Tracking No(s)		COC No:	
Company: SCS Engineers Address: 2830 Dairy Drive City: Madison State: WI Zip: 53718 Phone: 608-224-2830 Email: mblodgett@scsengineers.com Project Name: Ottumwa Midland Landfill 25223073 Site: Ottumwa IA		Sampler: Tyler Stirling Phone: 515-505-2706 PWSID:		Sandie Fredrick E-Mail: Sandra.Fredrick@et.eurofins.com		Page: 1 of 1 Job #: 25222073	
Analysis Requested							
Preservation Codes:							
A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 X - EDTA Z - other (specify)		Total Number of containers:		Special Instructions/Note:	
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=organic, BT=Tissue, AA=Al)	Field Filtered Sample (Yes or No)	Form MS/MSD (Yes or No)	D TDS and pH
MW-301	4/5/23	10:35	G	W	N	N	X
MW-302	4/5/23	9:15	G	W	N	N	X
MW-303	4/4/23	9:45	G	W	N	N	X
MW-102M	4/4/23	11:30	G	W	N	N	X
MW-122M	4/4/23	9:15	G	W	N	N	X
Field Blank	4/5/23	9:50	G	W	N	N	X

Possible Hazard Identification

 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological

Deliverable Requested: I II III IV Other (specify)

Empty Kit Relinquished by: Tyler Stirling

Relinquished by: Tyler Stirling

Relinquished by:

Relinquished by:

Date: 4/7/23

Date/Time: 4/7/23

Date/Time:

Date/Time:

Returned To Client:

Disposal By Lab:

Archive For: _____ Months

Special Instructions/QC Requirements:

Method of Shipment:

Received by: SCS

Company: SCS

Date/Time: 4/7/23 10:00

Company:

Received by:

Company:

Date/Time:

Received by:

Company:

Cooler Temperature(s) °C and Other Remarks:



Table 2. Sampling Points and Parameters - CCR Rule Sampling Program - Detection Monitoring
Groundwater Monitoring - Ottumwa Midland Landfill / SCS Engineers Project #25223073

	Parameter	MW-301	MW-302	MW-303	MW-102M	MW-122M	Field Blank	TOTAL
Appendix III Parameters	Boron	x	x	x	x	x	x	6
	Calcium	x	x	x	x	x	x	6
	Chloride	x	x	x	x	x	x	6
	Fluoride	x	x	x	x	x	x	6
	pH	x	x	x	x	x	x	6
	Sulfate	x	x	x	x	x	x	6
	TDS	x	x	x	x	x	x	6
Appendix IV Parameters	Antimony							0
	Arsenic							0
	Barium							0
	Beryllium							0
	Cadmium							0
	Chromium							0
	Cobalt							0
	Fluoride							0
	Lead							0
	Lithium							0
	Mercury							0
	Molybdenum							0
	Selenium							0
	Thallium							0
Radium							0	
Field Parameters	Groundwater Elevation	x	x	x	x	x		5
	Well Depth	x	x	x	x	x		5
	pH (field)	x	x	x	x	x		5
	Specific Conductance	x	x	x	x	x		5
	Dissolved Oxygen	x	x	x	x	x		5
	ORP	x	x	x	x	x		5
	Temperature	x	x	x	x	x		5
	Turbidity	x	x	x	x	x		5
	Color	x	x	x	x	x		5
	Odor	x	x	x	x	x		5

Notes: All samples are unfiltered (total)

I:\25223073 00\Data and Calculations\Field Work Requests\[OML_CCR_Rule_Sampling_Detection xls]Sheet1

Login Sample Receipt Checklist

Client: SCS Engineers

Job Number: 310-253114-1

Login Number: 253114

List Source: Eurofins Cedar Falls

List Number: 1

Creator: Tucker, Sarah L

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	False	Limited volume received. MW-122M
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Groundwater Monitoring Results - Field Parameters
Ottumwa Midland Landfill / SCS Engineers Project #25223073.00
April 2023

Sample	Date	Groundwater Elevation (ft. amsl)	Temperature (Deg. C)	pH (Std. Units)	DO (mg/L)	Specific Conductivity (µmhos/cm)	ORP (mV)	Turbidity (NTU)
MW-301	4/5/2023	686.58	12.5	6.75	0.17	1,485	-91.2	16.8
MW-302	4/5/2023	685.65	12.8	7.19	1.31	1,034	-81.5	99.0
MW-303	4/4/2023	686.51	11.6	6.86	0.19	1,544	-49.3	--
MW-102M	4/3/2023	701.93	12.0	7.93	7.92	--	13.2	116.0
MW-122M	4/4/2023	706.90	10.2	6.49	5.84	13,367	140.3	18.3

Abbreviations:


amsl = above mean sea level
mg/L = milligrams per liter
µmhos/cm = microSiemens per centimeter
NM = not measured.

Laboratory Notes/Qualifiers:
none

Created by: EMS
Last revision by: EMS
Checked by: RM

Date: 4/13/2023
Date: 4/13/2023
Date: 4/19/2023

C:\Users\hld0\AppData\Local\Microsoft\Windows\INetCache\Content.Outlook\USG3GGGC\[2304_OML_GW_Field Data.xlsx]GW Field Data



Appendix D

Historical Monitoring Results

Single Location

Name: IPL - Ottumwa Midland Landfill

Location ID: MW-102M																							
Number of Sampling Dates: 22																							
Parameter Name	Units	5/4/2016	6/22/2016	6/23/2016	8/10/2016	10/25/2016	10/26/2016	1/18/2017	4/20/2017	6/21/2017	8/22/2017	11/8/2017	4/17/2018	10/16/2018	4/18/2019	10/15/2019	5/21/2020	10/7/2020	4/15/2021	10/5/2021	4/13/2022	10/27/2022	4/4/2023
Boron	ug/L	1510	1440	--	1480	--	1420	1480	1460	1410	1440	1480	1550	1340	1400	1500	1500	1600	1600	1300	1400	1400	1500
Calcium	mg/L	45.9	147	--	129	--	31.5	23.6	26	67.7	79.7	10.4	25.3	12.9	51	14	38	150	43	71	32	14	31
Chloride	mg/L	16.3	13.8	--	13.4	--	13	12.3	12.5	12.8	13.1	12.3	13.5	13.6	14	15	16	14	14	16	14	16	16
Fluoride	mg/L	4.2	4.2	--	4.4	--	4.6	4.1	4	4.6	4.5	4.6	4.5	4.7	5.7	4.5	5	5.3	4.3	2.9	4.3	4.8	4.2
Field pH	Std. Units	8.09	7.68	--	--	--	--	7.62	7.35	7.64	6.89	8.16	8.34	7.8	8.55	7.81	7.82	8.29	7.85	7.81	7.91	7.55	7.93
Sulfate	mg/L	378	350	--	354	--	384	415	348	356	358	335	352	384	340	350	350	350	330	360	330	390	370
Total Dissolved Solids	mg/L	1670	1530	--	1620	--	1420	1530	1620	1480	1400	1410	1540	1500	1700	1400	3700	1700	1500	1300	1300	1500	1500
Antimony	ug/L	0.38	0.19	--	0.17	--	0.51	0.26	0.1	0.21	0.16	--	--	--	--	--	--	--	--	--	--	--	--
Arsenic	ug/L	0.64	0.68	--	0.78	--	0.9	0.89	0.92	0.9	0.9	--	--	--	--	--	--	--	--	--	--	--	--
Barium	ug/L	48.5	39.5	--	55.4	--	28.2	21.1	28.4	37.2	31	--	--	--	--	--	--	--	--	--	--	--	--
Beryllium	ug/L	0.74	1.4	--	1.1	--	0.37	0.19	0.34	0.54	0.41	--	--	--	--	--	--	--	--	--	--	--	--
Cadmium	ug/L	<0.029	0.12	--	0.078	--	0.11	<0.029	0.046	0.063	0.062	--	--	--	--	--	--	--	--	--	--	--	--
Chromium	ug/L	20.5	17.9	--	27.1	--	11.8	2.8	8.7	16	9.6	--	--	--	--	--	--	--	--	--	--	--	--
Cobalt	ug/L	3.5	4.5	--	7.3	--	2.4	0.74	1.7	2.1	2.5	--	--	--	--	--	--	--	--	--	--	--	--
Lead	ug/L	3.1	3.6	--	3.8	--	1.7	0.87	1.4	2.2	1.8	--	--	--	--	--	--	--	--	--	--	--	--
Lithium	ug/L	46.7	80.7	--	52.3	--	75.4	71.8	73.6	52.7	54	--	--	--	--	--	--	--	--	--	--	--	--
Mercury	ug/L	<0.039	<0.039	--	<0.039	--	<0.039	<0.039	<0.046	<0.046	<0.046	--	--	--	--	--	--	--	--	--	--	--	--
Molybdenum	ug/L	21.7	10.3	--	20.9	--	11.7	10.6	10.8	11.1	9.5	--	--	--	--	--	--	--	--	--	--	--	--
Selenium	ug/L	0.42	1	--	1.4	--	0.31	0.24	0.4	0.49	0.43	--	--	--	--	--	--	--	--	--	--	--	--
Thallium	ug/L	<0.5	<0.5	--	<0.5	--	<0.5	<0.5	0.04	0.084	0.067	--	--	--	--	--	--	--	--	--	--	--	--
Total Radium	pCi/L	2.64	--	1.66	1.17	--	0.814	0.567	1.57	1.12	0.594	--	--	--	--	--	--	--	--	--	--	--	--
Radium-226	pCi/L	-0.058	--	0.58	0.144	--	0.444	0.209	0.754	0.285	0.368	--	--	--	--	--	--	--	--	--	--	--	--
Radium-228	pCi/L	2.64	--	1.08	1.03	--	0.37	0.358	0.816	0.832	0.226	--	--	--	--	--	--	--	--	--	--	--	--
pH at 25 Degrees C	Std. Units	7.9	7.9	--	7.9	--	7.8	8.1	7.9	8	8	7.8	8	8	8.2	7.9	7.9	8.1	8	7.9	7.9	7.8	7.9
Groundwater Elevation	feet	728.73	718.74	--	730.49	716.94	--	717.91	717.8	714.83	713.23	713.53	717.38	717.05	717.97	715.5	717.61	712.05	710.95	714.85	710.24	709.07	701.93
Field Oxidation Potential	mV	128.2	-102.4	--	--	--	--	--	--	--	--	219.9	-77.8	-104.7	--	--	21.2	22	164	82.2	-25.9	25.7	13.2
Field Specific Conductance	umhos/cm	2197	2037	--	--	--	--	--	--	--	2751	2085	2113	0	--	--	2260	2123	2145	2041	1954	1912	--
Field Temperature	deg C	14	14.2	--	--	--	--	--	--	--	13.4	12.9	10.1	12.9	--	--	13.1	14.5	11.5	13.5	8.5	10.5	12
Oxygen, Dissolved	mg/L	0.79	3.06	--	--	--	--	--	--	--	--	0.73	4.51	2.14	--	--	1.59	5.11	5.24	2.32	4.4	7.53	7.92
Turbidity	NTU	350.9	614.3	--	--	--	--	--	--	--	--	--	--	--	--	--	297	--	196	28.1	121	19.23	116

Single Location

Name: IPL - Ottumwa Midland Landfill

Location ID: MW-122M

Number of Sampling Dates: 23

Parameter Name	Units	5/4/2016	5/5/2016	6/22/2016	6/23/2016	8/10/2016	10/25/2016	10/26/2016	1/18/2017	4/20/2017	6/21/2017	8/22/2017	11/8/2017	4/17/2018	10/16/2018	4/17/2019	10/15/2019	5/21/2020	10/7/2020	4/15/2021	10/5/2021	4/14/2022	10/27/2022	4/4/2023
Boron	ug/L	--	3140	--	1720	4550	--	4060	4720	4480	4710	4980	5220	5560	4580	5500	4100	5100	4100	5100	5500	4800	6400	4300
Calcium	mg/L	--	599	--	312	419	--	415	386	382	386	386	383	402	366	400	400	430	430	410	440	420	440	430
Chloride	mg/L	--	16.4	--	21.9	11.8	--	8.2	8.3	8	7.8	7.8	7.2	8	8.6	8.8	10	9	8.3	8	8.7	8.5	14	9
Fluoride	mg/L	--	1.1	--	0.89	0.74	--	0.48	<0.027	0.88	1.1	0.6	0.5	<0.063	<0.19	0.7	<0.23	0.23	<0.23	0.3	<0.28	<0.22	<0.22	0.52
Field pH	Std. Units	--	6.97	--	6.68	--	--	--	6.06	--	6.42	6.32	6.16	6.65	6.31	7.34	6.6	6.91	7	6.78	7.18	6.7	6.79	6.49
Sulfate	mg/L	--	8260	--	5330	8950	--	8600	9680	14300	17500	9190	9440	10400	<0.24	8300	8400	9800	8700	8700	8800	460	9300	8900
Total Dissolved Solids	mg/L	--	11500	--	7430	14200	--	13200	14100	18100	12800	14300	13400	14400	13300	13000	13000	16000	14000	14000	12000	13000	11000	11000
Antimony	ug/L	--	0.36	--	1	0.26	--	0.29	0.12	<0.079	<0.13	<0.13	--	--	--	--	--	--	--	--	--	--	--	--
Arsenic	ug/L	--	<0.52	--	<0.52	<0.21	--	<0.52	0.11	0.19	<0.26	<0.26	--	--	--	--	--	--	--	--	--	--	--	--
Barium	ug/L	--	31.5	--	17.9	14.5	--	16.8	11.8	13	11.2	10.3	--	--	--	--	--	--	--	--	--	--	--	--
Beryllium	ug/L	--	<0.4	--	<0.24	<0.16	--	<0.24	<0.4	0.054	<0.035	<0.058	--	--	--	--	--	--	--	--	--	--	--	--
Cadmium	ug/L	--	<0.14	--	<0.14	<0.058	--	<0.14	<0.029	<0.053	<0.089	<0.089	--	--	--	--	--	--	--	--	--	--	--	--
Chromium	ug/L	--	<1.7	--	<1.7	<0.68	--	1.3	0.51	0.26	<0.27	0.56	--	--	--	--	--	--	--	--	--	--	--	--
Cobalt	ug/L	--	5.3	--	6.5	3.5	--	6	2.1	1.4	1.2	0.96	--	--	--	--	--	--	--	--	--	--	--	--
Lead	ug/L	--	<0.96	--	<0.96	<0.39	--	<1.9	<0.19	0.22	<0.16	<0.16	--	--	--	--	--	--	--	--	--	--	--	--
Lithium	ug/L	--	450	--	332	601	--	544	679	643	640	667	--	--	--	--	--	--	--	--	--	--	--	--
Mercury	ug/L	--	<0.039	--	<0.039	<0.039	--	<0.039	<0.039	<0.046	<0.046	<0.046	--	--	--	--	--	--	--	--	--	--	--	--
Molybdenum	ug/L	--	2.6	--	2.6	0.57	--	0.58	0.15	2.1	0.6	0.43	--	--	--	--	--	--	--	--	--	--	--	--
Selenium	ug/L	--	<0.92	--	<0.92	<0.37	--	<0.92	<0.18	0.33	<0.43	<0.43	--	--	--	--	--	--	--	--	--	--	--	--
Thallium	ug/L	--	<2.5	--	<2.5	<1	--	<5	<0.5	<0.11	<0.18	<0.18	--	--	--	--	--	--	--	--	--	--	--	--
Total Radium	pCi/L	--	2.12	--	1.25	2.26	--	1.83	1.07	1.1	1.55	1.09	--	--	--	--	--	--	--	--	--	--	--	--
Radium-226	pCi/L	--	0.157	--	0.56	0.75	--	0.392	0.32	0.796	0.333	0.559	--	--	--	--	--	--	--	--	--	--	--	--
Radium-228	pCi/L	--	1.96	--	0.691	1.51	--	1.44	0.752	0.305	1.22	0.532	--	--	--	--	--	--	--	--	--	--	--	--
pH at 25 Degrees C	Std. Units	--	6.5	--	6.7	6.1	--	6.2	6.1	6.4	6.2	6	6.2	6.4	6.4	6.6	6.7	7	6.9	6.7	7	6.7	6.9	7.6
Groundwater Elevation	feet	729.27	--	725.67	--	710.32	724.61	--	742.02	724.04	723.51	722.02	720.52	723.25	723.36	723.43	708.94	724.23	718.39	720.52	717.76	704.81	719.03	706.9
Field Oxidation Potential	mV	--	34.3	--	-50.7	--	--	--	--	--	--	-7.7	195.4	-61.1	-53.5	--	--	-4.4	-28.2	159.2	-5.9	22.3	14	140.3
Field Specific Conductance	umhos/cm	--	3025	--	8161	--	--	--	--	--	--	--	13375	13773	0	--	--	14090	13603	13983	13044	1322	13350	13367
Field Temperature	deg C	--	16.1	--	14.9	--	--	--	--	--	--	16.2	13.1	13.4	11.8	--	--	13	13.6	9	13.3	15.3	12.2	10.2
Oxygen, Dissolved	mg/L	--	1.92	--	2.29	--	--	--	--	--	--	--	0.49	0.36	1.48	--	--	0.61	0.56	5.03	0.84	2.43	5.47	5.84
Turbidity	NTU	--	212.1	--	-46.36	--	--	--	--	--	--	--	--	--	--	--	--	2.31	--	0	29	56.9	62.39	18.3

Single Location

Name: IPL - Ottumwa Midland Landfill

Location ID: MW-301																					
Number of Sampling Dates: 20																					
Parameter Name	Units	5/4/2016	6/22/2016	8/9/2016	10/26/2016	1/17/2017	4/20/2017	6/20/2017	8/22/2017	11/7/2017	4/17/2018	10/15/2018	4/16/2019	10/15/2019	5/26/2020	10/6/2020	4/12/2021	10/5/2021	4/14/2022	10/25/2022	4/5/2023
Boron	ug/L	2280	1860	1770	1410	1310	1040	1040	994	1010	854	784	660	600	660	770	790	700	710	640	650
Calcium	mg/L	596	472	479	393	337	224	202	158	161	131	135	110	100	120	180	160	150	150	140	130
Chloride	mg/L	42.4	112	46.6	43.4	32.6	58	38.9	40.8	28.9	33.9	26.9	45	46	61	24	28	29	24	27	22
Fluoride	mg/L	0.68	0.38	0.55	0.72	0.77	0.72	0.93	0.78	0.77	0.87	0.84	0.85	0.85	0.77	0.67	0.73	<0.28	<0.22	0.85	0.71
Field pH	Std. Units	6.44	6.62	7.81	6.33	6.31	6.15	6.73	6.51	6.56	7.09	6.59	7.1	6.67	5.67	7.22	6.62	6.71	6.84	6.58	6.75
Sulfate	mg/L	5160	5370	4050	2630	1780	1170	1180	902	926	638	837	360	310	390	620	530	590	450	440	370
Total Dissolved Solids	mg/L	6260	5380	5810	4030	2830	1990	2060	1870	1760	1400	1550	970	860	1100	1400	1300	1200	1000	1100	970
Antimony	ug/L	<0.58	<0.12	<0.12	<0.058	0.089	<0.026	0.058	0.04	--	--	--	--	--	--	--	--	--	--	--	--
Arsenic	ug/L	<1	0.84	0.29	0.3	0.64	0.56	0.42	0.56	--	--	--	--	--	--	--	--	--	--	--	--
Barium	ug/L	28.1	26.6	24.2	32.1	41.5	41	47.1	45.7	--	--	--	--	--	--	--	--	--	--	--	--
Beryllium	ug/L	<0.8	<0.24	<0.16	<0.08	<0.08	<0.012	<0.012	<0.012	--	--	--	--	--	--	--	--	--	--	--	--
Cadmium	ug/L	<0.29	<0.058	<0.058	<0.029	<0.029	<0.018	<0.018	0.04	--	--	--	--	--	--	--	--	--	--	--	--
Chromium	ug/L	<3.4	<0.68	<0.68	0.46	0.5	0.31	0.16	0.2	--	--	--	--	--	--	--	--	--	--	--	--
Cobalt	ug/L	<5	<1	<1	<0.5	<0.5	0.21	0.22	0.17	--	--	--	--	--	--	--	--	--	--	--	--
Lead	ug/L	<1.9	<0.96	<0.39	<0.19	<0.19	0.046	0.038	0.091	--	--	--	--	--	--	--	--	--	--	--	--
Lithium	ug/L	274	268	195	171	156	110	111	114	--	--	--	--	--	--	--	--	--	--	--	--
Mercury	ug/L	<0.039	<0.039	<0.039	<0.039	<0.039	<0.046	<0.046	<0.046	--	--	--	--	--	--	--	--	--	--	--	--
Molybdenum	ug/L	4.6	2	2.1	2.9	2.9	6.3	5.3	6.5	--	--	--	--	--	--	--	--	--	--	--	--
Selenium	ug/L	<1.8	<0.37	<0.37	<0.18	<0.18	<0.086	<0.086	0.12	--	--	--	--	--	--	--	--	--	--	--	--
Thallium	ug/L	<5	<2.5	<1	<0.5	<0.5	<0.036	0.076	0.068	--	--	--	--	--	--	--	--	--	--	--	--
Total Radium	pCi/L	1.99	0.285	1.89	1.68	1.96	1.34	1.56	1.5	--	--	--	--	--	--	--	--	--	--	--	--
Radium-226	pCi/L	0.565	0.071	0.606	0.66	0.44	0.855	0.734	0.6	--	--	--	--	--	--	--	--	--	--	--	--
Radium-228	pCi/L	1.42	0.214	1.28	1.02	1.52	0.488	0.829	0.896	--	--	--	--	--	--	--	--	--	--	--	--
pH at 25 Degrees C	Std. Units	6.2	6.2	6.2	6.2	6.2	6.9	6.4	6.4	6.4	6.8	7.5	6.8	7	7.3	6.9	6.6	6.8	6.8	7.1	6.8
Groundwater Elevation	feet	686.46	686.4	686.19	683.7	685.57	685.72	685.88	684.96	684.5	684.85	684.58	686.38	686.56	687.29	686.8	687.25	686.87	687	686.01	686.58
Field Oxidation Potential	mV	-58.5	-49.7	-53	-79.4	-57.8	-49.8	-63.1	-20.6	144.3	-102.8	88.2	-50.2	-58.4	-57.8	-105.9	-79.6	-66.1	-76	-48.2	-91.2
Field Specific Conductance	umhos/cm	7267	5132	5607	4377	3607	2631	2384	3187	2395	1910	2112	1603	1512	1546	1820	1875	1717	1581	1539	1485
Field Temperature	deg C	13.4	14.3	13.9	13.5	13.1	13	13.8	13.9	13.4	13	13.6	13.87	13.68	15.8	14.5	13	13.8	11.3	13	12.5
Oxygen, Dissolved	mg/L	0.27	0.14	0.1	0.55	0.19	0.18	0.16	0.11	0.37	0.16	0.2	1.27	0.4	0.41	0.25	0.46	0.35	0.27	0.28	0.17
Turbidity	NTU	2.86	3.34	1.05	0.92	0.63	1.12	2.69	0.99	1.91	1.13	4.91	8.88	4.75	21.8	21.4	4.6	32.1	22.9	14.23	16.8

Single Location


Name: IPL - Ottumwa Midland Landfill

Location ID: MW-302																					
Number of Sampling Dates: 20																					
Parameter Name	Units	5/4/2016	6/22/2016	8/10/2016	10/26/2016	1/17/2017	4/19/2017	6/20/2017	8/22/2017	11/7/2017	4/17/2018	10/15/2018	4/16/2019	10/15/2019	5/21/2020	10/6/2020	4/12/2021	10/5/2021	4/13/2022	10/25/2022	4/5/2023
Boron	ug/L	853	796	802	784	824	777	767	783	848	834	752	760	780	780	870	820	740	730	790	800
Calcium	mg/L	72.1	56.6	48.8	42.8	42.9	41	46.1	50.2	74	77.3	66.9	44	68	41	65	58	52	50	54	52
Chloride	mg/L	9.2	8.1	7.5	6	7.7	8	8	8.5	7.8	8.6	9.2	10	7.3	8.9	7.2	6.6	7.1	5.3	5.4	6.2
Fluoride	mg/L	1.1	1	0.98	1	0.97	1	1.1	1	1.2	1	1.1	1.5	1.2	1	1.1	1.1	0.5	1.1	0.93	0.91
Field pH	Std. Units	7.38	7.76	9.55	7.22	7.23	7.6	7.29	7.12	7.41	7.8	7.25	7.49	7.21	7.05	7.14	7.13	7.2	7.3	7.13	7.19
Sulfate	mg/L	201	133	102	78.9	76.7	76.7	79.3	77.2	77.5	79.3	80.9	83	73	79	73	64	70	61	64	66
Total Dissolved Solids	mg/L	784	715	671	644	639	671	656	672	607	690	708	690	680	930	700	620	400	630	600	550
Antimony	ug/L	0.12	0.15	0.095	<0.058	0.1	<0.026	0.094	0.056	--	--	--	--	--	--	--	--	--	--	--	--
Arsenic	ug/L	0.19	0.39	0.28	0.24	0.31	0.23	0.25	0.38	--	--	--	--	--	--	--	--	--	--	--	--
Barium	ug/L	39.3	45.4	50	54	57.2	48.9	49.9	47.5	--	--	--	--	--	--	--	--	--	--	--	--
Beryllium	ug/L	0.22	0.16	<0.08	<0.08	<0.08	0.051	0.084	0.15	--	--	--	--	--	--	--	--	--	--	--	--
Cadmium	ug/L	<0.029	<0.029	<0.029	<0.029	<0.029	<0.018	0.018	<0.018	--	--	--	--	--	--	--	--	--	--	--	--
Chromium	ug/L	5.5	6.2	1.9	1.8	1.4	1.4	2.2	2.9	--	--	--	--	--	--	--	--	--	--	--	--
Cobalt	ug/L	1.1	1.1	<0.5	<0.5	<0.5	0.24	0.38	0.66	--	--	--	--	--	--	--	--	--	--	--	--
Lead	ug/L	1.1	0.9	0.32	0.26	0.26	0.25	0.36	0.54	--	--	--	--	--	--	--	--	--	--	--	--
Lithium	ug/L	81.1	81.2	75.9	79.8	80.8	79.6	78.5	82	--	--	--	--	--	--	--	--	--	--	--	--
Mercury	ug/L	<0.039	<0.039	<0.039	<0.039	<0.039	<0.046	<0.046	<0.046	--	--	--	--	--	--	--	--	--	--	--	--
Molybdenum	ug/L	0.32	0.49	0.31	0.18	0.24	0.2	0.17	0.24	--	--	--	--	--	--	--	--	--	--	--	--
Selenium	ug/L	0.19	0.39	<0.18	<0.18	<0.18	<0.086	0.21	0.21	--	--	--	--	--	--	--	--	--	--	--	--
Thallium	ug/L	<0.5	<0.5	<0.5	<0.5	<0.5	<0.036	0.065	0.089	--	--	--	--	--	--	--	--	--	--	--	--
Total Radium	pCi/L	0.874	0.677	1.17	1.17	1.57	1.65	1.54	2.6	--	--	--	--	--	--	--	--	--	--	--	--
Radium-226	pCi/L	0.412	-0.066	0.426	0.505	0.525	0.872	0.987	1.74	--	--	--	--	--	--	--	--	--	--	--	--
Radium-228	pCi/L	0.462	0.677	0.744	0.663	1.04	0.777	0.549	0.863	--	--	--	--	--	--	--	--	--	--	--	--
pH at 25 Degrees C	Std. Units	7.3	7.1	7.3	7.4	7.6	7.5	7.6	7.4	7.2	7.6	7.5	7.4	7.5	7.5	7.6	6.7	7.6	7.5	7.6	7.4
Groundwater Elevation	feet	685.8	685.79	685.48	684.94	685.68	684.73	684.76	683.89	683.38	683.87	683.52	685.35	685.44	686.25	685.86	686.26	685.85	685.07	684.97	685.65
Field Oxidation Potential	mV	-153.3	-114.6	-100.7	-126.7	-109.6	-64	-66.8	-96.2	112.3	-138.7	-103.6	8.13	-56.4	-83.4	-169.4	-74.2	-66.5	-43.2	-98.7	-81.5
Field Specific Conductance	umhos/cm	1326	1132	1102	1075	1081	1081	1018	1429	1079	1091	1102	1168	1067	1129	1025	1079	993	1002	1130	1034
Field Temperature	deg C	13.6	14	13.9	13.5	12.9	14	14	13.7	13.1	12.7	13.4	13.63	14.26	13.1	13.5	13.2	13.5	12	12.9	12.8
Oxygen, Dissolved	mg/L	0.08	0.09	0.1	0.66	0.29	0.17	0.22	0.11	0.3	0.3	0.22	1.59	0.75	1.06	0.28	0.28	0.35	0.36	0.1	1.31
Turbidity	NTU	170.8	167.5	74.76	29.05	43.07	39.01	58.63	77.96	202.4	200.6	131.5	44.2	102.8	12.5	136	127	67.1	75.3	122.97	99

Single Location

Name: IPL - Ottumwa Midland Landfill

Location ID: MW-303																							
Number of Sampling Dates: 22																							
Parameter Name	Units	5/4/2016	6/22/2016	8/9/2016	10/26/2016	1/17/2017	4/19/2017	7/19/2017	8/22/2017	11/7/2017	4/17/2018	10/16/2018	4/16/2019	6/6/2019	10/15/2019	5/26/2020	6/29/2020	10/6/2020	4/12/2021	10/5/2021	4/13/2022	10/24/2022	4/4/2023
Boron	ug/L	3510	2430	1640	1100	955	800	755	737	738	738	661	850	--	760	770	--	740	730	630	680	640	730
Calcium	mg/L	686	462	250	157	116	97.4	87.7	94	94.9	103	90.5	150	--	120	120	--	100	100	92	100	91	110
Chloride	mg/L	13.5	11.5	8.7	7.5	7.1	6.9	7.2	7.3	6.9	7.3	7.4	8.1	8	7.5	8.5	6.9	7.3	7.6	8.3	7	7.2	7.8
Fluoride	mg/L	0.68	0.47	0.9	0.87	0.86	0.86	0.86	0.85	0.77	0.8	0.84	<0.23	--	0.87	0.81	--	0.88	0.74	0.39	0.97	0.88	0.78
Field pH	Std. Units	6.24	6.93	7.84	6.66	6.69	7.12	7.1	6.71	6.96	7.32	6.87	6.97	6.71	6.76	6.21	6.74	7.01	6.8	6.76	6.89	6.76	6.86
Sulfate	mg/L	6230	4690	1950	780	497	329	255	287	232	262	310	600	--	390	440	--	230	260	270	250	190	330
Total Dissolved Solids	mg/L	9540	7120	2750	1500	1080	931	809	868	783	839	891	1300	--	1100	1100	--	840	850	820	840	740	950
Antimony	ug/L	<0.58	<0.058	<0.12	<0.058	0.082	<0.026	0.042	0.041	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Arsenic	ug/L	<1	0.3	<0.21	0.13	0.2	0.24	0.59	0.53	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Barium	ug/L	55.8	47.6	19.3	13.4	11.7	11.9	12.8	13.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Beryllium	ug/L	1.2	<0.24	0.16	0.11	0.099	0.13	0.24	0.24	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Cadmium	ug/L	<0.29	<0.029	<0.058	0.037	<0.029	<0.018	0.019	0.026	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Chromium	ug/L	22.1	3.1	2.7	2.6	1.1	2.6	5.1	4.5	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Cobalt	ug/L	12.7	1.6	1.2	1	<0.5	1.1	2.5	2.1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Lead	ug/L	5.7	1.6	0.51	0.57	0.3	0.57	1	1.2	--	--	--	--	--	1.2	--	--	--	--	--	--	--	--
Lithium	ug/L	289	270	126	102	96.5	92.4	90.8	92.8	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Mercury	ug/L	<0.039	<0.039	<0.039	<0.039	<0.039	<0.046	<0.046	<0.046	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Molybdenum	ug/L	3	0.38	0.69	0.43	0.29	0.3	0.26	0.29	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Selenium	ug/L	<1.8	0.38	<0.37	<0.18	<0.18	0.26	0.4	0.42	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Thallium	ug/L	<5	<2.5	<1	<0.5	<0.5	<0.036	0.049	0.048	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total Radium	pCi/L	10.6	7.5	3.59	2.18	1.47	1.82	1.33	0.803	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Radium-226	pCi/L	2.51	2.96	1.26	0.634	0.199	0.481	0.273	0.559	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Radium-228	pCi/L	8.08	4.54	2.33	1.55	1.27	1.34	1.06	0.244	--	--	--	--	--	--	--	--	--	--	--	--	--	--
pH at 25 Degrees C	Std. Units	6.2	6.2	6.4	6.6	6.9	7	7	6.9	6.8	7.2	7.1	6.8	--	7	7.3	--	7.2	7	7.3	7	7.2	7
Groundwater Elevation	feet	686.04	687.72	687.77	685.56	685.6	685.51	684.92	684.7	684.26	684.68	684.33	686.13	686.05	686.08	687.14	687.36	686.35	689.05	686.84	686.91	685.86	686.51
Field Oxidation Potential	mV	-50	-49.5	-76.7	-102.1	-93.5	-56.6	-83.6	-72.6	125.7	-103.8	-117.7	-20	-40	-55.6	-30	-53.3	-137.3	-64.6	-55	-37.8	-51.9	-49.3
Field Specific Conductance	umhos/cm	8206	6426	3419	2120	1681	1451	1300	1836	1307	1358	0	2209	1331	1628	1963	1739	1262	1431	1287	1344	1318	1544
Field Temperature	deg C	14	14	14	13.7	13	13.7	14.5	14	13.2	13.3	13.5	14.07	16.7	15.44	14.4	16.1	13.9	14.2	13.8	12.5	13.5	11.6
Oxygen, Dissolved	mg/L	0.16	0.11	0.08	0.46	0.16	0.17	0.5	0.31	0.45	0.38	0.41	1.41	0.42	0.43	2.31	0.49	0.3	0.38	0.48	0.35	0	0.19
Turbidity	NTU	677.5	160.2	169.9	84.13	113.7	120.3	179.4	161.5	258.2	248	61.64	99.2	169.9	27.9	57.1	59	240	168	79.6	61.2	183.4	--



Appendix E

Statistical Evaluation

August 21, 2023
File No. 25223073.00

TECHNICAL MEMORANDUM

SUBJECT: Statistical Evaluation of Groundwater Monitoring Results – UPL Update
Ottumwa Midland Landfill, CCR Units, April 2023

PREPARED BY: Ryan Matzuk

CHECKED BY: Sherren Clark

STATISTICAL METHOD

Groundwater monitoring data for the Ottumwa Midland Landfill (OML) CCR units is evaluated in accordance with 40 CFR 257.93(f)(3), using a prediction interval procedure, in which an interval for each constituent is established from the distribution of the background data, and the level of each constituent in each compliance well is compared to the upper prediction limit.

Statistical evaluation is performed using commercially available software (*Sanitas for Groundwater*® or similar) in general accordance with the U.S. EPA's *Unified Guidance for Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities* dated March 2009 (Unified Guidance) (U.S. EPA, 2009) and generally accepted procedures.

The OML monitoring data includes two background monitoring wells, MW-102M and MW-122M, and three compliance monitoring wells, MW-301, MW-302, and MW-303. The statistical analysis includes intrawell evaluation for chloride and interwell evaluation for the remaining Appendix III parameters.

The initial Interwell UPLs were calculated based on nine rounds of background monitoring performed up to the initiation of compliance monitoring for the existing CCR units at OML, from May 2016 through November 2017. In the November 2017 and April 2018 detection monitoring events, interwell SSIs for chloride were identified for compliance well MW-301. These SSIs were attributed to natural variation in ASDs completed for these two events. Following the completion of the April 2018 ASD, dated October 31, 2018, the statistical method for evaluating chloride data at the three compliance monitoring wells was modified to an intrawell approach. This approach is appropriate for constituents that exhibit natural spatial variability, as has been documented for chloride at the OML facility. The most recent update to the UPLs was completed in January 2021 using interwell background data collected through October 2020 and intrawell background data collected through April 2020.

As part of the evaluation of the April 2023 monitoring results, the background data set for the UPL calculations is being updated. The updated interwell background dataset will include data from the background wells collected through April 2023. The updated intrawell background dataset for chloride will include data collected through October 2022. This memo addresses updated UPLs for Appendix III parameters.



TIME SERIES PLOTS

Time series plots are prepared for the required monitoring parameters to show the concentration variations over time. Time series graphs are included in **Attachment 1**.

OUTLIER ANALYSIS - INTERWELL

An outlier analysis is performed for background monitoring results. A statistical outlier is a value that is extremely different from the other values in the data set. The Sanitas outlier tests identify data points that do not fit the distribution of the rest of the data set and determine if they differ significantly from the rest of the data. The outlier analysis performed in Sanitas includes the following steps:

- 1) Run normality test (Shapiro Wilk/Francia).
- 2) If normally distributed, run U.S. EPA's 1989 Outlier Test to identify suspected outliers.
 - a) If number of background samples is less than or equal to 25, run Dixon's test for suspected outliers.
 - b) If number of background samples is more than 25, run Rosner's test for suspected outliers.
- 3) If not normally distributed, run Tukey's test for outliers.
- 4) Review data flagged as possible outliers to evaluate whether they should be removed from the background data set. Also review time series plots for possible outliers that were not picked up in the statistical evaluation (e.g., outlier test may not identify outliers when two values are similar to each other, but very different from all other data).

Results identified as statistical outliers are checked for possible lab instrument failure, field collection problems, or data entry errors; however, outliers may exist naturally in the data if there is an extremely wide inherent or temporal variability in the data. The Unified Guidance states that unless a likely error can be identified, the outlier should not be removed.

The interwell outlier analysis was performed for background wells MW-102M and MW-122M for all Appendix III parameters except chloride (intra-well). For the April 2023 sampling event, the following background values from background wells MW-102M and MW-122M were identified as potential outliers for the interwell analysis and handled as described:

- **Boron (MW-122M).** One low result from the June 2016 event was flagged as a statistical outlier. This result was not removed from the dataset because there was no known explanation for the lower result and it appeared to be within the range of potential natural variation relative to the other observed boron concentrations.
- **Calcium (MW-122M).** Two results from the May and June 2016 events were flagged as statistical outliers. The May 2016 and June 2016 results were removed because they were the first two sampling events, and may represent conditions before the water quality at the well stabilized after installation.
- **Fluoride (MW-102M).** Two high results from the April 2019 and October 2020 sampling events and one low result from the October 2021 sampling event were flagged as

statistical outliers. None of the three results were removed from the dataset because the results appear to be within the range of potential natural variation relative to other fluoride concentrations.

- **Sulfate (MW-122M).** Two high results from the April 2017 and June 2017 sampling events and three low results from the June 2016, October 2018, and April 2022 events were flagged as statistical outliers. The two high results (April 2017 and June 2017) were not removed from the dataset because there was no known explanation for the high results, the results are less than two times higher than typical results, and the two high values together suggest temporal variation in groundwater rather than a sampling or analysis error. The low result in June 2016 was not removed from the dataset because the result is within the range of potential natural variation relative to other sulfate results. The low result in October 2018 was removed as an outlier because it was below the limit of detection, which appears very unlikely to be a valid result based on other detections, and may represent a sampling or laboratory error. The low result for the April 2022 sampling event was removed from the dataset because it was an order of magnitude lower than most other results and may represent a sampling or analysis error, although there is no known cause.

The outlier analysis is included in **Attachment 2**.

OUTLIERS ANALYSIS - INTRAWELL

An outlier analysis is performed for background monitoring results at the compliance wells when intrawell prediction limits are calculated for constituents. A statistical outlier is a value that is extremely different from the other values in the data set. The outlier analysis performed in Sanitas using the same steps noted above.

For the April 2023 sampling event, the following background values were identified as potential chloride outliers in the compliance monitoring wells (MW-301, MW-302, and MW-303) and handled as described:

- **MW-301.** One high chloride result from the June 2016 event was flagged as a statistical outlier. This result was removed from the dataset because this result appeared to be outside the range of likely natural variation relative to the observed chloride concentrations at MW-301.
- **MW-303.** One high chloride result from the May 2016 event was initially flagged by Sanitas as a statistical outlier. This result was removed from the dataset because it was the first sample from the newly installed well and exceeded subsequent observed chloride concentrations at MW-303. The second sample from this well (June 2016) was not initially flagged as an outlier, but was flagged as an outlier when the analysis was rerun after removing the May 2016 result. This result was also removed from the dataset for the prediction limit analysis.

Outlier analysis of chloride results from the compliance wells is included in **Attachment 2**.

BACKGROUND UPDATE

The background data pool was updated in accordance with the Unified Guidance, which recommends updating background every 2 to 3 years for semiannual sampling. Prior to expanding the data pool, the original background data set and the data to be added) were compared. The Unified Guidance states that recently collected measurements from the background wells can be added to the existing pool if a Student’s t-test or Wilcoxon rank-sum test finds no significant difference between the two groups at the 1 percent level of significance. The datasets compared were as follows:

	Original Data	Data to be Added
Interwell	5/2016 - 10/2020	4/2021 - 4/2023
Intrawell	5/2016 - 5/2020	10/2020 - 10/2022

The Sanitas background group comparison for the OML background data sets, included in **Attachments 3A** (interwell) and **3B** (intrawell), indicated no significant difference at the 1 percent level except for calcium in the interwell analysis; therefore, the more recent data can be added to the background pool for parameters other than calcium. The comparison uses Welch’s t-test for normally distributed data and the Mann-Whitney test for non-normal data. (Note: The Sanitas output labels the earlier background dataset as “Background” and the later background dataset as “Compliance,” but all data shown is proposed background data.)

For calcium, the recent data from background well MW-122M showed an upward shift that was significant at the 1 percent level. The reason for the upward shift at this background well is not known, but likely represents natural temporal variability. Due to the upward shift in calcium concentrations, the interwell calcium UPL was not updated to include the recent results. Background calcium concentrations at this well will be reevaluated when the next UPL update is completed for the OML monitoring system.

INTERWELL PREDICTION LIMITS

Interwell prediction limits were calculated for Appendix III parameters except for calcium (not updated) and chloride (intrawell). Interwell prediction limits are calculated using background data from the upgradient monitoring wells (MW-122M and MW-102M) for each monitored constituent, with outliers removed as noted above. The prediction limit analysis performed in Sanitas includes the following steps:

- 1) If 100 percent of the background values are non-detect, the Double Quantification rule applies and no prediction limit is calculated.
- 2) If 50 percent or more of results are non-detect, then a non-parametric prediction limit is calculated.

- 3) If fewer than 50 percent of the results are non-detect, run normality test (Shapiro Wilk/Francia) to assess whether the data fit a normal distribution or can be transformed to fit a normal distribution (e.g., lognormal).
- 4) If normal or transformed normal, calculate parametric prediction limit.
- 5) If not normal or transformed normal, calculate non-parametric prediction limit.

Consistent with the Unified Guidance, parametric prediction limits are calculated based on a 1-of-2 retesting protocol and a 10 percent site-wide false positive rate. Sanitas establishes the per-test significance level based on user inputs of the number of events per year, number of constituents being evaluated, and number of compliance wells. For the April 2023 event, the following values were used:

Parameter	Value	Comments
Evaluations per year	2	Spring and Fall events
Constituents analyzed	7	Total of 7 constituents analyzed
Compliance wells	3	MW-301, MW-302, MW-303

Non-parametric prediction limits are also based on a 1-of-2 retesting protocol. The non-parametric limit is the highest value in the background dataset, which provides an alpha value (false positive rate) similar to that used for the parametric analysis.

For evaluation of parameters with less than 100 percent non-detects in the background sampling, the non-detects were adjusted using the Kaplan-Meier technique, unless the non-detects represent less than 15 percent of the total samples, in which case one-half of the detection limit was used.

Interwell prediction limit analysis results are included in **Attachment 4**.

INTRAWELL PREDICTION LIMITS

Intrawell prediction limits were calculated for chloride. Intrawell prediction limits are calculated using background data from the compliance monitoring wells (MW-301, MW-302, and MW-303) for each monitored constituent, with outliers removed as noted above. For this evaluation of April 2023 results, background results from May 2016 through October 2022 were included to calculate the intrawell prediction limits. The intrawell prediction limit analysis performed in Sanitas includes the same steps noted above.

Intrawell prediction limit analysis results are included in **Attachment 5**.


RM/REO/SCC

I:\25223073.00\Deliverables\2023 April Results Letter\Att B - Statistical Evaluation\230821_OML CCR Stats Memo_Final.docx

Attachment 1

Times Series Graphs

Boron




Time Series Analysis Run 8/3/2023 12:21 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Time Series

Constituent: Boron (ug/L) Analysis Run 8/3/2023 12:25 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)	MW-122M (bg)	MW-301	MW-302	MW-303
5/4/2016	1510		2280	853	3510
5/5/2016		3140			
6/22/2016	1440		1860	796	2430
6/23/2016		1720			
8/9/2016			1770		1640
8/10/2016	1480	4550		802	
10/26/2016	1420	4060	1410	784	1100
1/17/2017			1310	824	955
1/18/2017	1480	4720			
4/19/2017				777	800
4/20/2017	1460	4480	1040		
6/20/2017			1040	767	
6/21/2017	1410	4710			
7/19/2017					755 (755)
8/22/2017	1440	4980	994	783	737
11/7/2017			1010	848	738
11/8/2017	1480	5220			
4/17/2018	1550	5560	854	834	738
10/15/2018			784	752	
10/16/2018	1340	4580			661
4/16/2019			660	760	850
4/17/2019		5500			
4/18/2019	1400				
10/15/2019	1500	4100	600	780	760
10/6/2020			770	870	740
10/7/2020	1600	4100			
4/12/2021			790	820	730
4/15/2021	1600	5100			
10/5/2021	1300	5500	700	740	630
4/13/2022	1400			730	680
4/14/2022		4800	710		
10/24/2022					640
10/25/2022			640	790	
10/27/2022	1400	6400			
4/4/2023	1500	4300			730
4/5/2023			650	800	

Calcium




Time Series Analysis Run 8/3/2023 12:21 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Time Series

Constituent: Calcium (mg/L) Analysis Run 8/3/2023 12:25 PM
 Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)	MW-122M (bg)	MW-301	MW-302	MW-303
5/4/2016	45.9		596	72.1	686
5/5/2016		599 (X)			
6/22/2016	147		472	56.6	462
6/23/2016		312			
8/9/2016			479		250
8/10/2016	129	419		48.8	
10/26/2016	31.5	415	393	42.8	157
1/17/2017			337	42.9	116
1/18/2017	23.6	386			
4/19/2017				41	97.4
4/20/2017	26	382	224		
6/20/2017			202	46.1	
6/21/2017	67.7	386			
7/19/2017					87.7 (87.7)
8/22/2017	79.7	386	158	50.2	94
11/7/2017			161	74	94.9
11/8/2017	10.4	383			
4/17/2018	25.3	402	131	77.3	103
10/15/2018			135	66.9	
10/16/2018	12.9	366			90.5
4/16/2019			110	44	150
4/17/2019		400			
4/18/2019	51				
10/15/2019	14	400	100	68	120
10/6/2020			180	65	100
10/7/2020	150	430			
4/12/2021			160	58	100
4/15/2021	43	410			
10/5/2021	71	440	150	52	92
4/13/2022	32			50	100
4/14/2022		420	150		
10/24/2022					91
10/25/2022			140	54	
10/27/2022	14	440			
4/4/2023	31 (B)	430			110 (B)
4/5/2023			130 (B)	52 (B)	

Chloride




Time Series Analysis Run 8/3/2023 12:21 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Time Series

Constituent: Chloride (mg/L) Analysis Run 8/3/2023 12:25 PM
 Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)	MW-122M (bg)	MW-301	MW-302	MW-303
5/4/2016	16.3		42.4	9.2	13.5 (X)
5/5/2016		16.4			
6/22/2016	13.8		112 (X)	8.1	11.5 (X)
6/23/2016		21.9			
8/9/2016			46.6		8.7
8/10/2016	13.4	11.8		7.5	
10/26/2016	13	8.2	43.4	6	7.5
1/17/2017			32.6	7.7	7.1
1/18/2017	12.3	8.3			
4/19/2017				8	6.9
4/20/2017	12.5	8	58		
6/20/2017			38.9	8	
6/21/2017	12.8	7.8			
7/19/2017					7.2
8/22/2017	13.1	7.8	40.8	8.5	7.3
11/7/2017			28.9	7.8	6.9
11/8/2017	12.3	7.2			
4/17/2018	13.5	8	33.9	8.6	7.3
10/15/2018			26.9	9.2	
10/16/2018	13.6	8.6			7.4
4/16/2019			45	10	8.1
4/17/2019		8.8			
4/18/2019	14				
6/6/2019					8
10/15/2019	15	10	46	7.3	7.5
5/21/2020	16	9		8.9	
5/26/2020			61		8.5
6/29/2020					6.9
10/6/2020			24	7.2	7.3
10/7/2020	14	8.3			
4/12/2021			28	6.6	7.6
4/15/2021	14	8			
10/5/2021	16	8.7	29	7.1	8.3
4/13/2022	14			5.3	7
4/14/2022		8.5	24		
10/24/2022					7.2
10/25/2022			27	5.4	
10/27/2022	16	14			
4/4/2023	16	9			7.8
4/5/2023			22	6.2	

Field pH




Time Series Analysis Run 8/3/2023 12:21 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Time Series

Constituent: Field pH (SU) Analysis Run 8/3/2023 12:25 PM
 Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)	MW-122M (bg)	MW-301	MW-302	MW-303
5/4/2016	8.09		6.44	7.38	6.24
5/5/2016		6.97			
6/22/2016	7.68		6.62	7.76	6.93
6/23/2016		6.68			
8/9/2016			7.81		7.84
8/10/2016				9.55	
10/26/2016			6.33	7.22	6.66
1/17/2017			6.31	7.23	6.69
1/18/2017	7.62	6.06			
4/19/2017				7.6	7.12
4/20/2017	7.35		6.15		
6/20/2017			6.73	7.29	
6/21/2017	7.64	6.42			
7/19/2017					7.1 (7.1)
8/22/2017	6.89	6.32	6.51	7.12	6.71
11/7/2017			6.56	7.41	6.96
11/8/2017	8.16	6.16			
4/17/2018	8.34	6.65	7.09	7.8	7.32
10/15/2018			6.59	7.25	
10/16/2018	7.8	6.31			6.87
4/16/2019			7.1	7.49	6.97
4/17/2019		7.34			
4/18/2019	8.55				
6/6/2019					6.71
10/15/2019	7.81	6.6	6.67	7.21	6.76
10/6/2020			7.22	7.14	7.01
10/7/2020	8.29	7			
4/12/2021			6.62	7.13	6.8
4/15/2021	7.85	6.78			
10/5/2021	7.81	7.18	6.71	7.2	6.76
4/13/2022	7.91			7.3	6.89
4/14/2022		6.7	6.84		
10/24/2022					6.76
10/25/2022			6.58	7.13	
10/27/2022	7.55	6.79			
4/4/2023	7.93	6.49			6.86
4/5/2023			6.75	7.19	

Fluoride




Time Series Analysis Run 8/3/2023 12:21 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Time Series

Constituent: Fluoride (mg/L) Analysis Run 8/3/2023 12:25 PM
 Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)	MW-122M (bg)	MW-301	MW-302	MW-303
5/4/2016	4.2		0.68	1.1	0.68
5/5/2016		1.1			
6/22/2016	4.2		0.38	1	0.47
6/23/2016		0.89			
8/9/2016			0.55		0.9
8/10/2016	4.4	0.74		0.98	
10/26/2016	4.6	0.48	0.72	1	0.87
1/17/2017			0.77	0.97	0.86
1/18/2017	4.1	<0.027 (U)			
4/19/2017				1	0.86
4/20/2017	4	0.88	0.72		
6/20/2017			0.93	1.1	
6/21/2017	4.6	1.1			
7/19/2017					0.86 (0.86)
8/22/2017	4.5	0.6	0.78	1	0.85
11/7/2017			0.77	1.2	0.77
11/8/2017	4.6	0.5			
4/17/2018	4.5	<0.063 (U)	0.87	1	0.8
10/15/2018			0.84	1.1	
10/16/2018	4.7	<0.19 (U)			0.84
4/16/2019			0.85	1.5	<0.23 (U)
4/17/2019		0.7			
4/18/2019	5.7				
10/15/2019	4.5	<0.23 (U)	0.85	1.2	0.87
10/6/2020			0.67	1.1	0.88
10/7/2020	5.3	<0.23			
4/12/2021			0.73	1.1	0.74
4/15/2021	4.3	0.3 (J)			
10/5/2021	2.9	<0.28	<0.28 (U)	0.5	0.39 (J)
4/13/2022	4.3			1.1	0.97
4/14/2022		<0.22 (U)	<0.22 (U)		
10/24/2022					0.88
10/25/2022			0.85	0.93	
10/27/2022	4.8	<0.22 (U)			
4/4/2023	4.2	0.52			0.78
4/5/2023			0.71	0.91	

Sulfate




Time Series Analysis Run 8/3/2023 12:21 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Time Series

Constituent: Sulfate (mg/L) Analysis Run 8/3/2023 12:25 PM
 Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)	MW-122M (bg)	MW-301	MW-302	MW-303
5/4/2016	378		5160	201	6230
5/5/2016		8260			
6/22/2016	350		5370	133	4690
6/23/2016		5330			
8/9/2016			4050		1950
8/10/2016	354	8950		102	
10/26/2016	384	8600	2630	78.9	780
1/17/2017			1780	76.7	497
1/18/2017	415	9680			
4/19/2017				76.7	329
4/20/2017	348	14300	1170		
6/20/2017			1180	79.3	
6/21/2017	356	17500			
7/19/2017					255 (255)
8/22/2017	358	9190	902	77.2	287
11/7/2017			926	77.5	232
11/8/2017	335	9440			
4/17/2018	352	10400	638	79.3	262
10/15/2018			837	80.9	
10/16/2018	384	<0.24 (UX)			310
4/16/2019			360	83	600
4/17/2019		8300			
4/18/2019	340				
10/15/2019	350	8400	310	73	390
10/6/2020			620	73	230
10/7/2020	350	8700			
4/12/2021			530	64	260
4/15/2021	330	8700			
10/5/2021	360	8800	590	70	270
4/13/2022	330			61	250
4/14/2022		460	450		
10/24/2022					190
10/25/2022			440	64	
10/27/2022	390	9300			
4/4/2023	370	8900			330
4/5/2023			370	66	

Total Dissolved Solids



Time Series Analysis Run 8/3/2023 12:21 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 8/3/2023 12:25 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)	MW-122M (bg)	MW-301	MW-302	MW-303
5/4/2016	1670		6260	784	9540
5/5/2016		11500			
6/22/2016	1530		5380	715	7120
6/23/2016		7430			
8/9/2016			5810		2750
8/10/2016	1620	14200		671	
10/26/2016	1420	13200	4030	644	1500
1/17/2017			2830	639	1080
1/18/2017	1530	14100			
4/19/2017				671	931
4/20/2017	1620	18100	1990		
6/20/2017			2060	656	
6/21/2017	1480	12800			
7/19/2017					809 (809)
8/22/2017	1400	14300	1870	672	868
11/7/2017			1760	607	783
11/8/2017	1410	13400			
4/17/2018	1540	14400	1400	690	839
10/15/2018			1550	708	
10/16/2018	1500	13300			891
4/16/2019			970	690	1300
4/17/2019		13000			
4/18/2019	1700				
10/15/2019	1400	13000	860	680	1100
10/6/2020			1400	700	840
10/7/2020	1700	14000			
4/12/2021			1300	620	850
4/15/2021	1500	14000			
10/5/2021	1300	12000	1200	400	820
4/13/2022	1300			630	840
4/14/2022		13000	1000		
10/24/2022					740
10/25/2022			1100	600	
10/27/2022	1500	11000			
4/4/2023	1500	11000			950
4/5/2023			970	550	

Attachment 2

Outlier Analysis


Outlier Analysis

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct Printed 8/3/2023, 12:27 PM

<u>Constituent</u>	<u>Well</u>	<u>Outlier</u>	<u>Value(s)</u>	<u>Date(s)</u>	<u>Method</u>	<u>Alpha</u>	<u>N</u>	<u>Mean</u>	<u>Std. Dev.</u>	<u>Distribution</u>	<u>Normality Test</u>
Boron (ug/L)	MW-102M (bg)	No	n/a	n/a	EPA 1989	0.05	19	1458	78.12	normal	ShapiroWilk
Boron (ug/L)	MW-122M (bg)	Yes	1720	6/23/2016	Dixon`s	0.05	19	4606	998.6	normal	ShapiroWilk
Calcium (mg/L)	MW-102M (bg)	No	n/a	n/a	EPA 1989	0.05	19	52.89	44.5	ln(x)	ShapiroWilk
Calcium (mg/L)	MW-122M (bg)	Yes	599,312	5/5/2016,...	Dixon`s	0.05	19	410.8	54.55	normal	ShapiroWilk
Field pH (SU)	MW-102M (bg)	No	n/a	n/a	Dixon`s	0.05	17	7.839	0.3936	normal	ShapiroWilk
Field pH (SU)	MW-122M (bg)	No	n/a	n/a	EPA 1989	0.05	16	6.653	0.3573	normal	ShapiroWilk
Fluoride (mg/L)	MW-102M (bg)	Yes	5.3,5.7,2.9	10/7/2020...	Dixon`s	0.05	19	4.442	0.5531	normal	ShapiroWilk
Fluoride (mg/L)	MW-122M (bg)	No	n/a	n/a	Dixon`s	0.05	19	0.4879	0.3353	normal	ShapiroWilk
Sulfate (mg/L)	MW-102M (bg)	No	n/a	n/a	EPA 1989	0.05	19	359.7	22.22	normal	ShapiroWilk
Sulfate (mg/L)	MW-122M (bg)	Yes	14300,175...	4/20/2017...	Dixon`s	0.05	19	8590	3866	normal	ShapiroWilk
Total Dissolved Solids (mg/L)	MW-102M (bg)	No	n/a	n/a	EPA 1989	0.05	19	1506	119.1	normal	ShapiroWilk
Total Dissolved Solids (mg/L)	MW-122M (bg)	No	n/a	n/a	NP (nrm)	NaN	19	13038	2067	unknown	ShapiroWilk

EPA Screening (suspected outliers for Dixon's Test)

MW-102M (bg)



n = 19

Dixon's will not be run.
No suspect values identified or unable to establish suspect values.
Mean 1458, std. dev. 78.12, critical Tn 2.532

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.97
Critical = 0.917
The distribution was found to be normally distributed.

Constituent: Boron Analysis Run 8/3/2023 12:25 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


EPA 1989 Outlier Screening

Constituent: Boron (ug/L) Analysis Run 8/3/2023 12:27 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)
5/4/2016	1510
6/22/2016	1440
8/10/2016	1480
10/26/2016	1420
1/18/2017	1480
4/20/2017	1460
6/21/2017	1410
8/22/2017	1440
11/8/2017	1480
4/17/2018	1550
10/16/2018	1340
4/18/2019	1400
10/15/2019	1500
10/7/2020	1600
4/15/2021	1600
10/5/2021	1300
4/13/2022	1400
10/27/2022	1400
4/4/2023	1500

Dixon's Outlier Test

MW-122M (bg)



n = 19

Statistical outlier is drawn as solid.
Testing for 2 low outliers.
Mean = 4606.
Std. Dev. = 998.6.
3140: c = 0.4068
tab1 = 0.462.
Alpha = 0.05.
1720: c = 0.619
tab1 = 0.462.
Alpha = 0.05.

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9758
Critical = 0.914
The distribution, after removal of suspect value, was found to be normally distributed.

Constituent: Boron Analysis Run 8/3/2023 12:25 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Dixon's Outlier Test


Constituent: Boron (ug/L) Analysis Run 8/3/2023 12:27 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-122M (bg)
5/5/2016	3140
6/23/2016	1720 (O)
8/10/2016	4550
10/26/2016	4060
1/18/2017	4720
4/20/2017	4480
6/21/2017	4710
8/22/2017	4980
11/8/2017	5220
4/17/2018	5560
10/16/2018	4580
4/17/2019	5500
10/15/2019	4100
10/7/2020	4100
4/15/2021	5100
10/5/2021	5500
4/14/2022	4800
10/27/2022	6400
4/4/2023	4300

EPA Screening (suspected outliers for Dixon's Test)

MW-102M (bg)



n = 19

Dixon's will not be run.
No suspect values identified or unable to establish suspect values.
Mean 52.89, std. dev. 44.5, critical Tn 2.532

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9547
Critical = 0.917 (after natural log transformation)
The distribution was found to be log-normal.

Constituent: Calcium Analysis Run 8/3/2023 12:26 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


EPA 1989 Outlier Screening

Constituent: Calcium (mg/L) Analysis Run 8/3/2023 12:27 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)
5/4/2016	45.9
6/22/2016	147
8/10/2016	129
10/26/2016	31.5
1/18/2017	23.6
4/20/2017	26
6/21/2017	67.7
8/22/2017	79.7
11/8/2017	10.4
4/17/2018	25.3
10/16/2018	12.9
4/18/2019	51
10/15/2019	14
10/7/2020	150
4/15/2021	43
10/5/2021	71
4/13/2022	32
10/27/2022	14
4/4/2023	31 (B)

Dixon's Outlier Test

MW-122M (bg)



n = 19

Statistical outliers are drawn as solid.
Testing for 1 high and 1 low outliers.
Mean = 410.8.
Std. Dev. = 54.55.
599 (X): c = 0.7327
tab1 = 0.462.
312: c = 0.5469
tab1 = 0.462.
Alpha = 0.05.

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.95
Critical = 0.91
The distribution, after removal of suspect values, was found to be normally distributed.

Constituent: Calcium Analysis Run 8/3/2023 12:26 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


Dixon's Outlier Test

Constituent: Calcium (mg/L) Analysis Run 8/3/2023 12:27 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-122M (bg)
5/5/2016	599 (XO)
6/23/2016	312 (O)
8/10/2016	419
10/26/2016	415
1/18/2017	386
4/20/2017	382
6/21/2017	386
8/22/2017	386
11/8/2017	383
4/17/2018	402
10/16/2018	366
4/17/2019	400
10/15/2019	400
10/7/2020	430
4/15/2021	410
10/5/2021	440
4/14/2022	420
10/27/2022	440
4/4/2023	430

Dixon's Outlier Test

MW-102M (bg)



n = 17

No statistical outliers.
Testing for 1 low outlier.
Mean = 7.839.
Std. Dev. = 0.3936.
6.89: c = 0.4714
tab1 = 0.49.
Alpha = 0.05.

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9713
Critical = 0.906
The distribution was found
to be normally distrib-
uted.

Constituent: Field pH Analysis Run 8/3/2023 12:26 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Dixon's Outlier Test


Constituent: Field pH (SU) Analysis Run 8/3/2023 12:27 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

MW-102M (bg)

5/4/2016	8.09
6/22/2016	7.68
1/18/2017	7.62
4/20/2017	7.35
6/21/2017	7.64
8/22/2017	6.89
11/8/2017	8.16
4/17/2018	8.34
10/16/2018	7.8
4/18/2019	8.55
10/15/2019	7.81
10/7/2020	8.29
4/15/2021	7.85
10/5/2021	7.81
4/13/2022	7.91
10/27/2022	7.55
4/4/2023	7.93

EPA Screening (suspected outliers for Dixon's Test)

MW-122M (bg)



n = 16

Dixon's will not be run.
No suspect values identified or unable to establish suspect values.
Mean 6.653, std. dev. 0.3573, critical Tn 2.443

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9827
Critical = 0.906
The distribution was found to be normally distributed.

Constituent: Field pH Analysis Run 8/3/2023 12:26 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


EPA 1989 Outlier Screening

Constituent: Field pH (SU) Analysis Run 8/3/2023 12:27 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-122M (bg)
5/5/2016	6.97
6/23/2016	6.68
1/18/2017	6.06
6/21/2017	6.42
8/22/2017	6.32
11/8/2017	6.16
4/17/2018	6.65
10/16/2018	6.31
4/17/2019	7.34
10/15/2019	6.6
10/7/2020	7
4/15/2021	6.78
10/5/2021	7.18
4/14/2022	6.7
10/27/2022	6.79
4/4/2023	6.49

Dixon's Outlier Test

MW-102M (bg)



n = 19

Statistical outliers are drawn as solid.
Testing for 2 high and 1 low outliers.
Mean = 4.442.
Std. Dev. = 0.5531.
5.3: c = 0.5
tab1 = 0.462.
2.9: c = 0.6667
tab1 = 0.462.
Alpha = 0.05.

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9635
Critical = 0.906
The distribution, after removal of suspect values, was found to be normally distributed.

Constituent: Fluoride Analysis Run 8/3/2023 12:26 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


Dixon's Outlier Test

Constituent: Fluoride (mg/L) Analysis Run 8/3/2023 12:27 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)
5/4/2016	4.2
6/22/2016	4.2
8/10/2016	4.4
10/26/2016	4.6
1/18/2017	4.1
4/20/2017	4
6/21/2017	4.6
8/22/2017	4.5
11/8/2017	4.6
4/17/2018	4.5
10/16/2018	4.7
4/18/2019	5.7 (O)
10/15/2019	4.5
10/7/2020	5.3 (O)
4/15/2021	4.3
10/5/2021	2.9 (O)
4/13/2022	4.3
10/27/2022	4.8
4/4/2023	4.2

Dixon's Outlier Test

MW-122M (bg)



n = 19

No statistical outliers.
Testing for 1 low outlier.
Mean = 0.4879.
Std. Dev. = 0.3353.
<0.027 (U): c = 0.1889
tab1 = 0.462.
Alpha = 0.05.

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9143
Critical = 0.914
The distribution was found to be normally distributed.

Constituent: Fluoride Analysis Run 8/3/2023 12:26 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


Dixon's Outlier Test

Constituent: Fluoride (mg/L) Analysis Run 8/3/2023 12:27 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-122M (bg)
5/5/2016	1.1
6/23/2016	0.89
8/10/2016	0.74
10/26/2016	0.48
1/18/2017	<0.027 (U)
4/20/2017	0.88
6/21/2017	1.1
8/22/2017	0.6
11/8/2017	0.5
4/17/2018	<0.063 (U)
10/16/2018	<0.19 (U)
4/17/2019	0.7
10/15/2019	<0.23 (U)
10/7/2020	<0.23
4/15/2021	0.3 (J)
10/5/2021	<0.28
4/14/2022	<0.22 (U)
10/27/2022	<0.22 (U)
4/4/2023	0.52

EPA Screening (suspected outliers for Dixon's Test)

MW-102M (bg)



n = 19

Dixon's will not be run.
No suspect values identified or unable to establish suspect values.
Mean 359.7, std. dev. 22.22, critical Tn 2.532

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9292
Critical = 0.917
The distribution was found to be normally distributed.

Constituent: Sulfate Analysis Run 8/3/2023 12:26 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


EPA 1989 Outlier Screening

Constituent: Sulfate (mg/L) Analysis Run 8/3/2023 12:27 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)
5/4/2016	378
6/22/2016	350
8/10/2016	354
10/26/2016	384
1/18/2017	415
4/20/2017	348
6/21/2017	356
8/22/2017	358
11/8/2017	335
4/17/2018	352
10/16/2018	384
4/18/2019	340
10/15/2019	350
10/7/2020	350
4/15/2021	330
10/5/2021	360
4/13/2022	330
10/27/2022	390
4/4/2023	370

Dixon's Outlier Test

MW-122M (bg)



n = 19

Statistical outliers are drawn as solid.
Testing for 2 high and 3 low outliers.
Mean = 8590.
Std. Dev. = 3866.
9680: c = 0.77
tab1 = 0.462.
5330: c = 0.6828
tab1 = 0.462.
Alpha = 0.05.

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9248
Critical = 0.895
The distribution, after removal of suspect values, was found to be normally distributed.

Constituent: Sulfate Analysis Run 8/3/2023 12:26 PM


Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Dixon's Outlier Test

Constituent: Sulfate (mg/L) Analysis Run 8/3/2023 12:27 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-122M (bg)
5/5/2016	8260
6/23/2016	5330 (O)
8/10/2016	8950
10/26/2016	8600
1/18/2017	9680
4/20/2017	14300 (O)
6/21/2017	17500 (O)
8/22/2017	9190
11/8/2017	9440
4/17/2018	10400
10/16/2018	<0.24 (UXO)
4/17/2019	8300
10/15/2019	8400
10/7/2020	8700
4/15/2021	8700
10/5/2021	8800
4/14/2022	460 (O)
10/27/2022	9300
4/4/2023	8900

EPA Screening (suspected outliers for Dixon's Test)



n = 19
Dixon's will not be run.
No suspect values identified or unable to establish suspect values.
Mean 1506, std. dev. 119.1, critical Tn 2.532

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9493
Critical = 0.917
The distribution was found to be normally distributed.

Constituent: Total Dissolved Solids Analysis Run 8/3/2023 12:26 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


EPA 1989 Outlier Screening

Constituent: Total Dissolved Solids (mg/L) Analysis Run 8/3/2023 12:27 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)
5/4/2016	1670
6/22/2016	1530
8/10/2016	1620
10/26/2016	1420
1/18/2017	1530
4/20/2017	1620
6/21/2017	1480
8/22/2017	1400
11/8/2017	1410
4/17/2018	1540
10/16/2018	1500
4/18/2019	1700
10/15/2019	1400
10/7/2020	1700
4/15/2021	1500
10/5/2021	1300
4/13/2022	1300
10/27/2022	1500
4/4/2023	1500

Tukey's Outlier Screening

MW-122M (bg)



n = 19

No outliers found.
Tukey's method used in lieu of parametric test because the Shapiro Wilk normality test failed at the 0.1 alpha level.

Ladder of Powers transformations did not improve normality; analysis run on raw data.

High cutoff = 20400, low cutoff = 5700, based on IQR multiplier of 3.

Constituent: Total Dissolved Solids Analysis Run 8/3/2023 12:26 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Tukey's Outlier Screening

Constituent: Total Dissolved Solids (mg/L) Analysis Run 8/3/2023 12:27 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-122M (bg)
5/5/2016	11500
6/23/2016	7430
8/10/2016	14200
10/26/2016	13200
1/18/2017	14100
4/20/2017	18100
6/21/2017	12800
8/22/2017	14300
11/8/2017	13400
4/17/2018	14400
10/16/2018	13300
4/17/2019	13000
10/15/2019	13000
10/7/2020	14000
4/15/2021	14000
10/5/2021	12000
4/14/2022	13000
10/27/2022	11000
4/4/2023	11000


Outlier Analysis

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct Printed 8/3/2023, 12:41 PM

<u>Constituent</u>	<u>Well</u>	<u>Outlier</u>	<u>Value(s)</u>	<u>Date(s)</u>	<u>Method</u>	<u>Alpha</u>	<u>N</u>	<u>Mean</u>	<u>Std. Dev.</u>	<u>Distribution</u>	<u>Normality Test</u>
Chloride (mg/L)	MW-301	Yes	112	6/22/2016	Dixon's	0.05	20	40.52	20.16	normal	ShapiroWilk
Chloride (mg/L)	MW-302	No	n/a	n/a	EPA 1989	0.05	20	7.63	1.28	normal	ShapiroWilk
Chloride (mg/L)	MW-303	Yes	13.5	5/4/2016	NP (nrm)	NaN	22	7.977	1.582	unknown	ShapiroWilk

Dixon's Outlier Test

MW-301



n = 20

Statistical outlier is drawn as solid.
Testing for 1 high outlier.
Mean = 40.52.
Std. Dev. = 20.16.
112 (X): c = 0.6136
tab1 = 0.45.
Alpha = 0.05.

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9235
Critical = 0.917
The distribution, after removal of suspect value, was found to be normally distributed.

Constituent: Chloride Analysis Run 8/3/2023 12:40 PM


Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Dixon's Outlier Test

Constituent: Chloride (mg/L) Analysis Run 8/3/2023 12:41 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-301
5/4/2016	42.4
6/22/2016	112 (XO)
8/9/2016	46.6
10/26/2016	43.4
1/17/2017	32.6
4/20/2017	58
6/20/2017	38.9
8/22/2017	40.8
11/7/2017	28.9
4/17/2018	33.9
10/15/2018	26.9
4/16/2019	45
10/15/2019	46
5/26/2020	61
10/6/2020	24
4/12/2021	28
10/5/2021	29
4/14/2022	24
10/25/2022	27
4/5/2023	22

EPA Screening (suspected outliers for Dixon's Test)



n = 20

Dixon's will not be run.
No suspect values identified or unable to establish suspect values.
Mean 7.63, std. dev. 1.28, critical Tn 2.557

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9771
Critical = 0.92
The distribution was found to be normally distributed.

Constituent: Chloride Analysis Run 8/3/2023 12:40 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


EPA 1989 Outlier Screening

Constituent: Chloride (mg/L) Analysis Run 8/3/2023 12:41 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-302
5/4/2016	9.2
6/22/2016	8.1
8/10/2016	7.5
10/26/2016	6
1/17/2017	7.7
4/19/2017	8
6/20/2017	8
8/22/2017	8.5
11/7/2017	7.8
4/17/2018	8.6
10/15/2018	9.2
4/16/2019	10
10/15/2019	7.3
5/21/2020	8.9
10/6/2020	7.2
4/12/2021	6.6
10/5/2021	7.1
4/13/2022	5.3
10/25/2022	5.4
4/5/2023	6.2

Tukey's Outlier Screening

MW-303



n = 22

Outlier is drawn as solid. Tukey's method used in lieu of parametric test because the Shapiro Wilk normality test failed at the 0.1 alpha level.

Data were natural log transformed to achieve best W statistic (graph shown in original units).

High cutoff = 12.37, low cutoff = 4.741, based on IQR multiplier of 3.

Constituent: Chloride Analysis Run 8/3/2023 12:40 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Tukey's Outlier Screening

Constituent: Chloride (mg/L) Analysis Run 8/3/2023 12:41 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-303
5/4/2016	13.5 (XO)
6/22/2016	11.5 (X)
8/9/2016	8.7
10/26/2016	7.5
1/17/2017	7.1
4/19/2017	6.9
7/19/2017	7.2
8/22/2017	7.3
11/7/2017	6.9
4/17/2018	7.3
10/16/2018	7.4
4/16/2019	8.1
6/6/2019	8
10/15/2019	7.5
5/26/2020	8.5
6/29/2020	6.9
10/6/2020	7.3
4/12/2021	7.6
10/5/2021	8.3
4/13/2022	7
10/24/2022	7.2
4/4/2023	7.8


Outlier Analysis

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct Printed 8/9/2023, 9:42 AM

<u>Constituent</u>	<u>Well</u>	<u>Outlier</u>	<u>Value(s)</u>	<u>Date(s)</u>	<u>Method</u>	<u>Alpha</u>	<u>N</u>	<u>Mean</u>	<u>Std. Dev.</u>	<u>Distribution</u>	<u>Normality Test</u>
Chloride (mg/L)	MW-303	Yes	11.5	6/22/2016	NP (nrm)	NaN	21	7.714	1.016	unknown	ShapiroWilk

Tukey's Outlier Screening

MW-303



n = 21

Outlier is drawn as solid. Tukey's method used in lieu of parametric test because the Shapiro Wilk normality test failed at the 0.1 alpha level.

Data were natural log transformed to achieve best W statistic (graph shown in original units).

High cutoff = 11.49, low cutoff = 5.01, based on IQR multiplier of 3.

Constituent: Chloride Analysis Run 8/9/2023 9:41 AM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Tukey's Outlier Screening

Constituent: Chloride (mg/L) Analysis Run 8/9/2023 9:42 AM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-303
5/4/2016	13.5 (X)
6/22/2016	11.5 (O)
8/9/2016	8.7
10/26/2016	7.5
1/17/2017	7.1
4/19/2017	6.9
7/19/2017	7.2
8/22/2017	7.3
11/7/2017	6.9
4/17/2018	7.3
10/16/2018	7.4
4/16/2019	8.1
6/6/2019	8
10/15/2019	7.5
5/26/2020	8.5
6/29/2020	6.9
10/6/2020	7.3
4/12/2021	7.6
10/5/2021	8.3
4/13/2022	7
10/24/2022	7.2
4/4/2023	7.8

Attachment 3

Welch's/Mann-Whitney Comparison


Welch's t-test/Mann-Whitney

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct Printed 8/3/2023, 2:24 PM

<u>Constituent</u>	<u>Well</u>	<u>Calc.</u>	<u>0.1</u>	<u>0.05</u>	<u>0.025</u>	<u>0.01</u>	<u>Alpha</u>	<u>Sig.</u>	<u>Bg. Wells</u>	<u>Method</u>
Boron (ug/L)	MW-102M (bg)	-0.4638	No	No	No	No	0.01	No	(inrawell)	Welch`s
Boron (ug/L)	MW-122M (bg)	1.575	Yes	No	No	No	0.01	No	(inrawell)	Mann-W (normality)
Calcium (mg/L)	MW-102M (bg)	-0.5344	No	No	No	No	0.01	No	(inrawell)	Welch`s
Calcium (mg/L)	MW-122M (bg)	4.037	Yes	Yes	Yes	Yes	0.01	Yes	(inrawell)	Welch`s
Field pH (SU)	MW-102M (bg)	-0.2765	No	No	No	No	0.01	No	(inrawell)	Welch`s
Field pH (SU)	MW-122M (bg)	1.206	Yes	No	No	No	0.01	No	(inrawell)	Welch`s
Fluoride (mg/L)	MW-102M (bg)	-1.299	No	No	No	No	0.01	No	(inrawell)	Welch`s
Fluoride (mg/L)	MW-122M (bg)	-2.171	No	No	No	No	0.01	No	(inrawell)	Welch`s
Sulfate (mg/L)	MW-102M (bg)	-0.2321	No	No	No	No	0.01	No	(inrawell)	Mann-W (normality)
Sulfate (mg/L)	MW-122M (bg)	-0.6589	No	No	No	No	0.01	No	(inrawell)	Welch`s
Total Dissolved Solids (mg/L)	MW-102M (bg)	-2.051	No	No	No	No	0.01	No	(inrawell)	Welch`s
Total Dissolved Solids (mg/L)	MW-122M (bg)	-1.764	No	No	No	No	0.01	No	(inrawell)	Mann-W (normality)

Welch's t-test

MW-102M (bg)



Normality test: Shapiro Wilk @alpha = 0.05, calculated = 0.9828, critical = 0.874.

Constituent: Boron Analysis Run 8/3/2023 2:22 PM


Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Welch's t-test

Constituent: Boron (ug/L) Analysis Run 8/3/2023 2:24 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M	MW-102M
5/4/2016	1510	
6/22/2016	1440	
8/10/2016	1480	
10/26/2016	1420	
1/18/2017	1480	
4/20/2017	1460	
6/21/2017	1410	
8/22/2017	1440	
11/8/2017	1480	
4/17/2018	1550	
10/16/2018	1340	
4/18/2019	1400	
10/15/2019	1500	
10/7/2020	1600	
4/15/2021		1600
10/5/2021		1300
4/13/2022		1400
10/27/2022		1400
4/4/2023		1500

Mann-Whitney (Wilcoxon Rank Sum)



Mann-Whitney (Wilcoxon Rank Sum) used in lieu of Welch's t-test because the Shapiro Wilk normality test showed the data to be non-normal at the 0.05 alpha level.

Constituent: Boron Analysis Run 8/3/2023 2:22 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Mann-Whitney (Wilcoxon Rank Sum)


Constituent: Boron (ug/L) Analysis Run 8/3/2023 2:24 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-122M	MW-122M
5/5/2016	3140	
6/23/2016	1720	
8/10/2016	4550	
10/26/2016	4060	
1/18/2017	4720	
4/20/2017	4480	
6/21/2017	4710	
8/22/2017	4980	
11/8/2017	5220	
4/17/2018	5560	
10/16/2018	4580	
4/17/2019	5500	
10/15/2019	4100	
10/7/2020	4100	
4/15/2021		5100
10/5/2021		5500
4/14/2022		4800
10/27/2022		6400
4/4/2023		4300

Welch's t-test

MW-102M (bg)



Normality test: Shapiro Wilk @alpha = 0.05, calculated = 0.9416 after natural log transformation, critical = 0.874.

Constituent: Calcium Analysis Run 8/3/2023 2:22 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


Welch's t-test

Constituent: Calcium (mg/L) Analysis Run 8/3/2023 2:24 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M	MW-102M
5/4/2016	45.9	
6/22/2016	147	
8/10/2016	129	
10/26/2016	31.5	
1/18/2017	23.6	
4/20/2017	26	
6/21/2017	67.7	
8/22/2017	79.7	
11/8/2017	10.4	
4/17/2018	25.3	
10/16/2018	12.9	
4/18/2019	51	
10/15/2019	14	
10/7/2020	150	
4/15/2021		43
10/5/2021		71
4/13/2022		32
10/27/2022		14
4/4/2023		31 (B)

Welch's t-test

MW-122M (bg)



Normality test: Shapiro Wilk @alpha = 0.05, calculated = 0.9498, critical = 0.859.

Constituent: Calcium Analysis Run 8/3/2023 2:22 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


Welch's t-test

Constituent: Calcium (mg/L) Analysis Run 8/3/2023 2:24 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-122M	MW-122M
5/5/2016	599 (X)	
6/23/2016	312 (X)	
8/10/2016	419	
10/26/2016	415	
1/18/2017	386	
4/20/2017	382	
6/21/2017	386	
8/22/2017	386	
11/8/2017	383	
4/17/2018	402	
10/16/2018	366	
4/17/2019	400	
10/15/2019	400	
10/7/2020	430	
4/15/2021		410
10/5/2021		440
4/14/2022		420
10/27/2022		440
4/4/2023		430

Welch's t-test

MW-102M (bg)



Normality test: Shapiro Wilk @alpha = 0.05, calculated = 0.9659, critical = 0.859.

Constituent: Field pH Analysis Run 8/3/2023 2:22 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Welch's t-test


Constituent: Field pH (SU) Analysis Run 8/3/2023 2:24 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M	MW-102M
5/4/2016	8.09	
6/22/2016	7.68	
1/18/2017	7.62	
4/20/2017	7.35	
6/21/2017	7.64	
8/22/2017	6.89	
11/8/2017	8.16	
4/17/2018	8.34	
10/16/2018	7.8	
4/18/2019	8.55	
10/15/2019	7.81	
10/7/2020	8.29	
4/15/2021		7.85
10/5/2021		7.81
4/13/2022		7.91
10/27/2022		7.55
4/4/2023		7.93

Welch's t-test

MW-122M (bg)



Normality test: Shapiro Wilk @alpha = 0.05, calculated = 0.9583, critical = 0.85.

Constituent: Field pH Analysis Run 8/3/2023 2:22 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


Welch's t-test

Constituent: Field pH (SU) Analysis Run 8/3/2023 2:24 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-122M	MW-122M
5/5/2016	6.97	
6/23/2016	6.68	
1/18/2017	6.06	
6/21/2017	6.42	
8/22/2017	6.32	
11/8/2017	6.16	
4/17/2018	6.65	
10/16/2018	6.31	
4/17/2019	7.34	
10/15/2019	6.6	
10/7/2020	7	
4/15/2021		6.78
10/5/2021		7.18
4/14/2022		6.7
10/27/2022		6.79
4/4/2023		6.49

Welch's t-test

MW-102M (bg)



Normality test: Shapiro Wilk @alpha = 0.05, calculated = 0.8865 after natural log transformation, critical = 0.874.

Constituent: Fluoride Analysis Run 8/3/2023 2:22 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


Welch's t-test

Constituent: Fluoride (mg/L) Analysis Run 8/3/2023 2:24 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M	MW-102M
5/4/2016	4.2	
6/22/2016	4.2	
8/10/2016	4.4	
10/26/2016	4.6	
1/18/2017	4.1	
4/20/2017	4	
6/21/2017	4.6	
8/22/2017	4.5	
11/8/2017	4.6	
4/17/2018	4.5	
10/16/2018	4.7	
4/18/2019	5.7	
10/15/2019	4.5	
10/7/2020	5.3	
4/15/2021		4.3
10/5/2021		2.9
4/13/2022		4.3
10/27/2022		4.8
4/4/2023		4.2

Welch's t-test

MW-122M (bg)



Normality test: Shapiro Wilk @alpha = 0.05, calculated = 0.9377, critical = 0.874.

Constituent: Fluoride Analysis Run 8/3/2023 2:22 PM


Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Welch's t-test

Constituent: Fluoride (mg/L) Analysis Run 8/3/2023 2:24 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-122M	MW-122M
5/5/2016	1.1	
6/23/2016	0.89	
8/10/2016	0.74	
10/26/2016	0.48	
1/18/2017	<0.027 (U)	
4/20/2017	0.88	
6/21/2017	1.1	
8/22/2017	0.6	
11/8/2017	0.5	
4/17/2018	<0.063 (U)	
10/16/2018	<0.19 (U)	
4/17/2019	0.7	
10/15/2019	<0.23 (U)	
10/7/2020	<0.23	
4/15/2021		0.3 (J)
10/5/2021		<0.28
4/14/2022		<0.22 (U)
10/27/2022		<0.22 (U)
4/4/2023		0.52

Mann-Whitney (Wilcoxon Rank Sum)



Mann-Whitney (Wilcoxon Rank Sum) used in lieu of Welch's t-test because the Shapiro Wilk normality test showed the data to be non-normal at the 0.05 alpha level.

Constituent: Sulfate Analysis Run 8/3/2023 2:22 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


Mann-Whitney (Wilcoxon Rank Sum)

Constituent: Sulfate (mg/L) Analysis Run 8/3/2023 2:24 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M	MW-102M
5/4/2016	378	
6/22/2016	350	
8/10/2016	354	
10/26/2016	384	
1/18/2017	415	
4/20/2017	348	
6/21/2017	356	
8/22/2017	358	
11/8/2017	335	
4/17/2018	352	
10/16/2018	384	
4/18/2019	340	
10/15/2019	350	
10/7/2020	350	
4/15/2021		330
10/5/2021		360
4/13/2022		330
10/27/2022		390
4/4/2023		370

Welch's t-test

MW-122M (bg)



Normality test: Shapiro Wilk @alpha = 0.05, calculated = 0.868 after natural log transformation, critical = 0.866.

Constituent: Sulfate Analysis Run 8/3/2023 2:22 PM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


Welch's t-test

Constituent: Sulfate (mg/L) Analysis Run 8/3/2023 2:24 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-122M	MW-122M
5/5/2016	8260	
6/23/2016	5330	
8/10/2016	8950	
10/26/2016	8600	
1/18/2017	9680	
4/20/2017	14300	
6/21/2017	17500	
8/22/2017	9190	
11/8/2017	9440	
4/17/2018	10400	
10/16/2018	<0.24 (UX)	
4/17/2019	8300	
10/15/2019	8400	
10/7/2020	8700	
4/15/2021		8700
10/5/2021		8800
4/14/2022	460 (X)	
10/27/2022		9300
4/4/2023		8900

Welch's t-test

MW-102M (bg)



Normality test: Shapiro Wilk @alpha = 0.05, calculated = 0.9087, critical = 0.874.


Constituent: Total Dissolved Solids Analysis Run 8/3/2023 2:22 PM
 Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Welch's t-test

Constituent: Total Dissolved Solids (mg/L) Analysis Run 8/3/2023 2:24 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M	MW-102M
5/4/2016	1670	
6/22/2016	1530	
8/10/2016	1620	
10/26/2016	1420	
1/18/2017	1530	
4/20/2017	1620	
6/21/2017	1480	
8/22/2017	1400	
11/8/2017	1410	
4/17/2018	1540	
10/16/2018	1500	
4/18/2019	1700	
10/15/2019	1400	
10/7/2020	1700	
4/15/2021		1500
10/5/2021		1300
4/13/2022		1300
10/27/2022		1500
4/4/2023		1500

Mann-Whitney (Wilcoxon Rank Sum)



Mann-Whitney (Wilcoxon Rank Sum) used in lieu of Welch's t-test because the Shapiro Wilk normality test showed the data to be non-normal at the 0.05 alpha level.

Constituent: Total Dissolved Solids Analysis Run 8/3/2023 2:22 PM
 Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Mann-Whitney (Wilcoxon Rank Sum)

Constituent: Total Dissolved Solids (mg/L) Analysis Run 8/3/2023 2:24 PM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-122M	MW-122M
5/5/2016	11500	
6/23/2016	7430	
8/10/2016	14200	
10/26/2016	13200	
1/18/2017	14100	
4/20/2017	18100	
6/21/2017	12800	
8/22/2017	14300	
11/8/2017	13400	
4/17/2018	14400	
10/16/2018	13300	
4/17/2019	13000	
10/15/2019	13000	
10/7/2020	14000	
4/15/2021		14000
10/5/2021		12000
4/14/2022		13000
10/27/2022		11000
4/4/2023		11000


Welch's t-test/Mann-Whitney

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct Printed 8/9/2023, 10:07 AM

<u>Constituent</u>	<u>Well</u>	<u>Calc.</u>	<u>0.1</u>	<u>0.05</u>	<u>0.025</u>	<u>0.01</u>	<u>Alpha</u>	<u>Sig.</u>	<u>Bg. Wells</u>	<u>Method</u>
Chloride (mg/L)	MW-301	-5.175	No	No	No	No	0.01	No	(inrawell)	Welch`s
Chloride (mg/L)	MW-302	-3.864	No	No	No	No	0.01	No	(inrawell)	Welch`s
Chloride (mg/L)	MW-303	-0.1504	No	No	No	No	0.01	No	(inrawell)	Welch`s

Welch's t-test

MW-301



Normality test: Shapiro Wilk @alpha = 0.05, calculated = 0.9513, critical = 0.866.

Constituent: Chloride Analysis Run 8/9/2023 10:06 AM


Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Welch's t-test

Constituent: Chloride (mg/L) Analysis Run 8/9/2023 10:07 AM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-301	MW-301
5/4/2016	42.4	
6/22/2016	112 (X)	
8/9/2016	46.6	
10/26/2016	43.4	
1/17/2017	32.6	
4/20/2017	58	
6/20/2017	38.9	
8/22/2017	40.8	
11/7/2017	28.9	
4/17/2018	33.9	
10/15/2018	26.9	
4/16/2019	45	
10/15/2019	46	
5/26/2020	61	
10/6/2020		24
4/12/2021		28
10/5/2021		29
4/14/2022		24
10/25/2022		27

Welch's t-test



Normality test: Shapiro Wilk @alpha = 0.05, calculated = 0.9725, critical = 0.874.

Constituent: Chloride Analysis Run 8/9/2023 10:06 AM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


Welch's t-test

Constituent: Chloride (mg/L) Analysis Run 8/9/2023 10:07 AM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-302	MW-302
5/4/2016	9.2	
6/22/2016	8.1	
8/10/2016	7.5	
10/26/2016	6	
1/17/2017	7.7	
4/19/2017	8	
6/20/2017	8	
8/22/2017	8.5	
11/7/2017	7.8	
4/17/2018	8.6	
10/15/2018	9.2	
4/16/2019	10	
10/15/2019	7.3	
5/21/2020	8.9	
10/6/2020		7.2
4/12/2021		6.6
10/5/2021		7.1
4/13/2022		5.3
10/25/2022		5.4

Welch's t-test

MW-303



Normality test: Shapiro Wilk @alpha = 0.05, calculated = 0.885, critical = 0.874.

Constituent: Chloride Analysis Run 8/9/2023 10:06 AM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Welch's t-test

Constituent: Chloride (mg/L) Analysis Run 8/9/2023 10:07 AM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-303	MW-303
5/4/2016	13.5 (X)	
6/22/2016	11.5 (X)	
8/9/2016	8.7	
10/26/2016	7.5	
1/17/2017	7.1	
4/19/2017	6.9	
7/19/2017	7.2	
8/22/2017	7.3	
11/7/2017	6.9	
4/17/2018	7.3	
10/16/2018	7.4	
4/16/2019	8.1	
6/6/2019	8	
10/15/2019	7.5	
5/26/2020	8.5	
6/29/2020	6.9	
10/6/2020		7.3
4/12/2021		7.6
10/5/2021		8.3
4/13/2022		7
10/24/2022		7.2

Attachment 4

Interwell Prediction Limit Analysis


Prediction Limit

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct Printed 8/9/2023, 9:38 AM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bg N</u>	<u>Bg Wells</u>	<u>Bg Mean</u>	<u>Std. Dev.</u>	<u>%NDs</u>	<u>ND Adj.</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Boron (ug/L)	MW-301	6400	n/a	4/5/2023	650	No	38	MW-102M,MW-122M	n/a	n/a	0	n/a	n/a	0.001277	NP Inter (normality) ...
Boron (ug/L)	MW-302	6400	n/a	4/5/2023	800	No	38	MW-102M,MW-122M	n/a	n/a	0	n/a	n/a	0.001277	NP Inter (normality) ...
Boron (ug/L)	MW-303	6400	n/a	4/4/2023	730	No	38	MW-102M,MW-122M	n/a	n/a	0	n/a	n/a	0.001277	NP Inter (normality) ...
Field pH (SU)	MW-301	8.522	6.006	4/5/2023	6.75	No	33	MW-102M,MW-122M	7.264	0.707	0	None	No	0.001253	Param Inter 1 of 2
Field pH (SU)	MW-302	8.522	6.006	4/5/2023	7.19	No	33	MW-102M,MW-122M	7.264	0.707	0	None	No	0.001253	Param Inter 1 of 2
Field pH (SU)	MW-303	8.522	6.006	4/4/2023	6.86	No	33	MW-102M,MW-122M	7.264	0.707	0	None	No	0.001253	Param Inter 1 of 2
Fluoride (mg/L)	MW-301	5.7	n/a	4/5/2023	0.71	No	38	MW-122M,MW-102M	n/a	n/a	21.05	n/a	n/a	0.001277	NP Inter (normality) ...
Fluoride (mg/L)	MW-302	5.7	n/a	4/5/2023	0.91	No	38	MW-122M,MW-102M	n/a	n/a	21.05	n/a	n/a	0.001277	NP Inter (normality) ...
Fluoride (mg/L)	MW-303	5.7	n/a	4/4/2023	0.78	No	38	MW-122M,MW-102M	n/a	n/a	21.05	n/a	n/a	0.001277	NP Inter (normality) ...
Sulfate (mg/L)	MW-301	17500	n/a	4/5/2023	370	No	36	MW-102M,MW-122M	n/a	n/a	0	n/a	n/a	0.001409	NP Inter (normality) ...
Sulfate (mg/L)	MW-302	17500	n/a	4/5/2023	66	No	36	MW-102M,MW-122M	n/a	n/a	0	n/a	n/a	0.001409	NP Inter (normality) ...
Sulfate (mg/L)	MW-303	17500	n/a	4/4/2023	330	No	36	MW-102M,MW-122M	n/a	n/a	0	n/a	n/a	0.001409	NP Inter (normality) ...
Total Dissolved Solids (mg/L)	MW-301	18100	n/a	4/5/2023	970	No	38	MW-102M,MW-122M	n/a	n/a	0	n/a	n/a	0.001277	NP Inter (normality) ...
Total Dissolved Solids (mg/L)	MW-302	18100	n/a	4/5/2023	550	No	38	MW-102M,MW-122M	n/a	n/a	0	n/a	n/a	0.001277	NP Inter (normality) ...
Total Dissolved Solids (mg/L)	MW-303	18100	n/a	4/4/2023	950	No	38	MW-102M,MW-122M	n/a	n/a	0	n/a	n/a	0.001277	NP Inter (normality) ...

Within Limit

Prediction Limit Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 38 background values. Annual per-constituent alpha = 0.00764. Individual comparison alpha = 0.001277 (1 of 2). Comparing 3 points to limit. Seasonality was not detected with 95% confidence.

Constituent: Boron Analysis Run 8/9/2023 9:35 AM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Prediction Limit

Constituent: Boron (ug/L) Analysis Run 8/9/2023 9:38 AM


Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)	MW-303	MW-301	MW-302	MW-122M (bg)
5/4/2016	1510	3510	2280	853	
5/5/2016					3140
6/22/2016	1440	2430	1860	796	
6/23/2016					1720
8/9/2016		1640	1770		
8/10/2016	1480			802	4550
10/26/2016	1420	1100	1410	784	4060
1/17/2017		955	1310	824	
1/18/2017	1480				4720
4/19/2017		800		777	
4/20/2017	1460		1040		4480
6/20/2017			1040	767	
6/21/2017	1410				4710
7/19/2017		755 (755)			
8/22/2017	1440	737	994	783	4980
11/7/2017		738	1010	848	
11/8/2017	1480				5220
4/17/2018	1550	738	854	834	5560
10/15/2018			784	752	
10/16/2018	1340	661			4580
4/16/2019		850	660	760	
4/17/2019					5500
4/18/2019	1400				
10/15/2019	1500	760	600	780	4100
10/6/2020		740	770	870	
10/7/2020	1600				4100
4/12/2021		730	790	820	
4/15/2021	1600				5100
10/5/2021	1300	630	700	740	5500
4/13/2022	1400	680		730	
4/14/2022			710		4800
10/24/2022		640			
10/25/2022			640	790	
10/27/2022	1400				6400
4/4/2023	1500	730			4300
4/5/2023			650	800	

Within Limits

Prediction Limit

Interwell Parametric



Prediction Limit

Constituent: Field pH (SU) Analysis Run 8/9/2023 9:38 AM


Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)	MW-122M (bg)	MW-301	MW-302	MW-303
5/4/2016	8.09		6.44	7.38	6.24
5/5/2016		6.97			
6/22/2016	7.68		6.62	7.76	6.93
6/23/2016		6.68			
8/9/2016			7.81		7.84
8/10/2016				9.55	
10/26/2016			6.33	7.22	6.66
1/17/2017			6.31	7.23	6.69
1/18/2017	7.62	6.06			
4/19/2017				7.6	7.12
4/20/2017	7.35		6.15		
6/20/2017			6.73	7.29	
6/21/2017	7.64	6.42			
7/19/2017					7.1 (7.1)
8/22/2017	6.89	6.32	6.51	7.12	6.71
11/7/2017			6.56	7.41	6.96
11/8/2017	8.16	6.16			
4/17/2018	8.34	6.65	7.09	7.8	7.32
10/15/2018			6.59	7.25	
10/16/2018	7.8	6.31			6.87
4/16/2019			7.1	7.49	6.97
4/17/2019		7.34			
4/18/2019	8.55				
6/6/2019					6.71
10/15/2019	7.81	6.6	6.67	7.21	6.76
10/6/2020			7.22	7.14	7.01
10/7/2020	8.29	7			
4/12/2021			6.62	7.13	6.8
4/15/2021	7.85	6.78			
10/5/2021	7.81	7.18	6.71	7.2	6.76
4/13/2022	7.91			7.3	6.89
4/14/2022		6.7	6.84		
10/24/2022					6.76
10/25/2022			6.58	7.13	
10/27/2022	7.55	6.79			
4/4/2023	7.93	6.49			6.86
4/5/2023			6.75	7.19	

Within Limit

Prediction Limit

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 38 background values. 21.05% NDs. Annual per-constituent alpha = 0.00764. Individual comparison alpha = 0.001277 (1 of 2). Comparing 3 points to limit. Seasonality was not detected with 95% confidence.

Constituent: Fluoride Analysis Run 8/9/2023 9:36 AM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 8/9/2023 9:38 AM
 Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)	MW-303	MW-301	MW-302	MW-122M (bg)
5/4/2016	4.2	0.68	0.68	1.1	
5/5/2016					1.1
6/22/2016	4.2	0.47	0.38	1	
6/23/2016					0.89
8/9/2016		0.9	0.55		
8/10/2016	4.4			0.98	0.74
10/26/2016	4.6	0.87	0.72	1	0.48
1/17/2017		0.86	0.77	0.97	
1/18/2017	4.1				<0.027 (U)
4/19/2017		0.86		1	
4/20/2017	4		0.72		0.88
6/20/2017			0.93	1.1	
6/21/2017	4.6				1.1
7/19/2017		0.86 (0.86)			
8/22/2017	4.5	0.85	0.78	1	0.6
11/7/2017		0.77	0.77	1.2	
11/8/2017	4.6				0.5
4/17/2018	4.5	0.8	0.87	1	<0.063 (U)
10/15/2018			0.84	1.1	
10/16/2018	4.7	0.84			<0.19 (U)
4/16/2019		<0.23 (U)	0.85	1.5	
4/17/2019					0.7
4/18/2019	5.7				
10/15/2019	4.5	0.87	0.85	1.2	<0.23 (U)
10/6/2020		0.88	0.67	1.1	
10/7/2020	5.3				<0.23
4/12/2021		0.74	0.73	1.1	
4/15/2021	4.3				0.3 (J)
10/5/2021	2.9	0.39 (J)	<0.28 (U)	0.5	<0.28
4/13/2022	4.3	0.97		1.1	
4/14/2022			<0.22 (U)		<0.22 (U)
10/24/2022		0.88			
10/25/2022			0.85	0.93	
10/27/2022	4.8				<0.22 (U)
4/4/2023	4.2	0.78			0.52
4/5/2023			0.71	0.91	

Within Limit

Prediction Limit Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 36 background values. Annual per-constituent alpha = 0.008426. Individual comparison alpha = 0.001409 (1 of 2). Comparing 3 points to limit. Seasonality was not detected with 95% confidence.

Constituent: Sulfate Analysis Run 8/9/2023 9:36 AM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 8/9/2023 9:38 AM
 Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)	MW-301	MW-303	MW-302	MW-122M (bg)
5/4/2016	378	5160	6230	201	
5/5/2016					8260
6/22/2016	350	5370	4690	133	
6/23/2016					5330
8/9/2016		4050	1950		
8/10/2016	354			102	8950
10/26/2016	384	2630	780	78.9	8600
1/17/2017		1780	497	76.7	
1/18/2017	415				9680
4/19/2017			329	76.7	
4/20/2017	348	1170			14300
6/20/2017		1180		79.3	
6/21/2017	356				17500
7/19/2017			255 (255)		
8/22/2017	358	902	287	77.2	9190
11/7/2017		926	232	77.5	
11/8/2017	335				9440
4/17/2018	352	638	262	79.3	10400
10/15/2018		837		80.9	
10/16/2018	384 (UX)		310		
4/16/2019		360	600	83	
4/17/2019					8300
4/18/2019	340				
10/15/2019	350	310	390	73	8400
10/6/2020		620	230	73	
10/7/2020	350				8700
4/12/2021		530	260	64	
4/15/2021	330				8700
10/5/2021	360	590	270	70	8800
4/13/2022	330		250	61	
4/14/2022	460 (X)	450			
10/24/2022			190		
10/25/2022		440		64	
10/27/2022	390				9300
4/4/2023	370		330		8900
4/5/2023		370		66	

Within Limit

Prediction Limit Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 38 background values. Annual per-constituent alpha = 0.00764. Individual comparison alpha = 0.001277 (1 of 2). Comparing 3 points to limit. Seasonality was not detected with 95% confidence.

Constituent: Total Dissolved Solids Analysis Run 8/9/2023 9:36 AM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 8/9/2023 9:38 AM
 Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-102M (bg)	MW-303	MW-301	MW-302	MW-122M (bg)
5/4/2016	1670	9540	6260	784	
5/5/2016					11500
6/22/2016	1530	7120	5380	715	
6/23/2016					7430
8/9/2016		2750	5810		
8/10/2016	1620			671	14200
10/26/2016	1420	1500	4030	644	13200
1/17/2017		1080	2830	639	
1/18/2017	1530				14100
4/19/2017		931		671	
4/20/2017	1620		1990		18100
6/20/2017			2060	656	
6/21/2017	1480				12800
7/19/2017		809 (809)			
8/22/2017	1400	868	1870	672	14300
11/7/2017		783	1760	607	
11/8/2017	1410				13400
4/17/2018	1540	839	1400	690	14400
10/15/2018			1550	708	
10/16/2018	1500	891			13300
4/16/2019		1300	970	690	
4/17/2019					13000
4/18/2019	1700				
10/15/2019	1400	1100	860	680	13000
10/6/2020		840	1400	700	
10/7/2020	1700				14000
4/12/2021		850	1300	620	
4/15/2021	1500				14000
10/5/2021	1300	820	1200	400	12000
4/13/2022	1300	840		630	
4/14/2022			1000		13000
10/24/2022		740			
10/25/2022			1100	600	
10/27/2022	1500				11000
4/4/2023	1500	950			11000
4/5/2023			970	550	

Attachment 5

Intrawell Prediction Limit Analysis

Prediction Limit


Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct Printed 8/9/2023, 9:52 AM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bg N</u>	<u>Bg Wells</u>	<u>Bg Mean</u>	<u>Std. Dev.</u>	<u>%NDs</u>	<u>ND Adj.</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Chloride (mg/L)	MW-301	62.9	n/a	10/25/2022	27	No	13	n/a	41.88	10.12	0	None	No	0.002505	Param Intra 1 of 2
Chloride (mg/L)	MW-302	10.21	n/a	10/25/2022	5.4	No	14	n/a	8.2	0.9853	0	None	No	0.002505	Param Intra 1 of 2
Chloride (mg/L)	MW-303	8.717	n/a	10/24/2022	7.2	No	14	n/a	7.521	0.586	0	None	No	0.002505	Param Intra 1 of 2

Within Limit

Prediction Limit

Intrawell Parametric



Background Data Summary: Mean=41.88, Std. Dev.=10.12, n=13. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9513, critical = 0.814. Kappa = 2.077 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Chloride Analysis Run 8/9/2023 9:51 AM

Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct


Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 8/9/2023 9:52 AM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-301	MW-301
5/4/2016	42.4	
6/22/2016	112 (X)	
8/9/2016	46.6	
10/26/2016	43.4	
1/17/2017	32.6	
4/20/2017	58	
6/20/2017	38.9	
8/22/2017	40.8	
11/7/2017	28.9	
4/17/2018	33.9	
10/15/2018	26.9	
4/16/2019	45	
10/15/2019	46	
5/26/2020	61	
10/6/2020		24
4/12/2021		28
10/5/2021		29
4/14/2022		24
10/25/2022		27

Within Limit

Prediction Limit Intrawell Parametric



Background Data Summary: Mean=8.2, Std. Dev.=0.9853, n=14. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9725, critical = 0.825. Kappa = 2.041 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Chloride Analysis Run 8/9/2023 9:51 AM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 8/9/2023 9:52 AM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-302	MW-302
5/4/2016	9.2	
6/22/2016	8.1	
8/10/2016	7.5	
10/26/2016	6	
1/17/2017	7.7	
4/19/2017	8	
6/20/2017	8	
8/22/2017	8.5	
11/7/2017	7.8	
4/17/2018	8.6	
10/15/2018	9.2	
4/16/2019	10	
10/15/2019	7.3	
5/21/2020	8.9	
10/6/2020		7.2
4/12/2021		6.6
10/5/2021		7.1
4/13/2022		5.3
10/25/2022		5.4

Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 8/9/2023 9:52 AM
Ottumwa-Midland Landfill Client: SCS Engineers Data: OML_2019_Oct

	MW-303	MW-303
5/4/2016	13.5 (X)	
6/22/2016	11.5 (X)	
8/9/2016	8.7	
10/26/2016	7.5	
1/17/2017	7.1	
4/19/2017	6.9	
7/19/2017	7.2	
8/22/2017	7.3	
11/7/2017	6.9	
4/17/2018	7.3	
10/16/2018	7.4	
4/16/2019	8.1	
6/6/2019	8	
10/15/2019	7.5	
5/26/2020	8.5	
6/29/2020	6.9	
10/6/2020		7.3
4/12/2021		7.6
10/5/2021		8.3
4/13/2022		7
10/24/2022		7.2